



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.




We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

B 49988 2



614.179
N4

ELEVENTH ANNUAL REPORT

RELATING TO THE

REGISTRATION AND RETURN

OF

BIRTHS, MARRIAGES, DIVORCES, AND DEATHS

IN NEW HAMPSHIRE,

FOR THE YEAR 1890.

VOLUME VIII.—NEW SERIES.

CONCORD:

IRA C. EVANS, PUBLIC PRINTER.

1892.

THE STATE OF NEW HAMPSHIRE.

OFFICE OF THE REGISTRAR OF VITAL STATISTICS,
CONCORD, November 2, 1891.

*To His Excellency the Governor and the Honorable
Council:*

I have the honor to submit herewith, in accordance with the laws of the State of New Hampshire, the eleventh annual report relating to the registration of births, marriages, divorces, and deaths in this State for the year ending December 31, 1890.

The number of births reported in the State for the year 1890 was 6,946, or 34 more than was reported in 1889; the number of marriages was 3,621, exactly the same number returned in 1889; the number of divorces was 382; the number of deaths was 7,368, or 672 more than in 1889.

The total population of the State, according to the census of 1890, is 376,530, and the proportion of births, marriages, and deaths to each one thousand of the population is as follows:

Birth-rate, 18.44; marriage-rate, 9.61 (couples); divorce-rate, 1.01; death-rate, 19.56.

The returns of marriages, divorces, and deaths may be regarded as correct; those of births defective.

The tables have been arranged substantially as in the last registration report.

Reference should be had to the index at the end of this volume for any subject included in this report.

Respectfully submitted.

Irving A. Watson
Registrar of Vital Statistics.

REGISTRATION REPORT.

TABLE No. I.
Showing Births for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890.

COUNTIES.	Population in 1880.	Population in 1890.	BIRTHS.											
			1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	
Rockingham	49,064	49,650	733	675	749	692	637	640	757	727	750	752	773	
Strafford	35,558	38,442	322	423	625	698	640	621	662	701	725	705	784	
Belknap	17,948	20,321	215	227	273	261	242	256	263	296	307	328	322	
Carroll	18,224	18,124	153	198	274	286	275	245	264	249	236	260	261	
Merrimack	46,300	49,435	628	750	809	723	739	734	818	773	852	921	938	
Hillsborough	75,634	93,247	840	879	1,617	1,675	1,843	1,952	2,148	2,313	1,798	1,923	1,963	
Cheshire..... ..	28,734	29,579	255	348	445	496	554	511	514	525	553	546	543	
Sullivan.....	18,161	17,304	245	236	265	269	268	267	230	269	276	287	306	
Grafton.....	38,788	37,217	584	593	657	647	643	631	623	623	599	695	636	
Coös	18,580	23,211	274	286	410	403	406	462	378	434	347	495	420	
Total.....	346,991	376,530	4,249	4,615	6,124	6,150	6,247	6,319	6,657	6,910	6,443	6,912	6,946	

TABLE No. I. — *Continued.*
Showing Marriages for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890.

COUNTIES.	Population in 1880.	Population in 1890.	MARRIAGES.											
			1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	
Rockingham	49,064	49,650	310	382	419	399	419	447	440	457	420	484	458	
Strafford.....	35,558	38,442	255	332	428	425	415	388	418	420	416	377	457	
Belknap.....	17,948	20,321	108	177	166	198	147	150	183	213	183	186	178	
Carroll	18,224	18,124	136	149	159	175	171	182	177	149	163	176	155	
Merrimack.....	46,300	49,435	330	353	364	432	344	361	345	421	405	423	473	
Hillsborough ...	75,634	93,247	752	674	1,025	949	886	815	876	915	879	1,013	939	
Cheshire	28,734	29,579	195	206	232	262	238	233	240	255	221	250	237	
Sullivan	18,161	17,304	134	151	149	167	138	109	140	123	146	154	172	
Grafton.....	38,788	37,217	274	270	319	339	332	327	318	328	322	343	314	
Coös	18,580	23,211	135	146	172	149	202	168	187	214	224	215	238	
Total.....	346,991	376,530	2,629	2,830	3,433	3,495	3,292	3,180	3,324	3,495	3,379	3,621	3,621	

REGISTRATION REPORT.

TABLE No. I. — *Continued.*
Showing Deaths for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890.

COUNTIES.	Population in 1880.	Population in 1890.	DEATHS.											
			1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	
Rockingham	49,064	49,650	627	717	732	699	873	911	963	876	896	875	1,065	
Strafford.....	35,558	38,442	184	329	372	494	627	619	609	673	688	691	801	
Belknap	17,948	20,321	147	153	219	262	285	289	362	369	392	389	374	
Carroll.....	18,224	18,124	107	189	219	253	333	269	303	294	328	298	303	
Merrimack.....	46,300	49,435	595	695	726	762	736	796	833	835	920	891	983	
Hillsborough	75,634	93,247	1,203	1,396	1,390	1,551	1,655	1,701	1,681	1,697	1,846	1,740	1,973	
Cheshire	28,734	29,579	240	271	405	418	497	494	475	482	488	525	557	
Sullivan	18,161	17,304	190	261	261	254	273	284	328	283	327	314	332	
Grafton.....	38,788	37,217	429	482	487	547	652	611	616	602	655	625	651	
Cods	18,580	23,211	107	157	190	181	263	227	256	368	314	348	329	
Total	346,991	376,530	3,829	4,650	5,001	5,421	6,194	6,201	6,426	6,479	6,854	6,696	7,368	

TABLE No. II.

Population of 1890; Births, Marriages, and Deaths, with percentage of each to one thousand of the population, for the year ending December 31, 1890.

COUNTIES.	Population in 1890.	Births.	Rate per 1,000 of population.	Marriages.	Rate per 1,000 of population.	Deaths.	Rate per 1,000 of population.
Rockingham	49,650	773	15.55	458	9.22	1,065	21.45
Strafford	38,442	784	19.87	457	11.88	801	20.83
Belknap	20,321	322	15.84	178	8.75	374	18.40
Carroll	18,124	261	14.40	155	8.55	303	16.71
Merrimack	49,435	938	18.97	473	9.56	983	19.88
Hillsborough	93,247	1,963	21.05	939	10.07	1,973	21.14
Cheshire	29,579	543	18.35	237	8.01	557	18.49
Sullivan	17,304	306	17.68	172	9.93	332	19.18
Grafton	37,217	636	17.08	314	8.43	651	17.49
Cochs	23,211	420	18.09	238	10.25	329	14.17
Total	376,530	6,946	18.44	3,621	9.61	7,368	19.56

TABLE
Births, Marriages, and Deaths for
ROCKINGHAM

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Atkinson	483	1	5	..	6	12.42	5	1	..
Auburn	631	3	1	4	6.33	4
Brentwood	967	9	5	..	*14	14.47	9	2	...	1	2
Candia	1,108	6	12	..	18	16.24	14	2	...	1	1
Chester	958	8	3	..	11	11.48	8	1	1	...	1
Danville	666	3	1	..	4	6.00	3	1	..
Deerfield	1,220	7	12	..	19	15.57	13	2	4
Derry	2,604	15	21	..	36	13.82	30	3	...	2	1
East Kingston ..	461	2	2	..	4	8.67	1	2	...	1	..
Epping	1,721	29	17	..	46	26.72	29	11	5	1	..
Exeter	4,284	41	45	..	86	20.07	47	23	5	8	3
Fremont	726	14	8	1	23	31.68	14	8	...	1	..
Greenland	647	4	6	..	10	15.45	6	1	1	1	1
Hampstead	860	1	4	..	5	5.81	4	1
Hampton	1,330	10	6	3	19	14.28	13	1	5
Hampton Falls ..	622	2	2	..	4	6.43	3	1	..
Kensington ...	547	3	3	..	6	10.96	4	1	1
Kingston	1,120	9	5	..	14	12.50	12	...	1	1	..
Londonderry ..	1,220	9	8	..	17	13.93	15	...	2
Newcastle	488	4	3	..	7	14.34	4	2	...	1	..
Newington	401	6	3	..	9	22.44	9
Newmarket	2,742	20	31	2	53	19.32	21	23	2	5	2
Newton	1,064	11	4	..	15	14.09	13	1	1
N. Hampton ...	804	5	1	..	6	7.46	4	1	1
Northwood	1,478	16	17	..	33	22.32	28	...	2	...	3
Nottingham	988	3	7	..	10	10.12	4	6
Plaistow	1,085	9	4	..	13	11.99	7	2	3	...	1
Portsmouth ...	9,827	89	63	3	155	15.87	103	27	6	12	7
Raymond	1,131	6	6	1	13	11.49	12	1
Rye	978	6	8	..	14	14.30	10	1	2	1	..
Salem	1,805	10	11	..	21	11.63	14	1	3	3	..
Sandown	475	2	3	..	5	10.52	4	1
Seabrook	1,672	17	15	3	35	20.93	31	1	...	2	1
S. Hampton	370	3	3	..	6	16.21	4	...	1	1	..
S. Newmarket ..	855	5	6	..	11	12.86	11
Stratham	680	6	5	..	11	16.17	10	1	..
Windham	632	2	8	..	10	15.82	10
Total	49,650	393	366	14	773	15.55	533	116	36	48	40

* Born at county farm, 2.

No. III.

the year ending December 31, 1890.

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
3	3	4	6	...	10	8	1	1	20.70
3	3	5	5	...	10	8	...	2	15.84
4	4	18	10	...	*28	10	...	18	28.95
6	6	5	8	...	13	12	...	1	11.73
4	1	1	6	11	9	...	20	17	...	3	20.87
6	...	2	8	8	4	1	13	6	...	7	19.51
8	8	15	15	...	30	20	1	9	24.59
17	1	...	1	...	19	21	23	...	44	36	3	5	16.89
2	2	3	8	...	11	10	...	1	23.86
13	...	1	2	...	16	19	26	...	45	41	3	1	26.14
22	12	3	2	1	40	38	47	...	85	63	16	6	19.84
4	2	1	7	8	11	...	19	19	26.17
4	...	2	6	9	9	...	18	17	1	...	27.82
4	4	4	13	...	17	14	...	3	19.76
7	...	1	...	1	9	22	11	...	33	27	1	5	24.81
2	1	3	5	4	...	9	7	...	2	13.59
1	1	6	4	...	10	10	18.28
4	4	23	14	...	37	23	1	13	33.03
8	8	5	18	...	23	21	1	1	18.85
2	...	1	3	6	4	...	10	10	20.49
6	6	3	3	...	6	4	1	1	14.96
9	7	7	3	...	26	27	27	1	55	36	19	...	20.05
10	...	1	11	15	11	...	26	22	1	3	24.43
...	1	6	7	4	3	...	7	7	8.70
14	...	1	...	3	18	15	14	...	29	26	...	3	19.62
...	1	...	1	15	13	...	28	23	1	4	28.34
4	2	1	7	9	8	...	17	15	1	1	15.66
110	15	10	15	11	161	138	117	3	258	165	35	58	26.25
7	1	...	8	9	5	...	14	13	...	1	12.37
4	...	1	5	5	6	...	11	8	1	2	11.24
6	2	1	9	20	12	...	32	25	5	2	17.72
4	4	3	4	...	7	6	...	1	14.72
19	1	...	20	25	18	...	43	42	1	...	25.69
1	1	4	5	...	9	9	24.32
5	1	1	7	10	5	...	15	11	4	...	17.53
4	4	7	2	...	9	8	...	1	13.23
3	3	7	7	...	14	10	...	4	22.15
330	40	32	30	26	458	551	509	5	1,065	809	97	159	21.45

* Died at county farm, 16.

TABLE No. III.
STRAFFORD

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Barrington....	1,408	9	10	..	19	13.49	15	2	...	1	1
Dover	12,790	160	112	6	278	21.73	125	97	24	25	7
Durham	871	4	5	..	9	10.33	4	2	2	1	..
Farmington...	3,064	15	24	1	40	13.05	35	2	...	3	..
Lee	606	3	3	4.95	2	1
Madbury	367	1	1	2.72	1
Middleton	207	1	2	..	3	14.49	3
Milton	1,640	9	14	..	23	14.63	14	4	2	2	1
New Durham .	579	3	3	..	6	10.36	5	1
Rochester	7,396	55	79	7	141	19.06	66	56	8	7	4
Rollinsford ...	2,003	25	32	..	57	28.45	12	40	1	3	1
Somersworth ...	6,207	101	91	..	192	30.93	84	146	3	5	4
Strafford.....	1,304	4	8	..	12	9.20	12
Total.....	38,442	390	380	14	784	19.87	327	350	40	47	20

— *Continued.*

COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
15	15	11	12	23	23	16.33
105	20	16	14	10	165	163	154	317	230	63	24	24.78
3	1	4	11	5	16	16	18.36
19	1	1	21	29	31	1	61	59	1	1	19.90
1	1	3	3	6	4	2	9.90
1	1	3	1	4	4	10.89
5	1	6	3	2	5	5	24.15
14	1	1	16	9	14	23	21	1	1	14.02
6	6	6	10	16	13	1	2	27.63
49	17	5	9	7	87	59	53	4	116	95	8	13	15.68
8	18	2	3	31	17	9	26	18	4	4	12.98
46	44	3	2	7	102	86	76	162	101	54	7	26.09
2	2	15	10	1	26	24	2	19.93
274	100	28	29	26	457	415	380	6	801	613	134	54	20.83

TABLE No. III.
BELKNAP

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Alton	1,872	19	8..	27	19.67	24	1	...	2	..	
Barnstead	1,264	5	3 3	11	8.70	9	1	...	1	1	
Belmont	1,142	9	7..	16	14.01	9	5	...	2	..	
Centre Harbor. 479	1	1	2	4.18	2	
Gilford	3,585	27	28 2	57	15.89	30	14	3	8	2	
Gilmanton ...	1,211	5	4..	9	7.42	7	...	1	...	1	
Laconia	6,143	76	55 6	137	22.30	46	70	8	7	6	
Meredith	1,642	12	8..	20	12.18	15	...	4	1	..	
New Hampton. 935	5	6..	11	11.76	9	1	1	
Sanbornton ...	1,027	11	4..	15	14.60	14	1	
Tilton.....	1,521	6	11..	17	11.17	13	1	1	2	..	
Total	20,321	175	135 12	322	15.84	178	92	17	21	14	

— *Continued.*

COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
12	12	16	16	...	32	27	1	4	23.32
9	9	10	9	2	21	12	1	8	16.61
4	...	2	6	13	7	...	20	19	...	1	17.51
5	5	3	5	...	8	7	...	1	16.70
21	7	1	...	2	31	29	26	...	55	42	8	5	15.34
2	2	11	10	...	21	15	...	6	17.34
40	15	8	4	6	73	47	50	1	98	67	16	15	15.95
10	1	11	17	13	...	30	28	...	2	18.27
5	5	11	14	...	25	23	2	...	26.73
5	2	7	10	20	...	30	25	...	5	29.21
11	1	4	1	...	17	14	20	...	34	29	1	4	22.35
124	23	15	5	11	178	181	190	3	374	294	29	51	18.40

TABLE No. III.
CARROLL

TOWNS.	Population in 1890.	BIRTHS.										
		Sex.				Parentage.						
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.	
Albany	377	2	1	..	3	7.95	1	..	2	
Bartlett	1,247	15	10	..	25	20.05	11	10	2	..	2	..
Brookfield	349	1	4	..	5	14.29	5
Chatham	329	2	5	..	7	21.27	7
Conway	2,331	21	15	..	36	15.44	24	5	1	6
Eaton	514	4	4	7.78	4
Effingham	720	4	2	..	6	8.33	6
Freedom	630	1	7	..	8	12.69	8
Hart's Locat'n.	187	1	1	5.34	..	1
Jackson	579	3	4	..	7	12.08	5	2
Madison	554	5	3	..	8	14.44	8
Moultonboro' . .	1,034	10	5	..	15	14.50	15
Ossipee	1,630	6	7	..	13	7.97	11	1	1
Sandwich	1,303	9	11	..	20	15.34	19	1
Tamworth	1,025	15	8	..	23	22.43	18	2	2	1
Tuftonborough . .	767	5	5	..	10	13.03	10
Wakefield	1,528	17	19	..	36	23.56	26	6	2	2
Wolfeborough . .	3,020	18	15	1	34	11.25	22	6	..	3	3	3
Total	18,124	139	121	1	261	14.40	200	31	9	9	12	12

— Continued.

COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	1	2	3	...	5	5	13.23
5	2	1	2	...	10	7	6	...	13	11	1	1	10.42
1	1	...	2	...	2	1	...	1	5.70
2	1	3	3	4	2	6	6	18.23
28	...	1	2	1	32	15	15	...	30	20	2	8	12.87
3	3	6	2	...	8	3	...	5	15.56
9	9	7	6	...	13	11	...	2	18.05
6	3	9	8	10	...	18	10	...	8	28.57
...	2	2	1	1	...	2	...	2	...	10.69
1	...	1	1	...	3	...	5	...	5	5	8.63
5	1	1	7	5	6	...	11	7	1	3	19.87
9	9	13	14	...	27	21	2	4	26.11
10	1	1	...	1	13	17	17	...	34	32	...	2	20.85
7	7	14	12	...	26	22	1	3	19.95
9	9	6	8	1	15	15	14.63
2	2	4	8	...	12	12	15.64
10	...	1	11	17	17	...	34	32	1	1	22.25
21	...	2	...	1	24	21	20	1	42	38	1	3	13.57
129	5	7	6	8	155	147	154	2	303	251	11	41	16.71

TABLE No. III.
MERRIMACK

TOWNS.	Population in 1880.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Allenstown . . .	1,475	27	17	..	44	29.83	3	40	..	1	..
Andover	1,090	7	11	1	19	17.43	14	1	..	3	1
Boscawen	1,487	15	15	..	30	20.17	11	10	7	1	1
Bow	725	5	4	..	9	12.41	5	1	2	1	..
Bradford	810	10	3	..	13	16.04	12	1	..
Canterbury . . .	964	3	1	..	4	4.14	3	1	..
Chichester	661	4	4	..	8	12.10	6	2	..
Concord	17,004	176	182	2	360	21.17	176	120	30	29	5
Danbury	683	6	10	..	16	23.42	14	..	1	1	..
Dunbarton	524	3	2	..	5	9.54	4	1	..
Epsom	815	4	6	..	10	12.26	7	2	..	1	..
Franklin	4,085	50	50	..	100	24.47	50	28	9	8	5
Henniker	1,385	17	10	..	27	19.49	24	1	..	2	..
Hill	548	2	2	..	4	7.29	2	..	1	..	1
Hooksett	1,893	18	26	..	44	23.32	7	31	..	3	3
Hopkinton	1,817	8	9	..	17	9.35	15	1	1
Loudon	1,000	5	6	..	11	11.00	10	1
Newbury	487	2	6	..	8	16.40	7	1
New London . . .	799	4	5	..	9	11.26	9
Northfield	1,115	9	5	..	14	12.55	9	1	3	..	1
Pembroke	3,172	38	48	4	90	28.37	12	63	7	8	..
Pittsfield	2,605	21	18	..	39	14.93	22	15	..	1	1
Salisbury	655	5	3	..	8	12.21	7	1
Sutton	849	6	5	..	11	12.95	10	1
Warner	1,383	7	6	..	13	9.39	12	..	1
Webster	564	3	4	1	8	14.18	7	1
Wilmot	840	11	6	..	17	20.23	12	3	..	1	1
Total	49,435	466	464	8	938	18.97	470	318	61	66	23

BIRTHS, MARRIAGES, AND DEATHS.

17

— Continued.

COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
...	12	2	14	13	14	...	27	20	6	1	18.80
5	1	2	8	10	2	...	12	11	...	1	11.00
7	7	27	20	...	*47	37	6	4	31.60
4	4	8	4	...	12	11	...	1	16.55
6	6	8	7	...	15	14	...	1	18.51
4	4	8	10	...	18	13	2	3	18.67
5	5	4	7	...	11	9	...	2	16.49
119	31	21	20	16	207	184	187	1	†372	282	54	36	21.87
8	8	6	9	...	15	13	1	1	21.96
6	6	6	4	...	10	8	...	2	19.08
7	7	9	5	...	14	13	...	1	17.17
32	3	4	3	...	42	32	38	...	70	53	12	5	17.13
12	...	1	13	14	20	...	34	32	1	1	24.54
3	3	5	1	...	6	6	10.76
1	9	1	2	1	14	14	10	...	24	21	2	1	12.67
9	2	11	14	23	...	37	34	...	3	20.36
4	...	1	5	10	16	...	26	22	...	4	26.00
2	2	...	2	...	2	2	4.10
5	1	6	9	12	...	21	17	...	4	26.29
7	1	1	9	9	9	1	19	15	4	...	17.04
14	15	3	3	...	35	28	25	2	55	32	13	10	17.33
16	3	4	3	2	28	15	32	3	50	36	2	12	19.19
4	4	7	2	...	9	9	13.74
7	7	12	11	...	23	18	1	4	27.09
6	6	16	14	...	30	29	1	...	21.69
2	1	3	...	4	...	4	3	...	1	7.09
9	9	5	15	...	20	19	...	1	23.80
304	74	37	32	26	473	473	503	7	983	779	105	99	19.88

* Including deaths at county almshouse.

† Deaths in public institutions, 75.

TABLE No. III.
HILLSBOROUGH

TOWNS.	Population in 1880.	BIRTHS.									
		Sex.				Rate per 1,000.	Parentage.				
		Male.	Female.	Not stated.	Total.		Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Amherst	1,053	5	5	..	10	9.49	9	..	1
Antrim	1,248	15	9	..	24	19.22	22	2
Bedford	1,102	9	2	..	11	9.98	8	1	1	..	1
Bennington ...	542	7	7	..	14	25.83	9	5
Brookline	548	7	3	1	11	20.07	9	1	..	1	..
Deering	531	8	8	15.06	4	1	..	3	..
Francestown ..	837	6	9	..	15	17.92	13	2
Goffstown	1,981	18	17	..	35	17.16	23	5	..	5	2
Greenfield	607	6	3	..	9	14.82	9
Greenville	1,255	26	19	2	47	37.45	10	32	1	1	3
Hancock	637	5	6	..	11	17.26	9	1	1
Hillsborough ..	2,120	16	19	..	35	16.50	31	2	1	1	..
Hollis	1,000	9	6	..	15	15.00	12	1	..	1	1
Hudson	1,092	5	5	..	10	9.15	8	..	1	1	..
Litchfield	252	2	1	..	3	11.50	2	1
Lyndeborough ..	657	4	4	..	8	12.17	7	..	1
Manchester	44,126	444	396	9	849	19.23	140	538	58	58	55
Mason	629	2	8	..	10	15.89	4	6
Merrimack	951	7	6	..	13	13.66	8	4	..	1	..
Milford	3,014	28	31	..	59	19.57	40	3	9	6	1
Mont Vernon ..	479	2	4	..	6	12.52	4	2	..
Nashua	19,311	310	267	3	580	30.03	163	304	49	52	12
New Boston	1,067	6	7	..	13	12.18	7	3	1	2	..
New Ipswich ..	969	12	6	..	18	18.57	6	6	3	1	2
Pelham	791	5	6	..	11	13.90	5	3	3
Peterborough ...	2,507	22	22	..	44	17.55	24	11	2	5	2
Sharon	137	1	3	1	5	36.49	4	1	..
Temple	342	2	5	..	7	20.46	7
Weare	1,550	6	14	..	20	12.90	16	3	..	1	..
Wilton	1,850	31	28	..	*59	31.89	17	6	15	3	18
Windsor	62	1	2	..	3	48.38	3
Total	93,247	1,027	920	16	1,963	21.05	633	938	147	147	98

* Born at county farm, 16.

— Continued.

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	...	1	1	...	9	10	14	...	24	20	1	3	22.79
8	1	9	13	14	...	27	23	...	4	21.73
3	1	...	4	8	5	...	13	13	11.79
...	1	...	1	6	5	...	11	10	...	1	20.29
7	1	2	10	4	9	1	14	12	1	1	25.54
3	3	10	10	...	20	18	1	1	37.66
2	2	7	8	...	15	14	...	1	17.92
12	1	...	13	16	18	...	34	28	2	4	17.15
4	4	3	6	...	9	9	14.82
5	10	1	1	1	18	15	10	1	26	18	6	2	20.71
3	3	9	5	...	14	10	1	3	21.97
13	1	14	19	21	...	40	33	4	3	18.86
11	11	14	14	...	28	24	2	2	28.00
10	...	1	11	13	10	...	23	20	3	...	21.06
1	1	...	2	2	4	...	6	6	23.80
2	2	7	6	...	13	13	19.88
154	235	44	33	13	479	510	501	19	1,030	727	247	56	23.34
2	2	7	3	...	10	8	1	1	15.89
6	6	5	5	...	10	9	1	...	10.51
17	3	...	4	...	24	18	25	...	43	40	2	1	14.26
2	2	2	3	...	5	4	...	1	10.43
116	70	29	20	4	239	172	174	...	346	249	74	23	17.91
4	2	...	6	7	8	1	16	15	...	1	14.99
5	1	1	1	...	8	17	13	...	30	22	3	5	30.95
1	...	3	4	7	6	...	13	11	...	2	16.43
13	4	...	2	2	21	24	26	...	50	44	5	1	19.94
1	...	1	2	2	1	...	3	2	...	1	21.89
1	...	1	2	3	1	...	4	3	...	1	11.69
12	2	14	16	10	...	26	23	...	3	16.77
7	1	2	1	1	12	38	28	...	*66	25	2	39	35.67
2	2	3	1	...	4	4	64.51
434	325	86	69	25	939	987	964	22	1,973	1,457	356	160	21.14

* Died at county farm, 38.

TABLE No. III.
CHESHIRE

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Alstead	870	11	5	..	16	18.39	11	1	4
Chesterfield ...	1,046	4	5	..	9	8.60	7	..	2
Dublin	582	4	4	6.87	4
Fitzwilliam ...	1,122	8	9	..	17	15.15	10	5	2
Gilsum	643	4	8	..	12	18.67	8	..	3	1	..
Harrisville	748	6	6	..	12	16.04	1	10	1
Hinsdale	2,258	28	24	..	52	23.02	26	15	6	4	1
Jaffrey	1,469	20	16	1	37	25.18	16	12	3	4	2
Keene ..	7,446	82	73	3	158	21.08	105	33	8	4	8
Marlborough ..	1,695	12	18	..	30	18.28	14	10	4	1	1
Marlow	584	4	2	..	6	10.27	6
Nelson	332	..	1	..	1	3.01	1
Richmond	476	7	4	..	11	23.10	9	..	1	1	..
Rindge	996	5	6	..	11	11.04	8	1	2
Roxbury	129	5	5	38.75	5
Stoddard	400	2	5	..	7	17.50	7
Sullivan	837	2	4	..	6	14.83	5	1
Surry	270	3	3	..	6	22.22	6
Swanzey	1,600	8	18	..	26	16.25	23	1	1	1	..
Troy	999	16	11	..	27	27.02	11	11	2	..	3
Walpole	2,163	17	28	..	45	20.80	20	15	7	3	..
Westmoreland ..	830	4	4	..	8	9.63	3	5
Winchester ...	2,584	23	13	1	37	14.31	25	8	1	2	1
Total	29,579	275	263	5	543	18.35	331	121	43	22	26

— Continued.

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4					4	13	12	1	26	15		11	28.73
6					6	11	6		17	14		3	16.25
		1			1	2	5		7	7			12.02
6				3	9	9	10		19	17		2	16.93
9			1		10	5	3		8	8			12.44
4		1			5	7	6		13	12	1		17.37
11		3	1		15	16	11		27	25	1	1	11.95
2	4	1	2		9	15	24		39	28	6	5	26.54
49	6	3	5	1	64	82	73	1	156	136	15	5	21.08
6	4	1	1		12	10	11		21	18	2	1	12.38
4			1		5	4	4		8	6		2	13.69
3					3	9	2		11	10		1	33.18
1					1	4	5		9	9			19.74
5	1		1		7	14	10		24	20	3	1	24.09
1					1	1	1		2	2			15.50
3			1		4	2	4		6	4	1	1	15.00
3					3		3		3	3			8.90
7			1	1	9	2	3		5	1		4	18.51
11			1		12	13	20		33	30	2	1	20.62
7	2	2		1	12	6	8		14	12	1	1	14.01
17	1				18	27	26		53	40	8	5	24.50
4					4	15	10		*25	13		12	30.12
12	3		3	5	23	15	16		31	22	4	5	11.99
175	21	12	18	11	237	282	273	2	557	452	44	61	18.49

* Died at county almshouse, 9.

TABLE No. III.
SULLIVAN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Acworth	717	3	7	..	10	13.94	10
Charlestown ..	1,466	10	6	..	16	10.91	12	1	2	1	..
Claremont	5,565	60	47	..	107	19.22	51	36	9	11	..
Cornish	954	10	5	..	15	15.72	12	...	3
Croydon	512	5	4	..	9	17.57	9
Goshen	384	4	1	..	5	13.02	4	...	1
Grantham	424	7	4	..	11	25.70	11
Langdon	305	5	1	..	6	19.67	6
Lempster	519	10	6	..	16	30.82	11	...	4	1	..
Newport	2,623	30	19	..	49	18.68	34	2	4	6	3
Plainfield	1,173	5	9	..	14	11.93	12	2
Springfield ...	540	4	7	..	11	20.37	10	1
Sunapee	900	12	7	..	19	21.11	10	6	2	1	..
Unity	653	5	5	..	10	15.31	9	1	..
Washington...	569	4	4	..	8	14.05	7	1
Total	17,304	174	132	..	306	17.68	208	46	25	21	6

— Continued.

COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
2	...	1	3	7	3	...	10	10	13.94
16	1	1	18	20	19	...	39	32	4	3	26.60
41	11	4	3	4	63	51	51	...	102	81	17	4	18.42
9	9	8	9	...	17	15	1	1	17.81
5	5	6	10	...	16	15	...	1	31.25
5	5	4	1	...	5	4	...	1	13.02
4	4	8	2	...	10	9	...	1	23.58
...	5	6	...	11	10	1	...	36.06
2	2	5	6	...	11	9	...	2	21.19
25	1	1	1	1	29	24	21	...	45	39	2	4	17.15
11	11	5	7	...	12	10	...	2	10.23
2	2	7	6	...	13	11	...	2	24.07
7	2	1	1	...	11	6	6	...	12	12	13.33
5	5	14	7	...	*21	14	2	5	33.68
4	1	5	4	4	...	8	8	14.05
138	15	7	5	7	172	174	158	332	279	27	26	19.18

* Died at county almshouse, 11.

TABLE No. III.
GRAFTON

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Alexandria . . .	679	5	5	..	10	14.72	4	6
Ashland	1,193	5	10	..	15	12.57	11	3	1
Bath	935	4	3	..	7	7.48	5	..	2
Benton	244	2	2	8.19	2
Bethlehem . . .	1,267	17	10	..	27	21.31	14	10	2	1	..
Bridgewater . .	332	3	4	..	7	21.08	6	1
Bristol	1,524	8	16	..	24	15.74	14	3	1	..	6
Campton	982	12	5	..	17	17.30	13	1	3
Canaan	1,417	13	11	..	24	16.93	13	4	4	1	2
Dorchester . . .	379	1	2	..	3	7.91	2	1
Easton	248
Ellsworth	150	4	1	..	5	33.33	3	2	..
Enfield	1,439	12	8	..	20	13.89	16	2	1	..	1
Franconia	594	2	3	2	7	11.78	7
Grafton	787	5	6	..	11	13.97	9	..	1	..	1
Groton	464	4	5	..	9	19.39	6	1	1	..	1
Hanover	1,817	12	14	..	26	14.30	18	6	1	1	..
Haverhill	2,545	23	29	..	52	20.43	41	3	2	4	2
Hebron	245	1	2	..	3	12.24	3
Holderness . . .	595	4	4	6.72	4
Landaff	499	4	7	..	11	22.04	8	1	2
Lebanon	3,763	43	31	1	75	19.93	48	19	4	3	1
Lincoln	110
Lisbon	2,060	16	19	2	37	17.96	23	3	1	3	2
Littleton	3,365	40	32	1	73	21.69	31	24	8	7	3
Livermore	155
Lyman	543	4	2	..	6	11.04	6
Lyme	1,154	11	12	..	23	19.93	22	..	1
Monroe	478	8	8	..	16	33.47	14	..	2
Orange	245	1	2	..	3	12.24	2	1	..
Orford	916	10	15	..	25	27.29	20	..	2	2	1
Piermont	709	3	5	..	8	11.28	7	..	1
Plymouth	1,852	14	9	1	24	12.95	18	2	2	2	..
Rumney	947	6	7	..	13	13.72	12	1
Thornton	632	7	10	1	18	28.48	16	2	..
Warren	875	4	5	..	9	10.28	6	1	1	..	1
Waterville	39
Wentworth	698	6	5	1	12	17.19	8	2	..	1	1
Woodstock	341	6	4	..	10	29.32	8	1	1
Total	37,217	320	307	9	636	17.08	445	87	44	30	30

— *Continued.*
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
2	...	1	2	1	6	8	13	...	21	7	...	14	30.92
12	2	4	...	1	19	9	10	...	19	14	2	3	15.08
5	1	6	3	7	...	10	8	...	2	10.69
1	1	1	3	3	2	...	5	3	...	2	20.49
7	2	1	2	1	13	10	15	...	25	15	7	3	19.73
2	2	3	5	...	8	5	...	3	24.09
8	1	...	9	13	15	...	28	17	1	10	18.37
8	...	1	9	9	8	...	17	17	17.30
7	2	2	11	15	10	...	25	25	17.64
2	1	3	7	3	...	10	5	3	2	26.38
3	3	4	5	...	9	6	1	2	...
...	1	1	1	1	...	2	2	13.33
4	1	1	...	1	7	8	12	...	20	18	...	2	13.89
1	1	6	5	...	11	11	18.50
11	...	1	12	1	4	...	5	4	...	1	6.35
3	3	5	8	...	13	13	28.01
9	2	11	15	10	...	25	20	3	2	13.75
11	1	...	2	...	14	29	33	...	*62	36	..	26	24.36
...	4	4	2	1	1	15.91
2	1	3	5	7	...	12	12	20.16
4	4	7	5	...	12	10	2	...	24.04
31	1	1	3	...	36	27	46	...	73	67	6	...	19.39
...
17	...	2	2	3	24	12	19	1	32	26	2	4	15.53
26	5	2	5	2	40	28	18	...	46	38	4	4	13.67
...
3	...	1	4	3	3	...	6	6	11.04
9	9	13	15	...	28	27	...	1	24.25
5	5	1	6	...	7	7	14.64
...	2	1	...	3	3	12.24
7	1	...	8	7	11	...	18	16	...	2	19.65
8	8	6	5	...	11	9	1	1	15.51
11	...	1	...	2	14	7	15	...	22	17	...	5	11.82
3	...	1	4	13	10	...	23	21	2	...	24.28
5	5	3	4	...	7	7	11.07
2	3	5	4	3	...	7	4	...	3	8.00
...
7	1	1	9	9	7	1	17	13	...	4	24.35
2	1	3	1	7	...	8	8	20.52
238	18	18	20	20	314	301	348	2	651	519	35	97	17.49

* Died at county almshouse, 10.

TABLE No. III.

COÖS

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother. and for'n father.	American father and for'n mother.	Not stated.
Berlin	3,729	56	52	..	108	28.96	5	92	10	1	..
Carroll	813	4	4	..	8	9.84	3	1	3	1	..
Clarksville ...	325	1	1	..	2	6.15	1	1
Colebrook	1,736	15	17	..	32	18.43	23	2	4	3	..
Columbia	605	5	2	1	8	13.22	5	3	..
Dalton	596	4	4	..	8	13.42	6	1	1
Dummer. ...	455	2	1	..	3	6.59	2	1	..
Errol	178	2	2	11.23	1	1	..
Gorham	1,710	23	27	2	52	30.40	10	25	11	3	3
Jefferson	1,062	12	12	..	24	22.59	15	7	..	1	1
Lancaster	3,373	26	32	..	58	17.19	33	15	4	2	4
Milan	1,029	8	7	..	15	14.57	11	2	..	2	..
Millsfield	62	..	2	..	2	3.22	2	..
Northumb'rl'd	1,356	6	11	..	17	12.53	10	4	3
Pittsburg	669	1	1	..	2	3.14	2
Randolph	137
Shelburne	336
Stark	703	4	4	..	8	11.37	3	1	4
Stewartstown.	1,002	5	1	..	6	5.98	2	..	2	1	1
Stratford	1,128	10	8	..	18	15.95	12	3	1	2	..
Whitefield ...	2,041	23	22	2	47	23.02	11	23	8	2	3
Total.	*23,211	207	208	5	420	18.09	153	176	51	25	15

* Including unincorporated townships and grants.

— Continued.
COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
10	22	2	8	1	43	25	16	41	27	12	2	10.99
2	4	2	8	11	6	1	18	13	5	22.14
4	2	6	3	2	5	2	3	15.38
8	1	6	4	19	15	12	27	24	2	1	15.55
5	2	7	7	2	9	5	1	3	14.87
1	1	5	7	12	4	4	4	20.13
2	2	1	2	3	2	1	6.59
2	1	3	2	2	2	11.23
7	5	2	5	19	13	10	23	19	3	1	13.45
7	1	3	1	1	13	5	8	1	14	10	3	1	13.18
11	8	4	8	31	24	21	1	46	28	7	11	13.63
9	1	1	3	14	8	9	17	14	1	2	16.53
....
9	3	1	2	15	8	6	14	9	5	10.32
1	2	1	4	3	5	8	1	7	11.95
....
....
2	2	3	7	5	7	12	9	1	2	17.06
8	2	10	9	3	*12	9	3	11.97
5	2	2	3	1	13	12	8	20	10	2	8	17.72
13	5	2	3	23	27	19	46	31	5	10	22.53
106	52	31	45	4	238	181	145	3	329	219	51	59	14.17

* Died at county almshouse, 4.

TABLE No. III.
RECAPITULATION

COUNTIES.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Beth foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.
Rockingham.	49,650	393	366	14	773	15.55	533	116	36	48	40
Strafford....	38,442	390	380	14	784	19.87	327	350	40	47	20
Belknap....	20,321	175	135	12	322	15.84	178	92	17	21	14
Carroll.....	18,124	139	121	1	261	14.40	200	31	9	9	12
Merrimack..	49,435	466	464	8	938	18.97	470	318	61	66	23
Hillsborough	93,247	1,027	920	16	1,963	21.05	633	938	147	147	98
Cheshire....	29,579	275	263	5	543	18.35	331	121	43	22	26
Sullivan....	17,304	174	132	..	306	17.68	208	46	25	21	6
Grafton.....	37,217	320	307	9	636	17.08	445	87	44	30	30
Coös.....	23,211	207	208	5	420	18.09	153	176	51	25	15
Total...	376,530	3,566	3,296	84	6,946	18.44	3,478	2,275	473	436	284

— *Continued.*

BY COUNTIES.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
330	40	32	30	26	458	551	509	5	1,065	809	97	159	21.45
274	100	28	29	26	457	415	380	6	801	613	134	54	20.83
124	23	15	5	11	178	181	190	3	374	294	29	51	18.40
129	5	7	6	8	155	147	154	2	303	251	11	41	16.71
304	74	37	32	26	473	473	503	7	983	779	105	99	19.88
434	325	86	69	25	939	987	964	22	1,973	1,457	356	160	21.14
175	21	12	18	11	237	282	273	2	557	452	44	61	18.49
138	15	7	5	7	172	174	158	..	332	279	27	26	19.18
238	18	18	20	20	314	301	348	2	651	519	35	97	17.49
106	52	31	45	4	238	181	145	3	329	219	51	59	14.17
2,252	673	273	259	164	3,621	3,692	3,624	52	7,368	5,672	889	807	19.56

BIRTHS.

TABLE No. IV.

Births by Counties, showing Proportion of Males to Females, 1890.

COUNTIES.	Males.	Females.	Excess of Males.	Excess of Females.	Sex not stated.
Rockingham	393	366	27	14
Strafford	390	380	10	14
Belknap	175	135	40	12
Carroll	139	121	18	1
Merrimack	466	464	2	8
Hillsborough	1,027	920	107	16
Cheshire	275	263	12	5
Sullivan	174	132	42
Grafton	320	307	13	9
Cooks	207	208	1	5
Total	3,566	3,296	270	84

TABLE No. V.

Twin Births by Months and Counties, 1890.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Colored Children.		Indian.	
														M.	F.	M.	F.
Rockingham*	3	2	1	1	1	1	1	1	1	1	1	1	9	1	1		
Strafford*	3	2	1	2	1	1	1	1	1	2	1	1	15			1	
Belknap								2					2	2	2		
Carroll							1	1	1	1			3				
Merrimack*		1	1	1				1	2	3			9	2	1		
Hillsborough	1	1	3	1	1	3	2	5	3	3			20				
Cheshire					1								1				1
Sullivan		1	1	1	1	1			2				6				
Grafton	4	1	1				1	1	1				210				
Coös			1					1	1				3				
Total	11	7	6	7	5	3	6	8	12	5	5	3	78	5	4	1	1

* One set of triplets.

TABLE No. VI.

Twin Births by Sex and Parentage, by Counties.

COUNTIES.	SEX.				PARENTAGE.						Living children.	Still-born children.	Total.
	Both males.	Both females.	1 male and 1 female.	Not stated.	Both American.	Both foreign.	American mother and for'n father.	American father and for'n mother.	Not stated.	Total.			
Rockingham	4	3	2	..	6	1	...	1	1	9	17	1	18
Strafford	8	2	4	1	9	4	...	2	..	15	28	2	30
Belknap	2	2	2	4	..	4
Carroll	1	2	..	1	2	3	5	1	6
Merrimack	4	4	1	..	3	2	1	3	..	9	18	..	18
Hillsborough	10	7	3	..	3	12	2	3	..	20	35	5	40
Cheshire	1	...	1	1	2	..	2
Sullivan	1	2	3	..	3	1	1	1	..	6	11	1	12
Grafton	2	3	5	..	8	1	1	10	19	1	20
Coös	1	1	1	..	2	...	1	3	6	..	6
Total	32	23	22	1	37	24	6	10	1	78	145	11	156

TABLE No. VII.
Triplet Births by Sex and Parentage.

COUNTIES.	SEX.		PARENTAGE.	Total.	Living.	Not stated.	Still-born.	Total.
	Male.	Female.	Both American.					
Rockingham.....	1	2	1	1	2	1	..	3
Strafford	2	1	1	1	2	..	1	3
Merrimack	1	2	1	1	3	3
Total	4	5	3	3	7	1	1	9

TABLE
Births by Sex and

COUNTIES.	January.	February.	March.	April.	May.
Rockingham .. Males	33	37	41	33	39
Females	30	31	42	32	38
Not stated	1			1	
Strafford..... Males ..	34	28	38	34	35
Females	36	33	34	29	38
Not stated	2		3	1	1
Belknap .. . Males	11	14	12	21	15
Females	12	9	14	14	13
Not stated	1				1
Carroll. Males ..	17	7	16	4	8
Females	10	4	9	9	10
Not stated					
Merrimack... Males	34	44	37	36	41
Females	35	28	38	41	38
Not stated	1	2		1	
Hillsborough. Males	82	72	92	84	82
Females	81	57	86	76	82
Not stated	1	1	2	1	3
Cheshire Males	13	17	18	28	20
Females	20	21	25	25	20
Not stated	1		2		1
Sullivan Males	12	17	11	19	13
Females	15	5	11	11	17
Not stated					
Grafton Males ..	29	22	24	35	30
Females	25	24	28	20	24
Not stated			1		3
Coös Males	21	19	23	21	11
Females	19	21	25	7	10
Not stated					1
Total.... Males	286	277	312	315	294
Females	283	233	312	264	290
Not stated	7	3	8	4	10
Grand total	576	513	632	583	594

No. VIII.

Month, by Counties, 1890.

June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
32	25	39	26	33	28	26	1	393	
33	35	32	25	27	22	19	366	
2	1	1	2	3	1	1	1	14	773
24	47	30	33	26	27	34	390	
27	28	31	21	22	48	32	1	380	
.....	2	1	1	1	1	1	14	784
22	13	17	12	10	17	11	175	
13	11	12	10	5	13	9	135	
.....	2	1	5	1	1	12	322
16	17	11	15	13	4	11	139	
9	15	11	10	17	5	12	121	
.....	1	1	261
41	49	48	32	38	21	45	466	
47	39	42	39	42	38	37	464	
.....	2	1	1	8	938
87	80	103	91	86	66	102	1,027	
77	92	76	66	66	75	86	920	
.....	2	3	2	1	16	1,963
31	29	26	26	21	26	20	275	
19	25	26	18	17	25	22	263	
.....	1	5	543
14	17	16	13	13	12	16	1	174	
16	9	13	8	7	8	11	1	132	
.....	306
24	27	34	22	27	26	18	2	320	
26	31	25	27	22	29	26	307	
1	1	1	1	1	9	636
14	13	16	20	24	8	16	1	207	
14	25	17	21	19	9	21	203	
2	1	1	5	420
305	317	340	290	291	235	299	5	3,566	
281	310	285	245	244	272	275	2	3,296	
5	8	9	5	7	9	6	3	84	
591	635	634	540	542	518	580	10	6,946	6,946

MARRIAGES.

TABLE No. IX.

Marriages by Counties and Nativity, 1890.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Rockingham.....	330	40	32	30	26	458
Strafford	274	100	28	29	26	457
Belknap.....	124	23	15	5	11	178
Carroll ..	129	5	7	6	8	155
Merrimack	304	74	37	32	26	473
Hillsborough	434	325	86	69	25	939
Cheshire	175	21	12	18	11	237
Sullivan	138	15	7	5	7	172
Grafton	238	18	18	20	20	314
Coös	106	52	31	45	4	238
Total	2,252	673	273	259	164	3,621

TABLE No. X.
Marriages by Months and Counties, 1890.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Rockingham ...	34	24	18	25	40	40	34	41	49	53	48	52	..	458
Strafford	37	30	33	45	31	32	26	40	51	36	50	46	..	457
Belknapj.....	11	6	14	16	11	17	9	15	24	16	24	15	..	178
Carroll	17	6	14	12	6	14	9	8	14	17	21	16	1	155
Merrimack.....	47	29	31	33	36	49	29	29	44	51	55	40	..	473
Hillsborough...	79	73	39	70	68	92	56	66	114	91	123	68	..	939
Cheshire	22	13	12	23	16	29	16	18	21	20	31	15	1	237
Sullivan	16	10	9	15	12	8	9	14	22	19	15	22	1	172
Grafton.	32	13	25	28	28	26	24	20	19	36	36	26	1	314
Coös	14	11	8	28	12	31	18	11	22	21	40	16	6	238
Total.....	309	215	203	295	260	338	230	262	330	360	443	316	10	3,621

TABLE No. XI.
Marriages by Ages and Counties, 1890.

COUNTIES.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.	Total.
Rockingham...Males.....	21	186	118	55	24	16	9	7	5	11	4	4	2	2	458
Females.....	122	156	84	40	22	14	4	2	2	4	2	2	2	6	456
Strafford.....Males.....	27	170	103	67	33	15	12	9	7	10	2	2	2	2	457
Females....	117	181	70	37	16	13	7	3	4	1	1	1	1	6	457
Belknap.....Males.....	13	68	40	26	14	6	3	1	3	2	1	1	1	1	178
Females....	54	58	34	12	13	3	3	1	1	2	2	2	2	1	178
Carroll.....Males.....	3	52	42	26	10	3	3	3	6	2	1	1	1	3	155
Females....	46	49	22	10	4	11	4	1	1	3	3	3	3	3	155
Merrimack.....Males.....	13	183	117	55	32	26	12	12	2	16	1	2	2	2	473
Females....	116	180	73	39	23	15	10	2	6	2	1	1	1	4	473
Hillsborough..Males.....	51	398	238	103	54	25	18	14	14	17	1	1	1	6	939
Females....	214	411	164	56	29	19	18	9	3	7	1	1	1	8	939
Cheshire.....Males.....	9	106	56	24	19	6	2	4	4	3	3	3	3	1	237
Females....	76	87	40	7	11	5	5	2	1	1	1	1	1	1	237

MARRIAGES.

39

Sullivan.....Males.....	4	68	43	18	14	9	3	4	4	3	1	1	1	172
Females.....	44	70	29	7	6	7	3	2	2	1	1	172
Grafton.....Males.....	7	103	93	49	15	13	15	1	11	4	1	2	314
Females.....	2	109	45	15	13	10	7	2	4	3	2	314
Coös.....Males.....	6	85	83	31	15	7	2	4	1	2	1	1	238
Females.....	1	89	44	18	6	2	3	2	1	2	238
Total.....Males.....	154	1,419	933	454	230	126	79	59	57	70	16	4	20	3,621
Females.....	7	987	605	241	143	99	61	26	24	25	6	33	3,621
Grand total.....	7	1,141	2,783	1,538	695	373	225	140	85	81	95	22	4	7,242

TABLE No. XII.

Interesting Facts in relation to Marriages, 1890.

COUNTIES.	Instances in which the age of the bride exceeded that of the groom.	Widowers.	Widows.	Third marriage.		Fourth marriage.		Oldest.		Youngest.		Oldest couple.		Youngest couple. *		Divorced.	
				M. F.		M. F.		M. F.		M. F.		M. F.		M. F.		M. F.	
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Rockingham.....	86	69	47	7	5	1	..	78	79	16	15	78	79	19	16	1	..
Strafford	67	75	55	10	4	73	70	17	14	68	70	19	15
Belknap.....	31	38	20	4	1	1	..	81	69	16	15	81	69	16	18	6	2
Carroll	21	25	17	3	4	80	68	18	14	71	68	18	16
Merrimack	76	79	65	12	6	2	..	81	72	16	14	80	65	16	16
Hillsborough	155	146	104	14	3	..	1	77	76	17	15	65	76	17	15
Cheshire	37	30	17	4	3	..	1	73	73	17	15	73	73	19	17	2	4
Sullivan.....	27	34	31	5	3	76	60	18	15	69	60	18	19	1	2
Grafton.....	37	52	40	9	5	1	..	73	67	19	13	73	60	19	15	1	1
Coös	30	39	33	2	2	1	..	75	65	19	14	75	48	19	17	1	..
Total	567	587	429	70	36	6	2	81	79	16	13	78	79	16	16	12	9

DIVORCES.
TABLE No. XIII.
Divorces decreed by the Supreme Court of New Hampshire, in the year 1890, as returned by the Clerks of the several Counties.

COUNTIES.	CAUSES OF DIVORCE.													LIBELLANTS.						
	Absence of wife from the State ten years together.	Abandonment.	Abandonment and adultery.	Absent three years.	Adultery.	Desertion.	Extreme cruelty.	Extreme cruelty and willing absence.	Extreme cruelty and habitual drunkenness.	Habitual drunkenness and abandonment.	Habitual drunkenness.	Impotency.	Willing absence, and refusal to cohabit.	Treatment injurious to health.	Nullity.	Treatment injurious to health and to reason.	Willing absence three years.	Males.	Females.	Total of each county.
Rockingham	16				17	7	7					2						15	27	42
Strafford	21				7	9	9								1			12	26	38
Belknap	9				4	4	9					3						7	18	25
Carroll	7				6	2	5											8	12	20
Merrimack	12				10	19	19					4					8	20	33	53
Hillsborough	32		2	1	17	29	29	1	2	1		4	6	1				24	71	95
Cheshire	11				10	7	7					5	1	2			2	15	26	41
Sullivan	8				6	6	6					1		1				10	12	22
Grafton	15				12	5	5					1						15	18	33
Coös	7				3	6	6					2	4					11	11	22
Total	138	2	1	92	2102	1	2	1	22	5	4	1	2	10				137	254	391

* The actual number of divorces granted was 82, some having been allowed on two charges.

TABLE

Causes upon which Divorces have been decreed for nine

COUNTIES.	Abandonment.	Abandonment and adultery.	Absent three years.	Absent three years and abandonment.	Adultery.	Conviction of crime and imprisonment.	Desertion and bigamy.	Extreme cruelty.	Extreme cruelty and abandonment.	Extreme cruelty and adultery.	Extreme cruelty and habitual drunkenness.	Absence of wife from State ten years together.	Desertion.
Rockingham	119	1	68	4	78	1							
Strafford	104	14	77	1	102	1							
Belknap	49	11	51	2	60								
Carroll	55	3	34	2	28					1		2	
Merrimack	116	20	83	3	133								
Hillsborough ...	278	316	168	6	238	2	4	8					
Cheshire	105	1	1	1	54			69	1	3	6	1	
Sullivan	51		53		55								
Grafton	106		69	1	77								
Coös	30	7	38	1	47								
Total	1,013	473	1,695	20	1,087	3	7	16	1	2			

No. XIV.

years, 1882 to 1890, inclusive, by Counties.

Extreme cruelty, habitual drunkenness, and adultery.	Habitual drunkenness.	Habitual drunkenness and adultery.	Habitual drunkenness and desertion.	Impotency.	Joining religious sect and refusal to cohabit.	Nullity.	Prior marriage.	Refusal to cohabit.	Treatment injurious to health.	Treatment injurious to health and extreme cruelty.	Treatment injurious to health and to reason.	Treatment injurious to reason.	Willing absence three years.	Willing absence and refusal to cohabit.	No cause assigned.	Total.
...	38	1	3	3	316
...	30	1	...	2	...	1	1	334
...	19	1	2	195
...	9	1	1	136
...	41	4	3	2	12	...	2	419
1	51	2	2	7	1	1	...	1	6	...	795
...	18	1	1	...	7	...	2	...	2	273
...	4	1	1	2	4	171
...	14	1	268
...	8	4	3	188
1	232	2	2	13	1	2	1	1	25	1	3	2	28	6	2	3,045

TABLE
CAUSES OF DEATH ARRANGED

TOWNS IN ROCKINGHAM COUNTY.	CLASS I. —																						
	ORDER 1. — Miasmatic.																						
	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Atkinson	2
Auburn	1	.	.	1	1	1	1
Brentwood
Candia
Chester	1	1
Danville
Deerfield	1	.
Derry	2	1
East Kingston	1
Epping	3	.	1	2
Exeter	1	.	4	.	1	.	.	.	2	1	1	.
Fremont	2
Greenland	1	1
Hampstead	1	.	.	1
Hampton	1	.	.	3	2
Hampton Falls
Kensington	2
Kingston	2	.	1	1	.	.	1	.
Londonderry	1	.	1
Newcastle
Newington	2
Newmarket	5	.	1	1
Newton	1	.	1	1
N. Hampton
Northwood	2
Nottingham	1
Plaistow	2	.	.	1	.	1
Portsmouth	8	.	3	7	.	1	3	1	.	.	.	1
Raymond	2
Rye
Salem	1	1
Sandown	1
Seabrook	4	.	4	1	1	.	1	.
S. Hampton	1
S. Newmarket
Stratham
Windham

No. XV.
BY TOWNS AND COUNTIES.

ZYMOTIC DISEASES.

				ORDER 2. — Enthetic.				ORDER 3. — Dietic.				ORDER 4. — Parasitic.				Total for Class I.												
Tonsillitis.	Scarlatina.	Small-pox.	Varicella.	Total.		Glanders.	Gonorrhœa.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total.		Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvey.	Total.		Aphthæ.	Worms.	Other Parasites.	Total.		Male.	Female.	Sex not stated.	Total.
.	.	.	.	1	1	1	1	.	2
.	.	.	.	1	2	1	1	.	1	
.	.	.	.	2	2	2	2	.	4	
.	1	1	2	.	3	
.	.	.	.	1	1	.	.	1	
.	1	.	.	2	2	1	.	.	.	1	2	3	.	5	
.	.	.	.	4	2	1	.	.	.	1	5	2	.	7	
.	.	.	.	2	6	1	.	.	.	1	2	7	.	9	
.	.	.	.	1	3	1	.	.	.	1	1	3	.	4	
.	.	.	.	2		2		.	2	
.	1	.	.	2	5	2	5	.	7	
.	.	.	.	1	1	1	1	.	2	
.	.	.	.	3	2	3	2	.	5	
.	1	.	.	3		3	3	.	3	
.	.	.	.	1	1	1	1	.	2	
.	.	.	.	4	3	1	.	.	.	1	5	3	.	8	
.	.	.	.	1	2	1	2	.	3	
.	.	.	.	1		1	.	.	.	1	1		.	1	
.	.	.	.	1	1	1	.	.	.	1	1	2	.	3	
.	.	.	.	1		2		.	2	
.	.	.	.	1	3	1	1	3	.	4	
.	13	11	.	13	11	1	.	.	.	2	16	11	.	27	
.	1	1	.	1	1	1	.	.	1	2	1	.	3	
.	.	.	.	1		1		.	1	
.	.	.	.	1	1	1	1	.	2	
.	.	.	.	1		1		.	1	
.	5	6	.	5	6	5	6	.	11	
.	1	.	.	1		1		.	1	
.	1	

TABLE No. XV.

TOWNS IN ROCKINGHAM COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.															
	ORDER 1.—Diathetic.								ORDER 2.—Tuber- cular.				Total for Class II.			
	Gout.	Dropsy.	Anemia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.		Scrofula.	Tubes Mesenterica.	Phthisis.	Hydrocephalus.
											M.	F.				
Atkinson	1										1		1			1
Auburn											1	1			1	1
Brentwood	2										1	1	2		2	3
Candia													2		2	2
Chester													4		2	2
Danville													1		1	1
Deerfield				1							1		5		1	3
Derry			2							2			7	3	2	8
East Kingston													2		2	2
Epping		1	1					1	2	1	1		8		1	7
Exeter			5						2	3	1	14			9	6
Fremont								1		1			1		1	2
Greenland			1						1							1
Hampstead													1		1	1
Hampton				1					1				3		2	1
Hampton Falls				1					1				2		1	1
Kensington				1						1			1		1	1
Kingston				1	1			1	2	1			3	2	4	1
Londonderry	1	2	1						1	3			1		1	1
Newcastle																
Newington				1						1						1
Newmarket	2							1	2	1			5		3	2
Newton					1	2			1	2			6	1	4	3
North Hampton																
Northwood								1	1				1		2	1
Nottingham	1				1					2			2		1	1
Plaistow													1		1	1
Portsmouth	1	1	3	1	2	5			1	3	1	1	37	1	2	26
Raymond													2		1	1
Rye	1								1	2			2		2	2
Salem	1	1	2						2	5	1		6		5	1
Sandown																
Seabrook	1		1							1	1		9		4	5
South Hampton													1		1	1
South Newmarket	1									1			1		1	2
Stratham				1						1			1		1	1
Windham		2								1	1		2		1	2

— Continued.

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.										ORDER 2.—Circulatory System.				ORDER 3.—Respiratory System.									
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain diseases.	Total.	Pericarditis.	Aneurism.	Heart Diseases.	Total.	Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
..	1	1	..	1	1	..	1	1
..	..	1	1	2	2	1	1	3	1
..	..	1	1	3	1	2	1	3
..	..	1	1	2	3	1	..	2	2	1	1	2	1
..	..	3	1	3	5	2	1	1	4	..	2	2
..	1	1	1	2	1	5	5	2	7	..	6	3
..	..	1	1	1	1	1	1	..	1	..
2	2	3	3	1	1	2	3	1	2	..	1	8	3	6	3
..	1	4	1	7	8	1	7	..	8	1	1	6	1	6	3
..	1	2	..	2	..	1	2	..	2	1
..	2	2	2	..	2	1	..	1	..
3	..	1	1	3	2	2	1	1	1	..	4	..	4	..
..	1	..	1	1	1	..	1	..
..	..	1	1	2	1	1
..	..	3	1	1	5	5	5	3	2	..	1	1	1	1	..	1	2
1	..	1	1	1	2	2	1	..	1	..	1	..	1	1	..	2	..
..	4	4
..	2	1	1
..	1	4	1	2	4	2	1	1	..	1	8	1	5	4
2	..	3	4	1	2	1	1	..	1	1	..
..	..	1	2	1	2
..	..	1	1	1	2	4	3	..	3	..	2	2	..	3	1
..	..	1	1	1	1	1	..	5	2	..	5	3
7	1	9	9	..	1	..	1	2	18	12	2	..	24	18	8	..	11	1	18	1	12	19	..
..	..	1	1	2	2	1	1	..	1	1
..	..	1	1	2	1	1	2	1	..	1	2
..	..	2	1	1	2	4	4	1	1	..
..
3	..	4	1	..	6	2	2	1	1	1	..	1	..	3	..	2	2
1	..	1	1	1	2	1	1	..
1	..	2	1	3	1	2	1	1	1	1	..
..	..	1	1	1	2	2	1	..	1	..

TABLE No. XV.

TOWNS IN ROCKINGHAM COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																			
	ORDER 1.—Diathetic.										ORDER 2.—Tuber- cular.				Total for Class II.					
	Gout.	Dropsy.	Anamia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.		Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.		
											M.	F.						M.	F.	Male.
Atkinson	1										1			1				1	2	2
Auburn														1				1	1	1
Brentwood	2										1	1			2			2	3	4
Candia															2			2	2	2
Chester															4			2	2	4
Danville															1			1	1	1
Deerfield					1						1				5		1	3	3	7
Derry				2							2				7	3		2	8	12
East Kingston															2			2	2	2
Epping				1	1				1		2	1			8		1	7	3	11
Exeter				5							2	3	1	14			9	6	11	20
Fremont								1			1				1			1	2	2
Greenland				1							1								1	1
Hampstead															1			1	1	1
Hampton				1							1				3		2	1	3	4
Hampton Falls				1							1				2		1	1	2	3
Kensington				1								1			1			1	1	2
Kingston				1	1			1			2	1			3	2		4	6	8
Londonderry	1		2	1							1	3			1			1	1	5
Newcastle																				
Newington				1							1								1	1
Newmarket	2							1			2	1			5		3	2	5	8
Newton						1	2				1	2			6		1	4	3	10
North Hampton																				
Northwood									1	1			1				1	2	1	3
Nottingham	1				1							2			2		1	1	3	4
Plaistow															1			1	1	1
Portsmouth	1	1	3	1	2	5			1	3	11	1		37	1	2	26	15	29	55
Raymond															2		1	1	1	2
Rye	1								1	2					2			2	2	4
Salem	1	1	2						2	5	1				6		5	110	2	12
Sandown																				
Seabrook	1		1						1	1				9			4	5	6	11
South Hampton														1			1	1	1	1
South Newmarket	1								1					1			1	2		2
Stratham				1							1			1				1	1	2
Windham		2									1	1			2		1	1	2	4

— Continued.

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.										ORDER 2.—Circulatory System.				ORDER 3.—Respiratory System.										
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain diseases.	Total.	Pericarditis.	Aneurism.	Heart Diseases.	Total.	Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
..	..	1	1	1	1	1	..	1	1	..	1	..	
..	1	1	1	2	2	1	1	3	..	3	..	
..	..	1	1	1	3	1	2	..	1	1	..	1	..
..	..	3	5	1	3	5	2	2	1	3	..	2	..	
..	1	1	1	1	1	2	1	..	5	5	1	..	2	7	..	6	3	
2	2	3	3	1	1	1	1	..	3	1	2	..	1	8	3	6	6	
..	..	1	1	4	1	7	8	1	..	7	..	8	..	1	1	..	6	1	6	3	
..	2	2	2	..	2	..	1	..	2	2	2	1	..	
..	..	3	1	1	2	2	2	4	1	..	5	..	2	4	
..	1	1	1	1	1	1	1	1	1	1	..	
..	..	1	3	1	1	2	5	3	2	..	1	1	..	1	..	1	2	
..	..	1	1	1	1	2	2	..	1	1	1	..	1	1	..	1	..	2	..	
..	4	4	
..	..	1	4	1	2	4	2	1	1	8	1	5	4	
2	..	3	4	1	2	1	1	..	1	1	..	
..	..	1	2	1	2	3	..	3	..	2	2	..	3	1	
..	..	1	1	1	2	4	1	5	2	..	5	3	
..	..	1	3	1	1	1	1	1	1	3	..	2	1	
7	1	9	9	..	1	1	1	2	18	12	2	..	24	18	8	..	11	11	118	..	112	10	..	
..	..	1	1	1	2	2	1	..	1	1	..	1	1	
..	..	2	1	1	2	1	1	2	..	1	1	..	1	2	
..	4	4	1	1	..	
3	..	4	1	..	6	2	2	1	1	..	1	3	..	2	2	
1	1	1	1	1	2	1	1	1	..	
1	2	1	3	1	2	1	1	1	1	..	1	..	
..	..	1	1	1	1	2	2	1	..	1	..	

TABLE No. XV.

TOWNS IN ROCKINGHAM COUNTY.	CLASS III.—LOCAL															
	ORDER 4.—Digestive Organs.															
	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.
																Total.
	M.	F.														
Atkinson	1	1									1					2
Auburn																
Brentwood																
Candia													1			1
Chester																
Danville																
Deerfield		1	1												1	2
Derry		2													1	1
East Kingston		1													1	2
Epping			1													1
Exeter											3	1				3
Fremont																
Greenland	1						1									1
Hampstead																
Hampton														1	1	1
Hampton Falls																
Kensington																
Kingston			1													1
Londonderry			1									1				1
Newcastle							3									1
Newington																2
Newmarket		1	1													1
Newton																
North Hampton																
Northwood														1	2	2
Nottingham		1	1													2
Plaistow													1			1
Portsmouth	2	2	2			1					2			2		2
Raymond														1		1
Rye																
Salem	1	1														1
Sandown		1														1
Seabrook			1				1									2
South Hampton		1														1
South Newmarket	1															1
Stratham							1									1
Windham																

— Continued.

DISEASES. — Continued.

ORDER 5. — Urinary Organs.										ORDER 6. — Gen- erative Organs.		ORDER 7. — Osseous and Locomotor System.		ORDER 8. — Integumen- tary System.		Total for Class III.														
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	M.	F.	Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebrae, Diseases of.	M.	F.	Total.	Phlegmon.	Ulcer.	Skin Diseases.	M.	F.	Total.	Male.	Female.	Sex not stated.	Total.
..	..	1	1	1	2	1	1	3	1	..	4	
..	1	1	1	2	3	..	5	
..	..	1	1	1	5	4	..	9	
..	5	1	..	6	
..	..	1	1	1	1	1	1	7	3	..	10	
..	1	9	10	15	5	..	20		
1	1	1	2	3	..	5		
..	..	1	1	1	2	1	1	1	4	12	..	16		
..	1	1	1	1	17	21	..	38		
..	1	1	1	1	3	5	..	8			
..	1	1	2	6	..	8			
..	..	1	1	4	9	..	13			
..	1	1	1	1	10	4	10	4	..	14		
..	1	1	1	1	..	1	1	1	1	1	1	..	2		
1	1	1	1	1	3	2	6	9	..	15		
..	1	1	1	3	7	10	7	..	17		
..	5	2	2	2	..	7		
..	1	1	1	1	1	1	1	9	11	..	20		
..	1	1	1	1	1	5	3	8	3	..	11		
..	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10	6	2	2	..	4		
..	1	..	1	1	1	1	7	7	4	5	..	9		
6	3	1	9	1	1	1	1	1	1	1	1	1	1	59	50	2	2	..	109		
..	2	5	1	6	1	..	6		
..	2	4	6	6	..	12		
..	1	1	1	1	1	1	1	..	1		
1	1	1	12	5	12	5	..	17		
1	1	1	2	4	6	3	..	9		
..	1	1	3	1	3	1	..	4		
..	1	1	2	2	2	2	..	4		

**TOWNS IN
ROCKINGHAM COUNTY.**

Digitized by Google

— Continued.

CLASS V. — VIOLENT DEATHS.																	Grand Total for all Classes												
ORDER 1. — Accident and Negligence.							OR- DER 2.		ORDER 3. — Suicide.					ORDER 4 — Various.							Total for Class V.								
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.		Homicide.	Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.		Violent, not Classified.	Cause not Reported or Un- classified.		Male.	Female.	Total.	Male.	Female.	Not stated.	Total.	
							M.	F.									M.	F.		M.	F.								M.
..	1	1	1	4	6	..	10		
..	1	1	1	5	5	..	10		
..	2	3	3	18	10	..	28		
..	1	1	1	5	8	..	13		
..	1	1	1	11	9	..	20		
..	1	1	1	8	4	*1	13		
..	1	1	15	15	..	30			
..	21	23	..	44				
..	1	2	3	8	..	17		
..	1	2	3	19	26	..	45		
..	5	5	7	38	47	..	85		
..	3	1	8	11	..	19			
..	3	3	9	9	..	18			
..	4	13	..	17			
..	4	1	5	22	11	..	33		
..	1	1	1	5	4	..	9		
..	1	1	6	4	..	10		
..	1	5	1	23	14	..	37		
..	1	1	5	18	..	23		
..	1	2	6	4	..	10		
..	3	3	..	6			
..	5	3	8	3	11	27	27	*1	55
..	2	2	2	15	11	..	26		
1	1	1	4	3	..	7		
..	1	2	1	15	14	..	29		
..	1	2	3	4	15	13	..	28	
..	1	1	1	9	8	..	17		
..	1	1	..	6	..	2	9	1	1	3	11	6	21	10	31	138	117	*3	258
..	1	1	2	9	5	..	14	
..	1	1	1	5	6	..	11	
..	1	1	2	3	4	..	32	
..	2	2	25	18	..	43		
..	4	5	..	9			
..	1	2	10	5	..	15		
..	1	1	7	2	..	9			
..	2	2	2	7	..	14			

*Classed with males.

— Continued.

ZYMOTIC DISEASES.

				ORDER 2.—Enthetic.				ORDER 3.— Dietic.				ORDER 4.— Parasitic.				Total for Class I.													
Tonsillitis.	Scarlatina.	Small-pox.	Varicella.	Total.		Glanders.	Gonorrhœa.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total.		Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvey.	Total.		Apthæ.	Worms.	Other Parasites.		Total.		Male.	Female.	Sex not stated.	Total.
..	2	2	1	1	19	23	..	2	..	42
..	1	1	20	2	1	1	..	1
..	3	2	3	2	..	5	..	5
..	1	..	1	1	1	1	1	..	1	..	1
..	16	19	2	..	1	1	17	20	..	37	..	37
..	3	2	3	2	..	5	..	5
..	30	20	2	..	2	..	1	1	33	20	..	53	..	53
..	2	2	2	..	2

TABLE No. XV.

TOWNS IN STRAFFORD COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																					
	ORDER 1.—Diathetic.											ORDER 2.—Tuber- cular.					Total for Class II.					
	Gout.	Dropey.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.		Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.		Male.	Female.	Total.
											M.	F.						M.	F.			
Barrington				1							1						1	1		2		2
Dover	3	2	5	1	1	2					5	9	1		52	1	126	28	31	37	68	
Durham			3								2	1			2		2		4	1	5	
Farmington	1		1		1	1						4			17		8	9	8	13	21	
Lee			1							1	1	1							1	1	2	
Madbury															1		1		1		1	
Middleton																						
Milton		1										1			1		1		1	1	2	
New Durham				2								2			1		1		1	2	3	
Rochester				1				1			1	1		14		7	7	8	8	16		
Rollinsford								1			1			2			1	1	2	1	3	
Somersworth	1		3					1			1	4		19		1	8	12	9	16	25	
Strafford														8			4	4	4	4	8	

TABLE No. XV.

[illegible]

— Continued.

DISEASES. — Continued.

ORDER 5. — Urinary Organs.										ORDER 6. — Generative Organs.		ORDER 7. — Osseous and Locomotory System.		ORDER 8. — Integumentary System.				Total for Class III.													
Nephritis.	Ichuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	M.	F.	Total.	Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebrae, Diseases of.	M.	F.	Total.	Phlegmon.	Ulcer.	Skin Diseases.	M.	F.	Total.	Male.	Female.	Sex not stated.	Total.
1	6	6	2				3			12	5	1														9	9	18			
		1								1															64	59	123				
1	1	1								1	1														15	12	27				
																									2	1	3				
																									1	1	2				
1					1					1	1														6	11	17				
							1			1	1														4	7	11				
1										1															27	12	39				
		2								2															5	4	9				
1										1							1		1				1		22	18	40				
																									10	2	12				

TABLE No. XV.

TOWNS IN STRAFFORD COUNTY.	CLASS IV. — DEVELOPMENTAL DISEASES.																		
	ORDER 1. — Of Children.									ORDER 2. — Of Women.		ORDERS 3 and 4.			Total for Class IV.				
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innuitrition.	Total.	Childbirth.	Paramenia.	Total.	Old Age.	Atrophy and Debility.	Male.	Female.	Total.		
																		M.	F.
Barrington.....																			
Dover.....	14	5	4					10	20	13	3	3	7	14	7	1	34	31	65
Durham.....													1	2			1	2	3
Farmington.....	5		1						2	4			1		1		4	4	8
Lee.....																			
Madbury.....																			
Middleton.....													2	1			2	1	3
Milton.....																1		1	1
New Durham.....	1								1							1	1	1	2
Rochester.....	1	1	1					3	3	3	3	3	2	1	2	1	7	8	15
Rollinsford.....			1	3				4					1			1	5	1	6
Somersworth.....	4	11						2	9	8	1	1	1	1		2	10	12	22
Strafford.....													1	1	1	1	2	2	4

— Continued.

CLASS V. — VIOLENT DEATHS.																							Grand Total for all Classes.			
ORDER 1. — Accident and Negligence.							OR- DER 2.		ORDER 3. — Suicide.							ORDER 4. — Various.				Total for Class V.						

* Classed with males.

TABLE No. XV.

TOWNS IN BELKNAP COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																							
	ORDER 1.—Diathetic.												ORDER 2.—Tuber- cular.						Total for Class II.					
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	M.	F.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	M.	F.	Total.	Male.	Female.	Total.	
Alton				1								1			4		3	1	3	2	5			
Barnstead												1			2		1	1	1	2	3			
Belmont		1																						
Centre Harbor																								
Gilford				3	1					1	3	1			9		7	3	8	6	14			
Gilmanton				2							2				1					3	3			
Laconia		1		3			1	1	2	4				12	1	4	9	6	13	19				
Meredith					1				1	1				8	1	3	6	4	6	10				
New Hampton														1	1	1	1	1	1	2				
Sanbornton				3						3				1			1		4	4				
Tilton				2				1	1	2				2			2	1	4	5				

— Continued.

CLASS III.—LOCAL DISEASES.

[illegible]

TABLE No. XV.

[illegible]

— *Continued.*DISEASES. — *Continued.*

ORDER 5.—Urinary Organs.										ORDER 6.—Generative Organs.		ORDER 7.—Osseous and Locomotory System.		ORDER 8.—Integumentary System.		Total for Class III.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Nephritis.	Ischuria.	Nephria (Bright's Disease).		Diabetes.	Calculus (Gravel, etc.).		Cystitis.	Prostate, Disease of.		Kidney Diseases.		Bladder, Diseases of.		Testicles, Disease of.		M.	F.	Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebrae, Diseases of.		M.	F.	Total.	Phlegmon.	Ulcer.	Skin Diseases.		M.	F.	Total.	Male.	Female.	Sex not stated.	Total.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
.

TABLE No. XV.

TOWNS IN BELKNAP COUNTY.	CLASS IV.—DEVELOPMENTAL DISEASES.																			
	ORDER 1.—Of Children.									ORDER 2.—Of Women.		ORDERS 3 and 4.			Total for Class IV.					
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutrition.	Total.		Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
									M.	F.				M.	F.	M.	F.			
Alton		3							2	1				1	3			3	4	7
Barnstead			1						1					2				3		3
Belmont														1	1		2	1	3	4
Centre Harbor															1				1	1
Gilford		1	1						2		1	1	3	2	1			6	3	9
Gilmanton														1				1		1
Laconia		2	2	2		1			6	1			1	6	2	1		9	8	17
Meredith											1	1							1	1
New Hampton			2						1	1				2				3	1	4
Sanbornton				1					1					1	2			1	3	4
Tilton		4		1				4	5	4				1	2			6	6	12

CLASS V.—VIOLENT DEATHS.																			Grand Total for all Classes.											
ORDER 1.—Accident and Negligence.							OR- DER 2.		ORDER 3.—Suicide.						ORDER 4.—Various.		Total for Class V.													
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	M.	F.	Homicide. M.	F.	Wounds, Unspecified. Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	M.	F.	F.	Violent, not Classified.	Cause not Reported or Unclassified.	M.	F.	Male.	Female.	Total.*	Male.	Female.	Not stated.	Total.
.	1	.	1	1	1	1	2	3	16	16	..	32	
.	1	1	1	1	1	2	10	9	*2	21	
.	1	3	7	..	20		
1	1	2	3	3	2	3	2	1	1	1	1	1	1	1	1	4	5	29	26	..	55			
.	1	1	1	1	1	1	1	2	11	10	..	21			
.	1	1	2	1	1	2	1	1	1	1	1	2	1	6	3	9	47	50	*1	98		
.	2	1	.	2	1	17	13	..	30			
.	1	1	1	1	1	1	1	1	1	1	1	1	2	4	1	5	10	20	..	30		
.	2	2	..	2	14	20	..	34		

Digitized by Google

TABLE No. XV.

		CLASS I. —																							
		ORDER 1. — Miasmatic.																							
TOWNS IN CARROLL COUNTY.		Carbuncle.	Cholera Asiatic.	Cholera Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever Bilious.	Fever Cerebro-spinal.	Fever Intermittent.	Fever Malarial.	Fever Typhoid.	Fever Typho-malarial.	Fever Unspecified.	Fever Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.	
Albany																									
Bartlett								3												1					
Brookfield																									
Chatham																									
Conway																		1							
Eaton																									
Effingham											1														
Freedom																				1					
Hart's Location																									
Jackson																									
Madison																									
Moultonborough																				1					
Ossipee										1															
Sandwich																				2					
Tamworth						1																			
Tuftonborough									1																
Wakefield				1																					
Wolfeborough																		1					1	1	

ZYMOTIC DISEASES.

Digitized by Google

TABLE No. XV.

TOWNS IN CARROLL COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																
	ORDER 1.—Diathetic.									ORDER 2.—Tuber- cular.					Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.		Scrofula.	Tuberc Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.
											M.	F.					
Albany																	
Bartlett																	
Brookfield		1											1				1 1
Chatham															1		1
Conway					1						1				3	1	3 2 5
Eaton															2	1	1 2
Effingham					1						1				1		2 2
Freedom			1								1						1 1
Hart's Location																	
Jackson				1									1				1 1
Madison			1		1	1					1	2			1		3 4
Moultonborough		1		2					2		1	4			3		2 1 3 5 8
Ossipee				3								3				1	4 4
Sandwich				2		1					2	1			1		1 2 2 4
Tamworth		1									1		1		1		1 2 1 3
Tuftonborough															2		1 1 1 2
Wakefield				1								1			6		3 3 3 4 7
Wolfeborough		1									1				4		2 2 3 2 5

TABLE No. XV.

TOWNS IN CARROLL COUNTY.	CLASS III.—LOCAL																		
	ORDER 4.—Digestive Organs.																		
	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	M.	Total.
Albany
Bartlett
Brookfield
Chatham
Conway
Eaton	1	1	.
Effingham
Freedom	2	1	.	.	.	1	.	.	4	.
Hart's Location
Jackson	1	1
Madison
Moultonborough	1	1	.
Ossipee	1	1	1	3	.
Sandwich	1	1	1
Tamworth	1	1	.
Tuftonborough
Wakefield	1	1	.
Wolfeborough	1	1	1	.	.	1	1

— *Continued.*DISEASES. — *Continued.*

ORDER 5.—Urinary Organs.												ORDER 6.—Generative Organs.		ORDER 7.—Osseous and Locomotory System.				ORDER 8.—Integumentary System.				Total for Class III.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Nephritis.	Ichuria.	Nephria (Bright's Disease).		Diabetes.	Calculus (Gravel, etc.).		Cystitis.	Prostate, Disease of.		Kidney Diseases.		Bladder, Diseases of.		Testicles, Disease of.		M.	F.	Ovarian Dropsy.	Disease of Uterus.		Total.	Bones, Diseases of.	Joint Diseases.		Vertebrae, Diseases of.		M.	F.	Total.	Phlegmon.	Ulcer.	Skin Diseases.		M.	F.	Total.	Male.	Female.	Sex not stated.	Total.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
.

TABLE No. XV.

TOWNS IN CARROLL COUNTY.	CLASS IV. — DEVELOPMENTAL DISEASES.														
	ORDER 1. — Of Children.							ORDER 2. — Of Women.		ORDERS 3 and 4.				Total for Class IV.	
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutrition.	Total.	Childbirth.	Paranoia.	Total.	Old Age.	Atrophy and Debility.	Male.
	M.	F.											M.	F.	
Albany													1		1
Bartlett								1	1	1	1				2
Brookfield															
Chatham													1	1	2
Conway								2	1	1			2	1	3
Eaton															
Effingham													1		1
Freedom														1	1
Hart's Location										1	1				1
Jackson															
Madison	1								1				1		2
Moultonborough													2	1	3
Ossipee	1	1			1			2	1			1	2	1	4
Sandwich													1		1
Tamworth	2							2		1	1		2		3
Tuftonborough		1							1					1	2
Wakefield															
Wolfeborough										1	1	1		1	2

TABLE No. XV.

TOWNS IN MERRIMACK COUNTY.	CLASS I.—																
	ORDER 1.—Miasmatic.																
	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever, Billious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.
Allenstown				7	2										4		1
Andover										1							
Boscawen				2					2								
Bow							2										
Bradford																	1
Canterbury																1	
Chichester																	
Concord				8	1	1	4	2		1					8		3
Danbury															1		
Dunbarton																	
Epsom																	
Franklin				3	1	1	1			1					4		2
Henniker							1								1		
Hill																	
Hooksett				1	1										1		
Hopkinton																	
Loudon																	
Newbury																	
New London																	
Northfield																	1
Pembroke				3											6		1
Pittsfield															1		2
Salisbury																	
Sutton				1													
Warner																	
Webster																1	
Wilnot																1	

— *Continued.*

ZYMOTIC DISEASES.

				ORDER 2. — Enthetic.				ORDER 3. — Dietic.				ORDER 4. — Parasitic.				Total for Class I.													
Tonsillitis.	Scarlatina.	Small-pox.	Varicella.	Total.		Glanders.	Gonorrhea.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	Total.		Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvey.	Total.		Aphthæ.	Worms.	Other Parasites.		Total.		Male.	Female.	Sex not stated.	Total.
..	7	7	1	..	1	8	7	15	15
..	1	1	1	1	1	1	1	1	1
..	1	3	1	3	4	4	4	4	4
..	1	1	1	..	1	2	1	3	3	3	3	3
..	1	1	1	1	1	1	1	1
..	15	16	4	..	2	2	2	..	1	2	1	19	19	38	38	38	38	38
..	1	1	1	..	1	2	2	2	2	2	2	2	2
..	5	10	5	10	15	15	15	15	15	15
..	1	1	1	1	2	2	2	2	2	2
..	2	1	2	1	3	3	3	3	3	3
..	1	..	1	1	1	1	1	1	1	1
..
..	1	1	1	..	1	1	1	1	1	1	1	1	1
..	6	4	1	1	7	4	11	11	11	11	11	11
..	1	2	1	..	1	2	2	4	4	4	4	4	4
1	2	2	..	2	2	2	2	2	2
..	1	1	1	1	1	1	1
..	1	1	..	1	1	1	1	1	1

TABLE No. XV.

TOWNS IN MERRIMACK COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																
	ORDER 1.—Diathetic.								ORDER 2.—Tuber- cular.					Total for Class II.			
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker). Mortification.	Rheumatism.	Total.		Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.
										M.	F.						
Allenstown				1							1			3		3	4
Andover														1		1	1
Boscawen				2							2			8		4	6
Bow																	
Bradford				2					1	1	2			2		2	5
Canterbury														2		1	2
Chichester									1	1						1	1
Concord			2	10	1	6	2	1	1	8	15	1	13	4	2	19	27
Danbury		1								1				4		2	3
Dunbarton					1					1				2		2	3
Epsom				1						1				1		1	2
Franklin				2							2			13		4	11
Henniker			2	2						1	3			6		3	6
Hill			1							1				2		2	3
Hooksett			1								1	1	3	3		3	5
Hopkinton	1		1		1						3			5		4	8
Loudon			4					2		3	3						3
Newbury			1			1					2						2
New London			1								1			1		1	2
Northfield			1						1	1	1			2		2	3
Pembroke			1					1		1	1			8		4	5
Pittsfield			3						1		4			5		2	3
Salisbury			1					1		1	1			1		1	2
Sutton				2			1				3			4		1	3
Warner														5		3	5
Webster																2	
Wilmot	1		4								5			2		2	7

— Continued.

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.										ORDER 2.—Circulatory System.				ORDER 3.—Respiratory System.									
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.	Pericarditis.	Aneurism.	Heart Diseases.	Total.	Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	1								1	1									1	1			2
			2						1	1										2			
1		3	1	3					8	4		2		2	1	3				5			2
									1	1				1						2			2
			2						1	1				3	3					2			
		1							1	2				1						5			3
			1						1	1				3	1	2							
4	3	20	23	11			1	3	21	43			22	9	13		9			30	1	1	18
	1								1	1				4		4				1			1
			1						1	1				2	1	1				2			2
	1	2							2	1				2	1	1				2			
3		1	2	1		1	1	1	5	5			5	3	2		4			3			9
			2						2	2			7	1	6		2			3			3
1									1	1										3			
1			1			1			1	3	1			4	3	1		1		3		3	1
1		4	4			1			2	3	9			3			1			5			2
		2	3			1			3	3				3		3				1			1
									1	1				4	3	1				2			2
		1				1			1	1				4	3	1				2			1
	2		3					1	5	1				1		1		1		3		1	4
1		2						2	2	5			5	2	3		1			8			3
			1	1					2	2		1		1									
		2							1	3				3	1	2		1		4			4
1		4	1						3	3			4	3	1					2			1
1									1	1													
			2					1	2	1										3			2

TABLE No. XV.

TOWNS IN MERRIMACK COUNTY.	CLASS III.—LOCAL.																		
	ORDER 4.—Digestive Organs.																		
	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total.	
																		M.	F.
Allenstown						1												1	1
Andover													1					1	1
Boscawen		2	1															2	1
Bow																			
Bradford														1				1	1
Canterbury																	1	1	1
Chichester														1				1	1
Concord	2	4	5	1		1					4	3			1		11	12	9
Danbury			1															1	1
Dunbarton										1							1		1
Epsom											1						1		
Franklin			1				1					1					2	1	1
Henniker		2															1	1	1
Hill																			
Hooksett	1					1											1	1	1
Hopkinton				1		1					1			1			1	2	1
Loudon		1																1	1
Newbury																			
New London														1				1	1
Northfield	1	1															2	2	1
Pembroke	1	2															2	1	1
Pittsfield													1	1			1	1	1
Salisbury																			
Sutton	1																1		1
Warner			2															2	1
Webster	1																	1	1
Wilmot														1				1	1

CAUSES OF DEATH.

81

— Continued.

DISEASES.—Continued.

ORDER 5.—Urinary Organs.											ORDER 6.— Generative Organs.		ORDER 7.— Osseous and Locomotor System.		ORDER 8.— Integumentary System.		Total for Class III.											
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.		Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebrae, Diseases of.	Total.		Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.
										M.	F.							M.	F.				M.	F.				
..	..	1	1	2	3	..	5	
..	1	1	4	2	..	6	
..	1	1	18	9	27	6	
..	3	3	..	6	
..	1	6	2	..	8	
..	1	5	6	..	11	
..	4	8	2	1	3	1	1	11	9	1	..	1	1	94	98	192	6	
..	..	1	1	1	7	..	8	
..	..	1	4	2	..	6	
..	..	1	1	..	1	1	1	2	6	2	..	8	
..	1	19	13	32	6	
..	1	8	12	20	1	
..	1	7	3	..	10	
..	1	1	10	16	26	26	
..	1	4	8	12	12	
..	..	2	1	1	..	2	1	5	8	..	13	
..	7	3	..	10	
..	..	1	1	11	5	..	16	
..	1	8	16	24	4	
..	4	4	
..	..	1	1	2	3	1	6	6	..	12	
..	1	10	8	18	18	
..	2	..	2	2
..	1	3	5	..	8	

TABLE No. XV.

TOWNS IN MERRIMACK COUNTY.	CLASS IV. — DEVELOPMENTAL DISEASES.																
	ORDER 1. — Of Children.								ORDER 2.—Of Women.		ORDERS 3 and 4.			Total for Class IV.			
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutation.	Total.	Childbirth.	Paramenia.	Total.	Old Age.	Atrophy and Debility.	Male.	Female.	Total.
Allenstown	2	.	.	2	2
Andover	1	1	.	.	2	.	.	.	1	.	.	3	3
Boscawen	1	.	.	1	.	2	2	2	4
Bow	1	1	2	2	2
Bradford	1	.	1	1
Canterbury	1	1	1	2	4
Chichester	1	1	.	.	.	1	1	.	1	2
Concord	18	5	6	.	.	2	.	4	18	17	1	1	5	5	1	4	51
Danbury
Dunbarton	1	.	.	1	1
Epsom	1	1	1	2	4
Franklin	5	2	3	.	.	1	.	.	2	6
Henniker	1	1	1	1
Hill	1	.	.	1	1
Hooksett	1	1	.	.	.	1	2	.	2	4
Hopkinton	1	1	1	2	2
Loudon	1	.	.	.	1	.	.	1	1	.	.	.	1		3	4	7
Newbury	1
New London	1	1	.	.	1		2	1	3
Northfield	1	2	1	2	4
Pembroke	1	3	3	3	4	.	.	1	3	1	5	12
Pittsfield	2	.	.	2	2
Salisbury	1	1	.	1	2
Sutton	1	1	.	.	.	1	1	1	2	4
Warner	1	1	1	2	3
Webster
Wilmot	1	1	.	.	.	2	.	1	3	4

— Continued.

CLASS V. — VIOLENT DEATHS.																								Grand Total for all Classes.					
ORDER 1. — Accident and Negligence.						OR- DER 2.		ORDER 3. — Suicide.						ORDER 4. — Various.				Total for Class V.											
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.		Homicide.	Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.		Violent, not Classed.		Cause not Reported or Un- classified.		Male.	Female.	Total.	Male.	Female.	Not stated.	Total.
							M.	F.									M.	F.	M.	F.	M.	F.							
1						1																1		1	13	14			27
							2															1		1	10	2			12
				1		1																1		2	27	20			47
																						1		1	8	4			12
																									8	7			15
																									8	10			18
																									4	7			11
5	1	1	1	1	9	15	1									2	1	1	1	4	5	21	7	28	184	187	*1	372	
																									6	9			15
																									6	4			10
																									9	5			14
																				2	2	2	32	38			70		
						1	1													1	1	1	14	20			34		
																						1	5	1				6	
																						2		2	14	10			24
																								14	23			37	
																			1	1	1	1	10	16			26		
																									2				2
																			1	1	1	1	2	9	12			21	
																								9	9	*1		19	
																			2	4	2	4	6	28	25	*2		55	
1							1												6	4	6	5	11	15	32	*3		50	
																								7	2			9	
1							1															1		1	12	11			23
																						1		1	16	14			30
																						1		1		4			4
																								5	15			20	

*Classed with males.

TABLE No. XV.

TOWNS IN HILLSBOROUGH COUNTY.	CLASS I.—																						
	ORDER 1. — Miasmatic.																						
	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Amherst				2																			
Antrim							1		2														
Bedford								1															
Bennington				1					2		1												1
Brookline																							
Deering																							
Francestown				1											2								
Goffstown					1		1												1				
Greenfield																							
Greenville				3											2							1	
Hancock							1												1				1
Hillsborough							1		1	1									1				
Hollis				1																			
Hudson				2			1								1					2			
Litchfield																							
Lyndeborough															1								
Manchester				146	116	12	9	6	2					215					17	5			5
Mason																							
Merrimack																							
Milford				2					1						3				1				
Mont Vernon																							
Nashua				56	2	9	412							1	3		1		8			3	
New Boston																			2				
New Ipswich				3															1				
Pelham							1																
Peterborough				4			1	1							2				1				
Sharon									1														
Temple															1								
Weare															1				1				
Wilton				3	2		2	1	1						2								
Windsor																							

— Continued.

ZYMOTIC DISEASES.

				ORDER 2.—Enthetic.				ORDER 3.— Dietic.				ORDER 4.— Parasitic.				Total for Class I.															
Tonsillitis.	Scarlatina.	Small-pox.	Varicella.	M.	F.	Glanders.	Gonorrhea.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	M.	F.	Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvey.	M.	F.	Aphthæ.	Worms.	Other Parasites.	M.	F.	Total.	Male.	Female.	Sex not stated.	Total.		
..	2	1	..	1	1	2	3				
..	3	1	2	3	3	2	3	2	3	
..	1	2	1	1	3	2	5	2	2	2	2	
..	2	2	2	2	4	2	4	2	4	2	
..	1	1	1	1	2	1	2	1	2	1	
..	5	2	5	2	7	2	7	2	7	
..	1	1	..	1	1	1	2	1	2	1	2	1	
..	4	4	..	4	1	4	1	4	1	
..	1	1	1	1	1	1	1	1	1	
..	3	3	3	3	6	3	6	3	6	3	6
..
..	3	..	120	119	8	3	5	2	1	2	1	1	1	125	126	251	1	1	251	1	1
..	4	3	1	..	1	4	4	8	4	4	8	4	8
1	54	46	2	1	2	1	56	47	108	56	47	108	56	108
..	1	1	1	1	2	1	2	1	2	1	2
..	3	1	3	1	4	3	4	3	4	3	4
..	1	1	1	1	1	1	1	1	1	1
..	3	6	3	6	9	3	6	9	3	6	9
..	1	1	..	1	1	1	1	1	1	1
..	1	1	1	1	1	1	1	1	1	1
..	1	1	1	..	1	1	1	1	1	1	1	1	1
..	6	5	1	..	1	1	1	..	1	7	6	13	7	6	13	7	13

TABLE No. XV.

TOWNS IN HILLSBOROUGH COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																					
	ORDER 1.—Diathetic.										ORDER 2.—Tuber- cular.					Total for Class II.						
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.		Scrofula.	Tæbe Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.		Male.	Female.	Total.
											M.	F.						M.	F.			
Amherst	1	2									3			3			1	2	1	5	6	
Antrim		1			1						1	1		6			3	3	4	4	8	
Bedford																	1	1			1	
Bennington														2				2		2		2
Brookline			1	1		1					3			1			1		1	3	4	4
Deering					1						1			1			1		1	2		2
Francestown	1			1							2			4			3	1	3	3	6	6
Goffstown			1		1			1			1	2		3			2	1	3	3	6	6
Greenfield					1	1					2			1				1		3	3	3
Greenville	1	3									1	3		1			1		2	3	5	5
Hancock																						
Hillsborough		2	1								2	1		3		1	2	2	4	3	7	7
Hollis								1				1		5		2	3	2	4		6	6
Hudson	1		1								2			1			1		3		3	3
Litchfield			1									1								1	1	1
Lyndeborough			1								1			3			2	1	3	1	4	4
Manchester	5	3	18	1	3	1		1	4	16	20	1	1	106	1	55	62	68	82	150	150	150
Mason			1								1			1			1		2		2	2
Merrimack			1								1								1		1	1
Milford		1	2						1	1	3			5		2	3	3	6		9	9
Mont Vernon								1		1	1			1		1		1	1	2	2	2
Nashua	3		5			1		1	3	7				37		13	24	16	31	47	47	47
New Boston			1		1			1		3					1	1		4		4	4	4
New Ipswich														3		1	2	1	2	3	3	3
Pelham			1								1			1				1	2	2	2	2
Peterborough					1						1			7		3	4	4	4	8	8	8
Sharon																						
Temple														1		1		1		1	1	1
Weare					2			1		3		1		4		4	1	7	1	8	8	8
Wilton	1	1	3		1					2	4			4		2	2	4	6	10	10	10
Windsor			1							1								1		1	1	1

— *Continued.*

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.										ORDER 2.—Circulatory System.				ORDER 3.—Respiratory System.												
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	M.	F.	Pericarditis.	Aneurism.	Heart Diseases.	M.	F.	Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	M.	F.
...	...	3	1	2	2	1	1	2	1	1
...	...	1	2	2	2	1	...	3	3	1
1	...	3	3	2	1	1	1	3
...	...	1	1	3	1	1
...	...	1	1	1	3	1	1
...	...	1	2	1	2	2	5	3	2
...	...	1	1	1	1
...	...	1
...	...	1
...	...	3	3	1	1	5	6	4	3	1
...	...	2	4	2	4
...	5	3	2
...	1	1
...	3	2	1
21	19	18	11	1	...	2	...	15	12	52	47	43	26	17	...	40	...	83	3	2	60	68
...	2	1	1
...	2	...	2
...	...	3	1	2	2	2	2	3	...	4	2	5	...
...
10	3	4	4	1	5	3	15	15	2	...	21	12	11	...	19	...	12	0	27	13	...
1
1	2	4	6	1	...	5	2	3	1	...	1
...	...	2	2	1	3	2	...	3	3
...	...	1	5	1	...	2	5	2	1	1	...	7	2	5	4	...
...
...
...
1	1	9	2	2	...	10	5	9	4	5	...	1	...	4	3	2	...
...

TABLE No. XV.

[illegible]

— Continued.

DISEASES. — Continued.

ORDER 5. — Urinary Organs.										ORDER 6. — Generative Organs.	ORDER 7. — Osseous and Locomotor System.	ORDER 8. — Integumentary System.	Total for Class III.												
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.	Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebrae, Diseases of.	Total.	Phlegmon.	Ulcer.	Skin Diseases.	Total.	Male.	Female.	Sex not stated.	Total.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	1	2								2	1											5	5		10
										1												6	4		10
																						5	5		10
																						2			2
																						3	4		7
							1	1		2												3	3		11
																						2	2		4
					1					1												3	9		17
																						1	1		2
																						2			2
							1			1				1								7	2		9
																						8	13		21
										1												8	8		16
																						5	7		12
																						2	3		5
																						3	2		5
7	15	5	1	1	1	1	4			12	22		1	1		1	1	1	1	1	1	168	185		353
		1											1									2	2		4
		1								1												1	4		5
					1					1												6	11		17
																						1			1
1	3		2		2		1			4	3		1	1				1			1	65	54		129
	2									1	1											2	2		4
							1			1												11	5		16
																						6	2		8
	2		1							8												14	11		25
		1								1												1			1
	1	1	1							2								1			1	7	2		9
																						18	13		31
																						1			1

TABLE No. XV.

TOWNS IN HILLSBOROUGH COUNTY.	CLASS IV.—DEVELOPMENTAL DISEASES.														
	ORDER 1.—Of Children.							ORDER 2.—Of Women.		ORDERS 3 and 4.			Total for Class IV.		
	Still-born.	Debility. Infantile.	Debility. Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutrition.	Total.	Childbirth.	Parasitism.	Total.	Old Age.	Atrophy and Debility.	Male.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.
Amherst	1	1						2						2	4
Antrim							2	2				1	3		6
Bedford															
Bennington							1	1				1		1	2
Brookline													2		2
Deering	1							1	1	1					2
Fracestown												1			1
Goffstown	2							1	1			2	3	3	7
Greenfield												2			2
Greenville	2						5	5	2			1		2	10
Hancock												1		1	2
Hillsborough												1	1	2	4
Hollis	1	1						2					1		3
Hudson												1		1	1
Litchfield													2		
Lyndeborough													1		1
Manchester	57	36	12			10	19	88	46			11	16	9	108
Mason	1								1			3			4
Merrimack		1						1				1	1		4
Milford	2		1				1	1	3			1	2	1	8
Mont Vernon							1	1				1			2
Nashua	19	17	3				6	21	24	1	1	2	8	3	59
New Boston		1										5			6
New Ipswich	3						1	2	2	1	1	1		2	6
Pelham												1			1
Peterborough	2	1						2	1			1	1	2	5
Sharon													1		1
Temple							1	1					1		1
Weare												1	1	4	6
Wilton	3						1	3	1			2	3		9
Windsor		1						1				1		1	2

CLASS V.—VIOLENT DEATHS.

*Classed with males.

TABLE No. XV.

TOWNS IN CHESHIRE COUNTY.	CLASS I. —																						
	ORDER 1. — Miasmatic.																						
	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Alstead				1	1	6																	
Chesterfield						1		1											2				
Dublin				1																			
Fitzwilliam			1																1				
Gilsum								3	1														
Harrisville				2											1								
Hinsdale				4											1								
Jaffrey				5	2	20									1				6	1			1
Keene															1								
Marlborough															1								
Marlow								1															
Nelson																							
Richmond																1							
Rindge			1					1							2								
Roxbury																							
Stoddard						1														1			
Sullivan																							
Surry																							
Swanzy			1	1		1		1	1												1		
Troy						2																	
Walpole					1	1	1	1	1					1									
Westmoreland						1									2				2				
Winchester			2																1				

— Continued.

ZYMOTIC DISEASES.

				ORDER 2. — Enthetic.		ORDER 3. — Dietic.		ORDER 4. — Parasitic.		Total for Class I.	
Tonsillitis.	Scarlatina.	Small-pox.	Varicella.	M.	F.						
..	4	4	4	8
..	2	1	3	4
..	1	1	1
..	1	1	1
..	1	2	2
..	2	2	2	4
..	1	3	1	3	4
..	1	4	1	6
..	19	17	19	36
..	1	1	1
..	1	1	1
..	1	1	1
..	2	2	2	4
..	1	1	1
..	1	1	1
..	1	2	3	2	5
..	3	3	3
..	2	3	2	6
..	1	4	1	6
..	3	3	3

TABLE No. XV.

TOWNS IN CHESHIRE COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																	
	ORDER 1.—Diathetic.									ORDER 2.—Tuber- cular.					Total for Class II.			
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker). Mortification.	Rheumatism.	Total.		Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.	
										M.	F.						M.	F.
Alstead
Chesterfield	1	.	1	.	1
Dublin
Fitzwilliam	1	.	.	.	1	.	1	1	.	.	4	.	2	3	6
Gilsum	2	.	2	.	2
Harrisville	1	1	.	.	.	1	.	1	2	2
Hinsdale	1	1	.	.	.	2	.	2	3	4
Jaffrey	1	1	.	.	3	.	1	2	4
Keene	1	1	2	.	.	.	1	1	2	4	.	.	16	.	6	10	22
Marlborough	2	.	1	1	2
Marlow	1	1	1	1	.	.	2	.	1	1	2
Nelson	1	2	4
Richmond
Rindge	1	1	1
Roxbury
Stoddard
Sullivan	1	.	.	2	.	.	2	2
Surry	1	1	1
Swanzey	2	1	1	2	.	.	5	.	1	4	8
Troy	2	1	1	2	.	.	1	.	1	2	4
Walpole	2	.	.	1	.	1	.	4	.	.	.	3	.	1	2	7
Westmoreland	3	.	3	3	3
Winchester	1	4	.	1	4	5

— *Continued.*

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.										ORDER 2.—Circulatory System.				ORDER 3.—Respiratory System.										
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.	Pericarditis.	Aneurism.	Heart Diseases.	Total.	Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.	
M.	F.														M.	F.								
..	..	2	1	1	5	3	2	2	1	..	1	2
..	..	1	1	2	1	1	3	..	2	2	1
..	..	2	1	1	1	1	1	1	..	1	..	1
..	2	3	1	1	1	1	1	1	..	1	..	1
..	3	1	4	2	2	1	1	1	..	1	..	1
..	5	1	2	1	..	1	1	3	2	2	1	1	..	1	..	1
..	1	1	1	8	5	2	2	8	1	..	10	..	7	3	3
..	1	1	1	1	1	2	3	3	2	..	1	1	1
..	1	1	1	3	1	1	3	..	1	1	1	1
..	1	3	2	2	..	2	1	1	..	1	4	..	4	1	1
..	..	1	1	1	..	1	..	2
..
1	..	4	2	3	3	1	2	1	1	1
..	1	1	1	..	1	1	..	1	..	1
..	4	1	2	2	5	5	3	2	..	1	..	10	1	..	7	5	5
2	1	1	1	..	1	..	1	1	4	2	4	2	2	2	..	2
1	4	1	2	3	5	3	1	2

TABLE No. XV.

TOWNS IN CHESHIRE COUNTY.	CLASS III.—LOCAL																		
	ORDER 4.—Digestive Organs.																		
	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total.	
																		M.	F.
Alstead	1	1
Chesterfield	1	.	.	.	1	.	.	1	
Dublin	
Fitzwilliam	
Gilsum	
Harrisville	
Hinsdale	1	1	.	
Jaffrey	
Keene	2	8	2	.	.	.	2	.	1	8	
Marlborough	1	1	.	
Marlow	
Nelson	
Richmond	1	1	.	
Rindge	
Roxbury	
Stoddard	
Sullivan	
Surry	
Swansey	
Troy	1	1	.	
Walpole	1	1	.	1	1	
Westmoreland	1	1	.	.	
Winchester	1	1	.	1	2	1	

— Continued.

DISEASES. — Continued.

ORDER 5. — Urinary Organs.										ORDER 6. — Generative Organs.		ORDER 7. — Osseous and Locomotory System.		ORDER 8. — Integumentary System.		Total for Class III.															
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	M.	F.	Total.	Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebrae, Diseases of.	M.	F.	Total.	Phlegmon.	Ulcer.	Skin Diseases.	M.	F.	Total.	Male.	Female.	Sex not stated.	Total.
..	..	1	1	1	1	6	6	12			
..	1	1	4	5	9				
..	1	4	3	7					
..	1	12	1	3	6				
..	1	3	3	6					
..	1	1	3	3	11					
..	1	1	8	4	12					
..	1	1	..	1					
..	3	..	3				
..	1	1	2	..	2				
..	1	1	4	6	10					
..	..	1	1	8	1	4					
..	1	13	14	27					
..	1	10	4	14					
..	1	1	1	7	9	16					

TABLE No. XV.

TOWNS IN CHESHIRE COUNTY.	CLASS IV.—DEVELOPMENTAL DISEASES.														
	ORDER 1.—Of Children.						ORDER 2—Of Women.		ORDERS 3 and 4.		Total for Class IV.				
	Still-born. Debility, Infantile. Debility, Premature Birth. Cyanosis. Spina Bifida. Other Malformations. Teething. Innutation. Total.	M.	F.	Childbirth. Paramenia. Total.	M.	F.	Old Age. Atrophy and Debility.	M.	F.	Male.	Female.	Total.			
Alstead.....										1	1	1	1	2	
Chesterfield.....				1		1			1			2		2	
Dublin.....									3	1		4		4	
Fitzwilliam.....	3					3						3		3	
Gilsum.....									1			1		1	
Harrisville.....									1			1		1	
Hinsdale.....				1	1	1	1	1	3	1	1	2	6	8	
Jaffrey.....							1	1	5	4	2	5	7	12	
Keene.....	3		1			3	1		5	8	4	8	13	21	
Marlborough.....			1			1			3			1	3	4	
Marlow.....															
Nelson.....								2		1		3		3	
Richmond.....											2		2	2	
Rindge.....									1	1		1	1	2	
Roxbury.....															
Stoddard.....	1		1			1	1					1	1	2	
Sullivan.....	1														
Surry.....								2				2		2	
Swanzey.....	1		1			2	1	3		1	1	1	3	4	7
Troy.....											1		1	1	
Walpole.....									3		1		4	4	
Westmoreland.....									1	1		1	1	2	
Winchester.....					1	1				2	1	2	2	4	

[illegible]

* Classed with males.

TABLE No. XV.

TOWNS IN SULLIVAN COUNTY.	CLASS I. —																
	ORDER 1. — Miasmatic.																
	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.
Acworth								4	1	1							
Charlestown								2									
Claremont			9							1							1
Cornish																	
Croydon							1										
Goshen							1									2	
Grantham				1			1										
Langdon				1											1		
Lempster																1	
Newport			2							1							
Plainfield										1							
Springfield																	
Sunapee																	
Unity																	
Washington							1	1									

M 70 U

TABLE No. XV.

TOWNS IN SULLIVAN COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																	
	ORDER 1.—Diathetic.									ORDER 2.—Tuber- cular.						Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.		Scrofula.	Tubes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.
											M.	F.						
Acworth											2	1		1	2		2	1
Charlestown				2		1					5	4			12		2	4
Claremont		1	2	4	1				1							2	4	10
Cornish																1	1	1
Croydon																		
Goshen				1							1							1
Grantham																		
Langdon				2							2	1		1		1	1	3
Lempster		1		1							1	1		1			1	2
Newport				2					1		2	1	1		6		3	4
Plainfield									1		1				2		2	3
Springfield				1					1	1	1	2			1		1	3
Sunapee		1				1					1	1			1		1	2
Unity					1					1		2			5		1	3
Washington				1							1				1		1	2

TABLE No. XV.

TOWNS IN SULLIVAN COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																
	ORDER 1.—Diathetic.									ORDER 2.—Tuber- cular.					Total for Class II.		
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.		Scrofula.	Tubes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.
											M.	F.					
Acworth					2		1				2	1		1	2		2
Charlestown				2	4	1				1	5	4			12	2	4
Claremont		1	2													1	1
Cornish																1	1
Croydon																	
Goshen				1							1						1
Grantham																	
Langdon				2							2	1		1		1	1
Lempster		1		1							1	1		1		1	1
Newport				2					1		2	1	1		6	3	4
Plainfield									1		1				2	2	3
Springfield				1					1	1	1	2		1		1	1
Sunapee		1				1					1				1	1	2
Unity					1					1	2			5		1	3
Washington				1							1			1			1
																	2

— *Continued.*

CLASS III. — LOCAL DISEASES.

ORDER 1. — Nervous System.										ORDER 2. — Circulatory System.				ORDER 3. — Respiratory System.												
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	M.	F.	Pericarditis.	Aneurism.	Heart Diseases.	M.	F.	Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	M.	F.
									Total.					Total.										Total.		
..	1	1	1	1	1	2	2	2	1	2	..	2	1	
1	..	1	1	1	1	2	1	1	1	2	..	2	3	
..	..	5	2	3	4	9	6	3	3	12	..	5	10	
..	..	2	1	1	2	3	1	2	2	..	1	1		
1	..	1	1	1	2	1	..	1	1	..	4	..	2	3		
..		
..		
1	1	1	1	2	1	1	1	..	1	..		
..	2	1	2	1	1	1		
..	..	1	2	2	1	8	3	5	1	..	5	1	2	5		
..	3	1	2	1	1		
..	..	1	1	1	2	1	2	1	1	1	..	1	1		
..	..	1	1	1	1	1	1		
1	1	2	2	1	1	1	..	1	..	2	1		
..	1	1	1	1	1	1	..		

TABLE No. XV.

TOWNS IN SULLIVAN COUNTY.	CLASS III.—LOCAL									
	ORDER 4.—Digestive Organs.									
	Gastritis. Enteritis. Peritonitis. Ascites. Ulceration of Intestines. Hernia. Ileus. Intussusception. Stricture of Intestines. Fistula. Stomach Diseases. Pancreas Diseases. Hepatitis. Jaundice. Liver Diseases. Spleen Diseases. Bowel Diseases.	Total.								
	M.	F.								
Acworth					1					1
Charlestown										2
Claremont	1									3
Cornish										
Croydon		1								1
Goshen										
Grantham							2			1
Langdon										
Lempster								1		1
Newport								1		1
Plainfield										
Springfield					1					1
Sunapee	1									1
Unity										
Washington										

TABLE No. XV.

TOWNS IN SULLIVAN COUNTY.	CLASS IV. — DEVELOPMENTAL DISEASES.																		
	ORDER 1. — Of Children.									ORDER 2. — Of Women.	ORDERS 3 and 4.				Total for Class IV.				
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutrition.	Total.	Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.		Male.	Female.	Total.
													M.	F.	M.	F.			
Acworth													2				2		2
Charlestown		1							1	1	1		5				7		7
Claremont	2		3					1	3			1	1	2	8	6	11	17	
Cornish	1								1				1	2	1	3	2		5
Croydon													2				2		2
Goshen							1		1							1			1
Grantham			1						1								1		1
Langdon																			
Lempster		1								1			1			1	1		2
Newport	1		1					2					4			6			6
Plainfield	1				1				2								2		2
Springfield																			
Sunapee				1				1							1	1	1		2
Unity			1					1					2	2		5		5	
Washington	1							1								1			1

— Continued.

CLASS V.—VIOLENT DEATHS.																					Grand Total for all Classes.								
ORDER 1.—Accident and Negligence.							OR- DER 2.		ORDER 3.—Suicide.							ORDER 4.— Various.				Total for Class V.									
Fractures and Contusions. Wounds, Unspecified. Burns and Scalds. Poison. Drowning. Suffocation. Various. Total.							Homicide.		Wounds, Unspecified. Wounds, Pistol or Gunshot. Wounds, Knife. Poison. Drowning. Hanging. Otherwise. Total.							Violent, not Classed. Cause not Reported or Un- classified.				Male. Female. Total.			Male. Female. Not stated. Total.						
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
..	2	2	2	2	1	4	1	5	7	3	..	10
..	1	4	5	1	2	1	7	2	9	51	19	..	39	102
..	1	1	1	8	9	..	17
..	..	1	1	1	6	10	..	16
..	1	1	1	4	1	..	5
..	1	2	8	2	..	10
..	5	6	..	11
..	5	6	..	11
..	..	1	1	24	21	..	45
..	1	1	5	7	..	12
..	1	1	1	7	6	..	13
..	1	1	6	6	..	12
..	14	7	..	21
..	4	4	..	8

TABLE No. XV.

TOWNS IN GRAFTON COUNTY.	CLASS I.—																
	ORDER 1.—Miasmatic.																
	Carbuncle.	Cholera Asiatic.	Cholera Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever Bilious.	Fever Cerebro-spinal.	Fever Intermittent.	Fever Malarial.	Fever Typhoid.	Fever Typho-malarial.	Fever Unspecified.
Alexandria					1										1		
Ashland																	
Bath																	
Benton															1		
Bethlehem							1								1		
Bridgewater																	
Bristol			1	1										1			1
Campton																	
Canaan			1						1						1		
Dorchester						1									1		
Easton			1														
Ellsworth																1	
Enfield															1		
Franconia														1			
Grafton																	
Groton			1														
Hanover			2				1								1		
Haverhill	1		1												2		
Hebron																	
Holderness																	
Landaff																	
Lebanon			1							1							
Lincoln																	
Lisbon								1								2	
Littleton			3	3													
Livermore																	
Lyman										1							
Lyme			1	1	1												
Monroe			1													1	
Orange																	
Orford																1	
Piermont																	
Plymouth																	2
Rumney						1									1		
Thornton																	
Warren									1								
Waterville																	
Wentworth				1										1			
Woodstock																	

ZYMOTIC DISEASES.

				ORDER 2. — Enthetic.				ORDER 3. — Dietic.				ORDER 4. — Parasitic.				Total for Class I.												
Tonsillitis.	Scarlatina.	Small-pox.	Varicella.	M.	F.	Glanders.	Gonorrhea.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	M.	F.	Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvey.	M.	F.	Aphthæ.	Worms.	Other Parasites.	M.	F.	Male.	Female.	Sex not stated.	Total.
1	1			1	3																				1	3		4
				1	1									1				1							2	1		1
				1	1																				1	1		3
				2	2																				2	2		4
				1	1					1			1												1	1		2
	1			1	2																				2	3		4
				1	1																				1	1		2
	1			1	1					1			1												1	1		2
				1	1									1											1	1		2
	2			1	1					1			1												1	1		2
		2		3	3					1			1												1	1		2
			6											1											6	4		5
		4								1		1													4	1		5
				1	1					1	1		2												1	3		4
				2	1																				2	1		3
				4	2																				4	2		6
				1	1					1			1												1	3		1
				2	1																				3	1		4
				1	1																				1	1		2
				1																						1		1
				2																					2			2
				1	1																				1	1		2
				1																								
				1	2																				1	2		3

TABLE No. XV.

CLASS II.—CONSTITUTIONAL DISEASES.

TOWNS IN GRAFTON COUNTY.	ORDER 1.—Diathetic.										ORDER 2.—Tuber- cular.				Total for Class II.						
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus. Noma (Canker).	Mortification.	Rheumatism.	Total.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.	M.	F.	Male.	Female.	Total.
Alexandria				1						1			2			1	1	1	2	3	
Ashland		1						1					2					2		4	4
Bath				1						1										1	1
Benton		1								1									1		1
Bethlehem		2								2			2		1	1	2	1	4	5	
Bridgewater																					
Bristol													6			3	3	3	3	6	
Campton				1				1		1			2				2	1	3	4	
Canaan						1			1	2			2			2		4		4	
Dorchester								1		1			1			1		2		2	
Easton													1			1		1		1	
Ellsworth																					
Enfield				1						1			1				1	1	1	2	
Franconia													2			1	1	1	1	2	
Grafton																					
Groton													2				2		2	2	
Hanover				1		1				1	1		3			1	2	2	3	5	
Haverhill				1						1	1		3			3	1	3	2	5	
Hebron													2			2		2		2	
Holderness												1	2			1	2	1	2	3	
Landaff																					
Lebanon				3		1				1	3		9	1		2	8	3	11	14	
Lincoln																					
Lisbon		1		3							4		4				4		8	8	
Littleton				3		1				2	2		4			2	2	4	4	8	
Livermore																					
Lyman				1						1									1	1	
Lyme			1	1						2			3			1	2	1	4	5	
Monroe																					
Orange																					
Orford								1		1			3			1	2	2	2	4	
Piermont													2			1	1	1	1	2	
Plymouth				2				1		3			6			1	5	1	8	9	
Rumney				1		1				2	1		3			3	1	3	3	6	
Thornton									1	1									1	1	
Warren													1				1		1	1	
Waterville																					
Wentworth													2			1	1	1	1	2	
Woodstock																					

— Continued.

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.										ORDER 2.—Circulatory System.				ORDER 3.—Respiratory System.									
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.	Pericarditis.	Aneurism.	Heart Diseases.	Total.	Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.
M.	F.								M.	F.			M.	F.								M.	F.
..	1	1	1	1	2	2
..	1	1	2	2	2	1	3	2
..	1	1	1	1	1	..	1	1	1	..	1	1
1	1
1	1	2	1	3	..	1	3
..	2	2	2	2	1	1
..	1	1	1	1	2	1	1	3	..	2	1
..	1	1	1	1	2	3	..	2	1
1	3	1	1	5	1	2	..	2	2	2	..	2	2	..	1	1
1	1	1	1	1	..	1	2	..	1	1
..	1	1	1	1	1	..	1	2	2
..	1	1	1	1	2	1	1	2	..	1	1
..	1	1	1	1	1	2	..	1	1
..	2	1	1	1	1	3	2	..	1	..	1	1	2	..	2	1
..	1	1	2	4	5	3	2	12	..	4	8
..	1	2	1	..	1	..
..	..	3	1	2	1	1	1	..	1	..
..	1	1	1	3	2	1	6	..	3	3
3	5	2	3	1	3	11	..	3	1	2	3	..	2	1
1	..	1	1	2	1	3	1	2	..	1	3	1	5	..
..	2	2	1	3	2	4	2	2	..	3	7	..	4	6
1	1	1	1	1	..	1	..
..	2	1	1	3	1	2	..	1	4	..	1	4
..	..	2	2	1	4
1	2	1	1	1	1	2	2
..	2	1	1	2	1	1
..	1	1	1	1	1	1	1	1	..	1	..
..	1	1	1	1	2	1	1	4	..	2	2
..	2	1	1	1	..	1	..
..	1	3	3	1
..	1	1	1	1	..	1	3	..	3	..

TABLE No. XV.

[illegible]

— Continued.

DISEASES. — Continued.

ORDER 5. — Urinary Organs.												ORDER 6. — Generative Organs.		ORDER 7. — Osseous and Locomotory System.				ORDER 8. — Integumentary System.				Total for Class III.														
Nephritis.	Ichuria.	Nephria (Bright's Disease).		Diabetes.	Calculus (Gravel, etc.).		Cystitis.	Prostate, Disease of.		Kidney Diseases.	Bladder, Diseases of.		Testicles, Disease of.		M.	F.	Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebrae, Diseases of.		M.	F.	Total.	Phlegmon.	Ulcer.	Skin Diseases.	M.	F.	Total.	Male.	Female.	Sex not stated.	Total
..	..	1	2	1	2	3	2	..	5	11	
..	..	1	1	1	2	3	..	5	7	
..	1	1	1	1	1	4	7	..	11	18	
..	..	1	1	1	3	3	..	6	9	
..	..	1	1	1	6	5	..	11	17	
..	3	3	..	6	12	
..	8	4	..	12	24	
..	1	1	1	1	..	2	3	
..	..	1	2	..	1	1	4	2	..	6	13	
..	7	4	..	11	24	
2	..	4	1	..	1	4	4	10	22	..	32	86	
..	2	2	..	4	6	
..	6	4	..	10	20	
..	11	25	..	36	66		
..	..	1	1	1	3	8	4	..	12	24	
..	2	2	1	..	3	3	
..	..	1	1	5	8	..	13	21		
..	4	4	8	
..	1	1	1	1	..	2	4	
..	..	1	1	2	3	2	..	5	8	
..	1	5	4	..	9	13	
..	1	1	..	2	4	
..	2	1	..	3	5	
..	7

TABLE No. XV.

TOWNS IN GRAFTON COUNTY.	CLASS IV.—DEVELOPMENTAL DISEASES.														
	ORDER 1.—Of Children.							ORDER 2.—Of Women.		ORDERS 3 and 4.				Total for Class IV.	
	Still-born.	Debility, Infantile. Debility, Premature Birth. Cyanosis.	Spina Bifida. Other Malformations.	Teething.	Innutation.	Total.	Childbirth.	Paramenia.	Total.	Old Age.	Atrophy and Debility.	Male.	Female.	Total.	
Alexandria	1					1				2	4	1	3	5	8
Ashland					1	1						2	1	2	3
Bath	1					1				2		1	1	3	4
Benton															
Bethlehem										2	1	1	3	2	5
Bridgewater										1	1	1	2	2	
Bristol	1	1				2				1	2		1	4	5
Campton	1					1				1	1		2	1	3
Canaan		1				1				1		1	1	2	3
Dorchester												1	1	1	1
Easton											1		1		1
Ellsworth															
Enfield	2					1	1			1	3	1	2	3	6
Franconia												1			1
Grafton		2				2							1	2	2
Groton															
Hanover					1	1				2			3	3	
Haverhill		1			3	3	1			6	7		9	8	17
Hebron															
Holderness										1			1		1
Landaff											1	1	1	1	2
Lebanon		2		1		3	1	1	3	3	2		8	4	12
Lincoln															
Lisbon					2	2	1	1		1	1	1	1	5	6
Littleton	1					1				1	2	2	4	2	6
Livermore															
Lyman															
Lyme		1				1				2			2	1	3
Monroe															
Orange										1			1		1
Orford					1	1	1	1	1	1	1		2	3	5
Piermont					1	1			1			1	2	1	3
Plymouth										1				1	1
Rumney											1		3		3
Thornton		2				1	1			1			1	2	3
Warren												1		1	1
Waterville															
Wentworth		2				1	1			1	1		2	2	4
Woodstock												1		1	1

— Continued.

CLASS V.—VIOLENT DEATHS.																	Grand Total for all Classes.				
ORDER 1.—Accident and Negligence.							OR- DER 2.		ORDER 3.—Suicide.							ORDER 4.— Various.			Total for Class V.		

*Classed with males.

TABLE No. XV.

TOWNS IN COÖS COUNTY.	CLASS I. —																						
	ORDER 1. — Miasmatic.																						
	Carbuncle.	Cholera, Asiatic.	Cholera, Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever, Bilious.	Fever, Cerebro-spinal.	Fever, Intermittent.	Fever, Malarial.	Fever, Typhoid.	Fever, Typho-malarial.	Fever, Unspecified.	Fever, Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Berlin				4			1		1					1									1
Carroll																							
Clarksville																			1				
Colebrook				2				2											1				
Columbia																							
Dalton				1																		1	
Dummer																							
Errol																							
Gorham				1	1	2	1								1				1				
Jefferson				2			1								2								
Lancaster															1								
Milan				1											1								2
Millsfield																							
Northumberland							1		2										1				
Pittsburg																			1				
Randolph							4																
Shelburne																							
Stark				1																			
Stewartstown																							
Stratford	1														1				1				
Whitefield									1														

— *Continued.*

ZYMOTIC DISEASES.

				ORDER 2. — Enthetic.				ORDER 3. — Dietic.				ORDER 4. — Parasitic.				Total for Class I.												
Tonsillitis.	Scarlatina.	Small-pox.	Varicella.	M.	F.	Glanders.	Gonorrhea.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	M.	F.	Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvey.	M.	F.	Aphthæ.	Worms.	Other Parasites.	M.	F.	Male.	Female.	Sex not stated.	Total.
.	.	.	.	4	4	4	4	.	8
.	.	.	.	1	1	.	.	1	
.	1	.	.	4	1	1	4	2	.	6	
.	2	2	.	2	
.	.	.	.	5	2	5	2	.	7
.	.	.	.	4	1	4	1	.	5	
.	.	.	.	1	1	1	1	.	2	
.	.	.	.	2	2	1	3	2	.	5	
.	.	.	.	1	3	1	3	.	4	
.	1	1	.	1	
.	.	.	.	1	1	.	1	
.	.	.	.	2	1	2	1	.	3	
.	.	.	.	1	1	.	.	1	

TABLE No. XV.

TOWNS IN COÖS COUNTY.	CLASS II.—CONSTITUTIONAL DISEASES.																					
	ORDER 1.—Diathetic.										ORDER 2.—Tuber- cular.						Total for Class II.					
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.		Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.		Male.	Female.	Total.
											M.	F.						M.	F.			
Berlin						1						1			1		1	1	1	2	3	
Carroll				1							1				2		2		3		3	
Clarksville															1		1		1		1	
Colebrook		1	1							1	2	1			1		1		3	1	4	
Columbia																						
Dalton															2		2		2		2	
Dummer				1								1								1	1	
Errol																						
Gorham				1		1						2	1		2		1	2	1	4	5	
Jefferson		1										1	1		3		2	2	2	3	5	
Lancaster				2				1			1	2		12		2	7	7	8	9	17	
Milan				1								1								1	1	
Millsfield																						
Northumberland															2		1	1	1	1	2	
Pittsburg				1						1	1	1			2		1	1	2	2	4	
Randolph																						
Shelburne																						
Stark															1		1		1		1	
Stewartstown		1		1							2				1		1		3		3	
Stratford				1							1				2		2	1	2	3	3	
Whitefield					1						1				6		1	1	6	2	8	

— *Continued.*

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.										ORDER 2.—Circulatory System.				ORDER 3.—Respiratory System.										
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Pericarditis.	Aneurism.	Heart Diseases.	M.	F.	Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	M.	F.
2								2	3	1		1	1							9			5	4
2		1							1	2		2	2				2			3			3	2
2			1	1					1	3		1	1							5			1	1
			1							1		2	1	1						4			3	1
																				1			1	
								1		1		1	1	1						2			1	1
		1		2					1	2		1	1	1									1	1
3		1							1	3		1	1							8			5	3
	2							1	3			1	1							2				2
1			1						1	1		1		1						2		2		
			1						1											1			1	
		2	1							3		2		2			1			2			3	
				1					1			2	1	1						4			3	1
	1											1							3			2	2	
3		4	1						5	3	2	3	5				1			3		3	1	

TABLE No. XV.

[illegible]

— Continued.

DISEASES. — Continued.

ORDER 5. — Urinary Organs.													ORDER 6. — Generative Organs.		ORDER 7. — Osseous and Locomotory System.				ORDER 8. — Integumentary System.				Total for Class III.								
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	M.	F.	Total.	Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebrae, Diseases of.	M.	F.	Total.	Phlegmon.	Ulcer.	Skin Diseases.	M.	F.	Total.	Male.	Female.	Sex not stated.	Total.
.	.	1	1	.	.	.	2	11	8	.	19	
.	7	5	.	12		
.	1	1	.	2		
.	4	7	.	11		
.	4	2	.	6		
.	1	2	1	.	3		
.	1	1	.	1		
.	1	1	.	1		
.	5	3	.	8		
.	.	1	2	2	.	2		
.	9	6	.	15		
.	3	6	.	9		
.	3	2	.	5		
.	1	1	.	2		
.	
.	8	6	.	9		
.	5	2	.	7		
.	4	2	.	6		
.	14	6	.	20		

TABLE No. XV.

TOWNS IN COÖS COUNTY.	CLASS IV.—DEVELOPMENTAL DISEASES.																				
	ORDER 1.—Of Children.										ORDER 2.—Of Women.		ORDERS 3 and 4.				Total for Class IV.				
	Still-born.	Debility, Infantile.	Debility, Premature Birth.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Innutrition.	Total.		Childbirth.	Paramenia.	Total.	Old Age.		Atrophy and Debility.	Male.	Female.	Total.		
									M.	F.				M.	F.					M.	F.
Berlin	1	1					1	3	4	2							4	2	6		
Carroll	1								1						1		1	1	2		
Clarksville															1			1	1		
Colebrook														2	1		2	1	3		
Columbia																					
Dalton			1			1			1	1	1	1		2			1	4	5		
Dummer													1				1		1		
Errol																					
Gorham							1		1		1	1					1	1	2		
Jefferson														2				2	2		
Lancaster.....	3	1	1						2	3			3	1			5	4	9		
Milan														1		1	2		2		
Millsfield																					
Northumberland														1			1		1		
Pittsburg															1			1	1		
Randolph																					
Shelburne																					
Stark															1			1	1		
Stewartstown																					
Stratford		1							1				2	1		1	3	2	5		
Whitefield	2					1			2	1	1	1	1	2	1	1	4	5	9		

— Continued.

CLASS V.—VIOLENT DEATHS.																	Grand Total for all Classes.												
ORDER 1.—Accident and Negligence.						OR- DER 2.		ORDER 3.—Suicide.						ORDER 4.— Various.							Total for Class V.								
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.		Homicide.	Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.		Violent, not Classed.	Cause not Reported or Un- classified.		Male.	Female.	Total.	Male.	Female.	Not stated.	Total.	
							M.	F.									M.	F.		M.	F.								M.
..	2	..	1	3	1	1	1	..	5	..	5	25	16	..	41
..	1	..	1	..	1	11	6	*1	18
1	1	..	2	1	..	3	3	2	..	5	
..	1	2	3	2	1	8	15	12	..	27	
..	3	..	8	7	2	..	9	
..	5	7	12	
..	1	..	1	1	2	..	3	
..	1	..	1	1	1	1	1	1	13	10	..	23	
..	5	8	*1	..	14	
..	1	1	2	1	..	1	2	1	3	24	21	*1	46	
..	8	9	17	
1	1	..	2	2	..	2	8	6	..	14	
..	3	5	..	8	
..	1	1	1	1	2	9	3	..	12	
1	1	3	3	1	1	..	2	2	2	1	3	12	8	..	20	
..	2	2	6	8	27	19	..	46	

* Classed with males.

TABLE No. XV.
RECAPITULATION

COUNTIES.	CLASS I. —																						
	ORDER 1. — Miasmatic.																						
	Carbuncle.	Cholera Asiatic.	Cholera Sporadic.	Cholera Infantum.	Cholera Morbus.	Croup (Pseudo-membranous).	Diphtheria.	Diarrhea.	Dysentery.	Erysipelas.	Fever Bilious.	Fever Cerebro-spinal.	Fever Intermittent.	Fever Malarial.	Fever Typhoid.	Fever Typho-malarial.	Fever Unspecified.	Fever Yellow.	Influenza (Epidemic).	Measles.	Mumps.	Metria (Puerperal Fever).	Pertussis.
Rockingham...	1	..	42	1	8	19	4	6	7	12	5	1	5
Strafford	30	2	20	46	8	1	7	1	16	1	1	..	4	1	..
Belknap	22	1	1	12	2	2	1	1	1	10	..	1	..	3	1	1
Carroll	1	4	1	1	1	1	1	1	..	6	1	1
Merrimack	25	1	4	5	5	4	2	1	26	11	1	1	3	4
Hillsborough	224	2	20	23	17	26	4	1	3	33	..	1	..	36	5	..	5	5	..
Cheshire	17	4	2	36	4	2	1	8	1	..	13	2	1	1
Sullivan	13	8	4	..	4	1	3	1	1
Grafton	1	..	13	..	7	2	3	2	3	3	11	7	5	5
Coös.....	1	..	12	1	2	4	2	4	1	6	6	1	3	3
Total	3	..	399	12	64	164	50	48	29	3	..	1	9	124	2	4	..	94	9	..	11	26	..

— Continued.
BY COUNTIES.

ZYMOTIC DISEASES.

				ORDER 2. — Enthetic.								ORDER 3. — Dietic.				ORDER 4. — Parasitic.				Total for Class I.												
Tonsillitis.	Scarlatina.	Small-pox.	Varicella.	M.	F.	Total.	Glanders.	Gonorrhea.	Hydrophobia.	Malignant Pustule.	Septicæmia.	Syphilis.	M.	F.	Total.	Alcoholism.	Delirium Tremens.	Inanition.	Purpura and Scurvey.	M.	F.	Total.	Aphthæ.	Worms.	Other Parasites.	M.	F.	Total.	Male.	Female.	Sex not stated.	Total.
1	2			52	62						9		6	3	4								4						62	65		127
..	2			73	67						7		3	4	2							1	1						77	72		149
..	1			38	21						3	2	2	3															40	24		64
..				7	11						1	1																	9	12		21
1				44	49						10		7	3	3						1	3	1						54	53		107
1	3			213	201						13	3	7	9	2						1	2	1	2			1	1	223	212		435
..	2			45	48						5		2	2	3														47	51		98
..				18	16						2		2																20	16		36
1	5			38	25						6	2	2	6	1						1								41	31		72
..	1			26	18						2		1	1															27	19		46
4	16	554	518	57	8	33	32	12	2	11	3	4	2	2	800	555	...	1,155	

TABLE No. XV.
RECAPITULATION

COUNTIES.	CLASS II.—CONSTITUTIONAL DISEASES.																						
	ORDER 1.—Diathetic.												ORDER 2.—Tuber- cular.						Total for Class II.				
	Gout.	Dropsy.	Anæmia.	Cancer, Various.	Cancer of Breast.	Cancer of Stomach.	Cancer of Uterus.	Noma (Canker).	Mortification.	Rheumatism.	Total.		Scrofula.	Tubes Mesenterica.	Phthisis.	Hydrocephalus.	Tubercular Meningitis.	Total.		Male.	Female.	Total.	
											M.	F.						M.	F.				
Rockingham...	12	4	23	4	5	7	..	3	6	30	34	2	1	134	6	5	78	70	108	104	212		
Strafford.....	6	2	17	1	2	3	..	3	1	12	23	1	..	117	..	3	60	61	72	84	156		
Belknap.....	2	..	14	..	2	2	1	5	16	1	..	40	2	1	19	25	24	41	65		
Carroll.....	4	2	9	2	3	2	..	6	16	1	..	25	1	1	14	14	20	30	50		
Merrimack.....	2	5	41	1	8	4	..	5	5	19	52	1	2	114	2	2	57	64	76	116	192		
Hillsborough..	13	7	45	3	11	5	..	5	7	40	56	2	1	204	1	8	100	116	140	172	312		
Cheshire.....	3	4	10	..	1	3	4	12	13	..	1	51	..	1	22	31	34	44	78		
Sullivan.....	3	2	14	2	2	4	2	14	15	2	1	32	..	4	16	23	30	38	68		
Grafton.....	5	1	20	..	4	1	..	5	2	11	27	3	..	70	1	1	29	46	40	73	113		
Coös.....	3	1	9	..	2	1	..	1	2	9	10	2	..	38	..	4	22	22	31	32	63		
Total.....	53	28	202	13	40	21	..	33	30	158	262	15	6	825	13	30	417	472	575	734	1,309		

— *Continued.*
BY COUNTIES.

CLASS III.—LOCAL DISEASES.

ORDER 1.—Nervous System.												ORDER 2.—Circulatory System.						ORDER 3.—Respiratory System.									
Cephalitis.	Cerebritis.	Apoplexy.	Paralysis.	Insanity.	Chorea.	Epilepsy.	Tetanus.	Convulsions.	Brain Diseases.	Total.		Pericarditis.	Aneurism.	Heart Diseases.	Total.		Epistaxis.	Laryngitis.	Bronchitis, Acute.	Bronchitis, Chronic.	Pleurisy.	Pneumonia.	Asthma.	Lung Diseases.	Total.		
										M.	F.				M.	F.									M.	F.	
21	4	36	47	1	..	1	1	14	14	71	68	3	..	93	53	43	1	2	31	1	2	90	1	3	69	62	
19	6	21	16	1	..	2	1	4	16	44	42	1	..	49	32	18	..	1	17	..	2	80	1	..	59	42	
6	..	17	15	2	1	1	7	24	25	1	..	24	13	12	..	1	3	42	19	27	
1	1	17	22	1	1	2	12	23	34	30	15	15	..	1	4	37	..	3	21	24	
15	8	42	51	16	..	8	2	8	33	91	92	3	..	80	36	47	24	..	2	94	1	2	67	56	
38	25	59	33	1	..	3	1	24	25	109	100	2	..	120	72	50	82	..	1	158	4	2	127	120	
11	..	21	23	1	..	3	1	5	11	34	42	59	37	22	..	1	6	..	1	44	2	1	33	22	
4	1	14	10	1	3	16	17	34	19	15	9	..	2	32	1	2	19	27	
10	1	27	25	2	1	4	16	39	47	2	..	46	25	23	..	1	12	..	1	74	1	1	40	50	
13	2	9	9	2	3	3	18	23	3	..	18	15	6	5	52	33	24	
138	48	263	251	28	..	1	17	8	65	140	469	490	15	..	553	317	251	1	7	193	111	703	11	14	487	454	

TABLE No. XV.
RECAPITULATION

COUNTIES.	CLASS III. — LOCAL																		
	ORDER 4. — Digestive Organs.																		
	Gastritis.	Enteritis.	Peritonitis.	Ascites.	Ulceration of Intestines.	Hernia.	Ileus.	Intussusception.	Stricture of Intestines.	Fistula.	Stomach Diseases.	Pancreas Diseases.	Hepatitis.	Jaundice.	Liver Diseases.	Spleen Diseases.	Bowel Diseases.	Total.	
																		M.	F.
Rockingham.....	6	12	9	1	6	6	..	2	2	6	..	4	24	30
Strafford.....	7	10	5	3	4	2	..	2	1	3	1	2	15	25
Belknap.....	6	1	2	1	1	1	1	2	..	3	8	10
Carroll.....	5	1	2	..	2	1	3	2	13	3
Merrimack.....	7	12	10	2	..	2	1	1	6	..	5	3	4	..	2	29	26
Hillsborough.....	14	14	10	1	1	4	2	4	9	..	6	2	17	..	6	37	53
Cheshire.....	4	4	2	1	3	5	..	3	9	13	
Sullivan.....	..	2	2	2	3	6	8	7
Grafton.....	10	4	7	1	1	5	..	2	1	9	..	2	15	27
Coös.....	1	3	4	1	1	2	..	3	9	6	6
Total	60	63	51	4	5	12	18	6	38	..	18	10	56	125	167	200	

— Continued.

BY COUNTIES.

DISEASES. — Continued.

ORDER 5. — Urinary Organs.												ORDER 6. — Generative Organs.		ORDER 7. — Osseous and Locomotory System.		ORDER 8. — Integumentary System.		Total for Class III.									
Nephritis.	Ischuria.	Nephria (Bright's Disease).	Diabetes.	Calculus (Gravel, etc.).	Cystitis.	Prostate, Disease of.	Kidney Diseases.	Bladder, Diseases of.	Testicles, Disease of.	Total.		Ovarian Dropsy.	Disease of Uterus.	Total.	Bones, Diseases of.	Joint Diseases.	Vertebrae, Diseases of.	Total.	Phlegmon.	Ulcer.	Skin Diseases.	Total.		Male.	Female.	Sex not stated.	Total.
										M.	F.											M.	F.				
12..	9	7	4	2	5	2	25	16	2	2	4	2	2	4	2	1	1	1	1	1	1	243	224	..	467		
11..	10	2	1	4	1	4	19	9	1	1	1	1	1	1	170	137	..	307			
1..	2	3	3	1	1	5	4	6	2	1	1	69	81	..	150		
2..	4	3	2	2	2	8	11	5	..	2	2	83	83	..	166			
4..	17	5	2	5	1	8	22	20	1	1	1	1	1	1	2	1	1	1	1	1	248	248	..	491			
10..	28	5	2	7	1	8	31	31	2	2	1	2	2	1	1	2	2	1	2	1	378	359	..	737			
1..	11	2	4	4	4	..	17	5	2	..	2	132	104	..	236			
2..	15	2	1	1	5	5	19	6	81	72	..	153			
3..	13	7	1	7	1	3	21	14	140	161	..	301			
..	2	..	1	1	..	1	1	3	76	62	..	138			
46..	111	36	5	35	5	44	3	170	115	5	4	9	4	1	4	5	4	3	1	4	5	3	1,620	1,526	..	3,146	

— Continued.
BY COUNTIES.

CLASS V.—VIOLENT DEATHS.																								Grand Total for all Classes.						
ORDER 1.—Accident and Negligence.							OR- DER 2.		ORDER 3.—Suicide.							ORDER 4.— Various.				Total for Class V.										
Fractures and Contusions.	Wounds, Unspecified.	Burns and Scalds.	Poison.	Drowning.	Suffocation.	Various.	Total.		Homicide.	Wounds, Unspecified.	Wounds, Pistol or Gunshot.	Wounds, Knife.	Poison.	Drowning.	Hanging.	Otherwise.	Total.		Violent, not Classed.	Cause not Reported or Un- classified.	Male.	Female.	Total.	Male.	Female.	Not stated.	Total.			
							M.	F.									M.	F.										M.	F.	M.
1	1	2	3	13	2	11	28	5	1	3				2		1	3			43	32	75	40	115	551	509	*5	1,065		
			2	3		10	12	3							1	1	2			22	20	36	23	59	415	380	*6	801		
1		4		6	2	8	6								1	4	3	2		2	7	4	18	14	32	181	190	*3	374	
8						4	4	1			1		1		1	4				11	10	19	11	30	147	154	*2	303		
10	2	1	3	10	2	19	31	16	1		1				4	3	7	1	1		51	43	91	60	151	987	964	*22	1,973	
3	1	4		6		14	23	5					1		1	2	4		1	5	10	10	38	20	58	282	273	*2	557	
1	1	1	1	3		6	11	2					1		1	2	3				3	3	17	5	22	174	158		332	
4	1	1		3		12	16	5	1		1			1	1	1	3	1			8	12	28	18	46	301	348	*2	651	
3		1	1	4	1	9	17	2								3	2	1			6	4	25	7	32	181	145	*3	329	
33	6	15	10	50	5	98	170	47	3	3	1	2		3	3	9	20	32	6	3	7	179	158	387	221	608	3,692	3,624	52	7,368

* Classed with males.

TABLE No. XVI.
Recapitulation of the Causes of Death by Classes and Orders, by Counties.

CAUSES OF DEATH.	Rockingham.	Stratford.	Belknap.	Carroll.	Merrimack.	Hillsborough.	Cheshire.	Bullivan.	Grafton.	Cods.	Total for State.
All causes	1,065	801	874	303	983	1,973	557	832	651	329	7,368
Specified causes	990	759	863	282	945	1,879	537	326	631	319	7,031
(Cause not stated)	75	42	11	21	38	94	20	6	20	10	337
CLASSES.											
I — Zymotic diseases	127	149	64	21	107	435	98	36	72	46	1,155
II — Constitutional diseases	212	156	65	50	192	312	78	68	113	63	1,309
III — Local diseases	467	307	150	166	491	737	236	153	301	138	3,146
IV — Developmental diseases	144	130	63	36	130	338	87	53	119	50	1,150
V — Violent deaths	40	17	21	9	25	57	38	16	26	22	271
ORDERS.											
I — 1. Miasmatic diseases	114	140	59	18	93	414	93	34	63	44	1,072
2. Enthetic diseases	9	7	5	1	10	16	5	2	8	2	65
3. Dietic diseases	4	2	4	3	1	14
4. Parasitic diseases	2	2	4

CAUSES OF DEATH.

183

II — 1. Diathetic diseases	64	35	21	22	71	96	25	29	38	19	420
2. Tubercular diseases	148	121	44	28	121	216	53	39	75	44	889
III — 1. Diseases of nervous system	139	86	49	57	183	209	76	33	86	41	959
2. Diseases of organs of circulation	96	50	25	30	83	122	59	34	48	21	568
3. Diseases of respiratory organs	131	101	46	45	128	247	55	46	90	57	941
4. Diseases of digestive organs	54	40	18	16	55	90	22	15	42	15	367
5. Diseases of urinary organs	41	28	10	16	42	62	22	25	35	4	285
6. Diseases of generative organs	4	2	1	2	9
7. Diseases of osseous and locomotory organs	2	1	2	2	2	9
8. Diseases of integumentary system	1	2	2	3	8
IV — 1. Developmental diseases of children	36	67	25	10	64	217	18	18	31	19	507
2. Developmental diseases of women	3	7	2	4	1	3	2	1	3	3	29
3. Old age	60	36	30	16	44	75	46	20	59	24	410
4. Atrophy and debility	43	20	6	6	21	43	21	14	26	4	204
V — 1. Accident and negligence	33	15	16	5	23	48	34	13	21	19	227
2. Homicide	4	1	1	6
3. Suicide	3	2	5	4	2	8	4	3	4	3	38

TABLE No. XVI.
Recapitulation of the Causes of Death by Classes and Orders, by Counties.

CAUSES OF DEATH.	Rockingham.	Stratford.	Belknap.	Carroll.	Merrimack.	Hillsborough.	Cheshire.	Sullivan.	Gratton.	Cook.	Total for State.
All causes	1,065	801	874	803	983	1,973	557	332	651	329	7,368
Specified causes	990	759	863	282	945	1,879	537	326	631	319	7,031
Cause not stated	75	42	11	21	38	94	20	6	20	10	337
CLASSES.											
I — Zymotic diseases	127	149	64	21	107	435	98	36	72	46	1,155
II — Constitutional diseases	212	156	65	50	192	312	78	68	113	63	1,309
III — Local diseases	497	307	150	166	491	737	236	153	301	138	3,146
IV — Developmental diseases	144	130	63	36	130	338	87	53	119	50	1,150
V — Violent deaths	40	17	21	9	25	57	38	16	26	22	271
ORDERS.											
I — 1. Miasmatic diseases	114	140	59	18	93	414	93	34	63	44	1,072
2. Enthetic diseases	9	7	5	1	10	16	5	2	8	2	65
3. Dietic diseases	4	2	4	3	1	...	14
4. Parasitic diseases	2	...	2	4

CAUSES OF DEATH.

183

II—1. Diathetic diseases	64	35	21	22	71	96	25	29	38	19	420
2. Tubercular diseases	148	121	44	28	121	216	53	39	75	44	889
III—1. Diseases of nervous system	139	86	49	57	183	209	76	33	86	41	959
2. Diseases of organs of circulation	96	50	25	30	83	122	59	34	48	21	568
3. Diseases of respiratory organs	131	101	46	45	128	247	55	46	90	57	941
4. Diseases of digestive organs	54	40	18	16	55	90	22	15	42	15	367
5. Diseases of urinary organs	41	28	10	16	42	62	22	25	35	4	285
6. Diseases of generative organs	4	2	1	2	9
7. Diseases of osseous and locomotory organs	2	1	2	2	2	9
8. Diseases of integumentary system	1	2	2	3	8
IV—1. Developmental diseases of children	38	67	25	10	64	217	18	18	31	19	507
2. Developmental diseases of women	3	7	2	4	1	3	2	1	3	3	29
3. Old age	60	36	30	16	44	75	46	20	59	24	410
4. Atrophy and debility	43	20	6	6	21	43	21	14	26	4	204
V—1. Accident and negligence	33	15	16	5	23	48	34	13	21	19	227
2. Homicide	4	1	1	6
3. Suicide	3	2	5	4	2	8	4	3	4	3	38

TABLE No. XVII.
Deaths by Ages, Sex, and Months, by Counties and Towns.*

TOWNS IN ROCKINGHAM COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	(Grand total.
Atkinson	Males	1								1	2					1	1	1	1				1				1		4	...
	Females	1	1		1	1			1	1	1					1	1	1	1		1				1		1		6	10
Auburn	Males	1									2	2				2	1		1	1					1				5	...
	Females					1				1	3					1			1		1	1							5	10
Brentwood	Males	2			1	2	1	1	1	4	6					2	4	1	2		3		2	2	1	1		18	...	
	Females						3	2	1	2	2				4	2							1	2	1		10	28		
Candia	Males	1								1	1							1	1	2	1							5	...	
	Females								1	1	2					1					1	1		1	2			6	11	
Chester	Males	2			1			1		3	4					2	1	1	1	1	1	2	1			2	11	...		
	Females			1						4	3			1		1	1	1	1	1	2		2	1		2	9	20		
Danville	Males							1		1	4	1			1		3		1					1	1	1	1	8	...	
	Females	1								2	1									1				1	1			4	...	
	Not stated										1											1						1	18	
Deerfield	Males	1	1	1	2	1		4	3		1					2	2	1	1	4	1		1	3			15	...		
	Females	1	1	1	3	2	1	3	4							1	2	1	1	1	1	1	8	2	1	15	30			

Derry	Males	7	1	1	1	1	3	1	2	5	1	2	3	1	1	1	2	2	3	2	2	2	3	2	21
	Females	3	2	1	1	3	3	1	3	2	1	3	2	4	2	2	1	1	1	3	2	1	1	3	23
East Kingston	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	
	Females	2	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	2	4	1	1	2	4	8	
Epping	Males	4	1	1	2	1	1	2	1	2	1	2	1	2	2	2	2	2	2	3	2	2	3	16	
	Females	2	2	2	2	1	4	10	1	1	4	1	2	5	3	1	2	1	4	4	1	4	4	26	
Exeter	Males	5	3	2	2	3	6	4	5	5	1	7	2	4	1	5	3	2	3	2	5	3	2	38	
	Females	11	1	2	2	7	4	8	5	2	4	9	9	3	8	3	6	4	8	1	3	1	3	47	
Fremont	Males	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	5	
	Females	2	1	1	1	1	1	1	3	2	1	3	2	1	1	1	1	1	1	1	1	1	1	11	
Greenland	Males	1	1	1	1	1	1	1	4	2	1	1	1	1	2	1	1	1	1	1	1	1	1	9	
	Females	1	1	1	1	1	1	1	3	1	3	2	1	2	1	2	1	1	1	1	1	1	1	8	
Hampstead	Males	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	4	
	Females	1	1	1	1	1	3	1	2	2	1	2	1	2	1	2	1	2	2	2	2	2	2	13	
Hampton	Males	3	1	4	1	1	1	8	4	2	2	3	1	3	2	2	1	2	4	3	2	2	4	22	
	Females	2	2	1	1	2	1	2	1	2	1	3	2	1	1	1	1	1	1	1	2	1	2	11	
Hampton Falls	Males	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	5	
	Females	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	2	1	1	2	1	1	4	
Kensington	Males	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	2	1	1	1	1	1	6	
	Females	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	

* Not including premature births nor still-births.

TABLE No. XVII. — *Continued.*

TOWNS IN ROCKINGHAM COUNTY. — <i>Continued.</i>		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Kingston	Males	5	1	1	1	1	1	2	2	2	6	4	3	2	2	2	1	1	1	3	3	3	1	1	...	22	...
	Females	2	1	...	3	1	1	2	3	1	2	1	1	1	1	...	1	2	1	3	3	14	36
Londonderry	Males	1	1	2	...	1	2	1	1	1	1	...	1	...	5	...
	Females	1	3	1	1	1	1	1	1	3	4	2	6	3	1	1	1	1	1	1	1	3	1	...	1	18	23
Newcastle	Males	...	1	1	1	1	...	1	2	1	1	1	2	1	1	1	6	...
	Females	1	1	1	1	1	1	1	1	...	2	4	10
Newington	Males	1	1	1	1	2	3	...
	Females	1	1	1	2	5
Newmarket	Males	10	1	...	3	1	1	4	...	4	8	5	2	1	6	2	...	2	3	1	2	1	2	...	27	...
	Females	3	1	2	1	3	1	2	4	4	1	7	2	3	1	1	1	3	2	2	1	1	...	1	24	61
Newton	Males	3	1	...	2	2	...	2	2	1	1	8	1	2	1	2	...	1	2	1	1	14	...
	Females	1	...	1	1	1	1	1	...	3	8	1	1	2	...	2	...	1	1	1	2	1	11	25
North Hampton	Males	3	1	1	1	...	1	4	...
	Females	3	1	1	...	1	8	7

DEATHS BY AGES, SEX, AND MONTHS.

[illegible]

TABLE No. XVII. — *Continued.*

TOWNS IN ROCKINGHAM COUNTY. — <i>Continued.</i>	Grand total.																											
	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.
South Newmarket. Males.....	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	3	1	1	10	14
Females.....	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	14
Stratham	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	2	2	2	7	9	2
Males.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	2	2	2	7	9	2
Females.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	9	2
Windham.	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7	13	6
Males.....	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7	13	6
Females.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	2	1	1	1	1	1	1	6	13

TOWNS IN STRAFFORD COUNTY.		Under 1.		Grand total.																									
				1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Barrington	Males	2	1	1	1	1	1	4	2	1	1	5	2	..	11
	Females	1	1	2	1	2	1	2	1	2	1	2	1	4	2	12
Dover	Males	24	12	4	5	15	12	19	14	21	20	4	1	1	24	12	12	15	14	11	8	20	7	10	8	11	152
	Females	15	12	2	10	13	11	11	20	15	21	16	1	18	23	12	15	9	5	13	11	10	7	12	12	147
Durham	Males	1	..	2	1	1	2	4	3	1	2	1	..	1	..	2	11
	Females	2	1	1	1	1	1	1	2	1	5
Farmington	Males	1	..	1	2	6	4	2	6	4	1	1	4	2	3	1	1	2	..	3	2	4	4	2	..	28
	Females	4	1	1	2	2	..	6	3	5	2	6	1	2	4	3	1	2	..	3	3	1	1	..	27
Lee.	Males	8	2	1	3
	Females	1	1	1	1	1	1	1	..	1	3
Madbury	Males	1	..	1	1	1	..	2	3
	Females	1	..	1	1	1	..	1
Middleton	Males	1	2	1	..	1	1	3
	Females	1	1	1	1	2
Milton.	Males	1	..	2	1	1	..	2	1	2	1	1	..	1	..	2	1	1	1	1	1	2	9
	Females	2	1	8	2	2	..	2	1	1	1	1	1	1	2	1	2	1	2	8	2	14

TABLE No. XVII. — *Continued.*

TOWNS IN STRAFFORD COUNTY. — <i>Continued.</i>		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
New Durham	Males	2	2	1	1	1	...	1	1	1	...	1	1	5	...	
	Females	1	3	2	2	1	1	...	2	...	1	1	1	3	2	1	...	10	15	
		
Rochester	Males	710	3	1	2	3	8	4	4	9	5	1	1	4	1	8	4	5	5	1	3	10	3	4	...	58	...	
	Females	128	6	3	6	3	1	4	1	4	4	1	1	2	6	2	5	4	1	5	7	12	3	...	53	...	
	Not stated	1	1	1	1	2	3	114	
Rollinsford	Males	5	1	2	1	1	...	2	...	1	1	1	1	1	1	4	1	...	3	2	1	2	...	1	...	16	...	
	Females	1	1	1	1	1	2	...	2	1	1	2	...	1	1	...	2	...	1	...	9	25		
		
Somersworth	Males	1715	5	3	5	6	4	13	8	3	2	1	8	5	11	2	6	4	7	13	9	6	7	4	...	82	...
	Females	236	5	7	6	7	5	3	2	2	1	2	8	4	11	4	2	6	7	3	7	9	6	9	...	76	158
		
Strafford	Males	1	...	1	2	3	5	3	2	2	1	5	...	1	2	1	1	...	15	...	
	Females	1	...	2	1	1	1	1	1	4	1	3	1	1	...	10	...
	Not stated	1	1	1	26	

TOWNS IN BELKNAP COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Alton	Males	5	1	1	1	2	1	2	2	2	2	1	1	1	1	3	2	2	1	1	1	2	2	3	2	1	1	1	16	16
	Females	1	1	1	1	4	1	1	1	5	1	1	1	1	1	3	1	5	1	1	1	1	2	1	2	1	1	1	16	32
	Total	6	2	2	2	6	2	3	3	7	3	2	2	2	2	6	3	7	2	2	2	3	4	3	3	2	2	2	32	
Barnstead	Males	1	1	1	1	5	1	2	1	2	1	1	1	1	1	2	2	1	1	2	1	3	1	1	1	1	1	1	10	10
	Females	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	1	1	1	2	1	1	1	1	1	1	1	1	9	9
	Not stated	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20	20
Belmont	Males	3	1	2	1	1	1	1	1	3	3	1	1	1	1	6	6	2	2	1	1	1	1	2	1	1	1	1	13	13
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	7	20
	Total	4	2	3	2	2	2	2	2	4	4	2	2	2	2	7	7	3	3	2	2	2	2	3	2	2	2	2	20	
Centre Harbor	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	5	8
	Total	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	8	
Gilford	Males	6	1	1	4	1	1	4	4	2	3	1	1	1	1	1	2	1	5	2	4	4	4	2	1	1	1	1	28	28
	Females	1	3	5	1	1	3	5	2	4	1	1	1	1	1	5	1	3	3	5	1	2	3	1	1	1	1	1	26	54
	Total	7	4	6	5	2	4	7	6	5	4	2	2	2	2	6	3	8	8	7	5	6	7	3	2	2	2	2	54	
Gilmanton	Males	1	1	1	1	1	1	1	1	2	6	1	1	1	1	1	2	4	1	1	2	2	2	2	1	1	1	1	11	11
	Females	1	1	1	1	1	1	1	1	1	5	1	1	1	1	1	2	2	1	1	1	2	2	2	1	1	1	1	10	21
	Total	2	2	2	2	2	2	2	2	2	7	2	2	2	2	2	4	5	2	2	3	4	4	4	3	2	2	2	21	
Laconia	Males	12	3	1	2	1	6	2	4	8	2	2	2	2	2	2	7	4	4	2	1	1	8	7	4	2	1	1	45	45
	Females	12	5	3	5	6	3	1	3	8	1	3	8	1	1	4	2	3	6	4	4	1	6	8	8	3	1	1	49	94
	Total	24	8	4	7	7	9	5	7	10	3	5	10	3	3	6	9	7	8	6	5	9	14	12	7	3	2	2	94	
Meredith	Males	4	1	1	1	1	2	4	4	1	1	1	1	1	1	8	4	2	2	1	2	2	2	2	1	1	1	1	17	17
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	13	30
	Total	5	2	2	2	2	3	5	5	2	2	2	2	2	2	9	5	4	3	2	3	3	3	3	2	2	2	2	30	

DEATHS BY AGES, SEX, AND MONTHS.

148

TOWNS IN CARROLL COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.	
Albany	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	5	
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	
Bartlett	Males	3	1	1	1	1	1	1	1	1	1	1	1	1	1	4	4	1	1	1	1	1	1	1	1	1	1	1	7	13	
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	13	
Brookfield	Males																													2	2
	Females																													2	2
Chatham	Males																													4	6
	Females																													2	6
Conway	Males	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	15	30	
	Females	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	15	30	
Eaton	Males		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	8	
	Females		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	8	
Effingham	Males																													7	13
	Females		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	13	
Freedom	Males		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	18	
	Females		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10	18	

TABLE No. XVII. — *Continued.*

TOWNS IN CARROLL COUNTY. — <i>Continued.</i>		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Hart's Location	Males	1	1	1	..
	Females	..	1	1	1	2
Jackson	Males
	Females	..	1	..	1	1	1	1	1	1	1	1	1	1	..	1	..	2	1	1	1	5	5
Madison	Males	1	1	2	1	1	1	1	1	1	4	..
	Females	..	1	1	1	1	1	1	1	1	1	2	..	2	1	1	1	1	1	6	10
Moultonborough	Males	2	1	3	1	2	1	3	3	4	2	2	1	13	..	
	Females	1	1	1	1	..	8	4	4	..	4	4	3	1	1	4	1	1	..	2	1	1	1	14	27	
Ossipee	Males	2	..	2	4	4	3	1	3	2	1	2	1	2	1	1	1	..	15	..	
	Females	1	1	1	2	4	5	2	2	2	1	2	4	1	1	2	3	1	17	32	
Sandwich	Males	..	1	1	2	..	1	4	4	1	2	3	..	2	1	3	1	14	..	
	Females	..	1	1	1	1	1	1	5	2	1	2	3	1	1	1	1	1	1	2	1	1	12	26		
Tamworth	Males	..	1	1	1	1	1	1	2	1	1	1	..	1	1	1	1	1	1	1	..	5	..	
	Females	1	2	1	..	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	8	13	

TABLE No. XVII. — *Continued.*

TOWNS IN MERRIMACK COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Allenstown	Males	5	2	1	1	1	1	1	1	1	2	2	2	2	2	1	8	2	1	1	1	1	5	2	1	2	2	2	13	13
	Females	2	2	2	1	4	1	1	1	1	1	1	1	1	1	1	8	1	1	1	1	1	3	1	2	2	2	2	14	27
Andover	Males	2	1	1	1	1	1	1	1	1	2	3	2	2	2	2	2	1	1	2	1	1	2	1	1	2	2	2	9	9
	Females	2	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	1	1	1	1	1	2	1	1	1	1	1	2	11
Boscawen	Males	6	1	2	2	1	2	1	2	6	3	3	3	3	3	3	2	2	3	2	2	2	2	1	2	2	2	2	26	26
	Females	5	1	1	1	1	2	3	5	2	1	1	1	1	1	4	2	1	2	1	2	2	2	3	1	3	1	3	20	46
Bow	Males	3	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	2	1	1	1	1	1	1	7	7
	Females	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	11
Bradford	Males	1	1	1	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	8	8
	Females	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	7	15
Canterbury	Males	1	1	1	1	2	1	1	1	1	2	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	8	8
	Females	1	1	1	1	1	1	1	1	3	5	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	10	18
Chichester	Males	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	4
	Females	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	7	11

Concord	Males	20	9	1	6	14	20	14	24	17	32	14	...	2	23	8	13	20	15	15	14	17	11	10	18	9	...	178	...	
	Females	17	5	1	5	17	20	14	23	25	20	17	8	...	1	19	20	11	12	15	10	8	18	19	11	18	13	...	174	...
	Not stated	1	1348	...	
Danbury	Males	1	8	...	1	1	...	1	2	1	...	1	6	...	
	Females	1	2	1	1	3	...	1	2	2	...	1	1	2	9	15	
Dunbarton	Males	1	1	1	2	1	1	...	1	...	2	...	1	6	...	
	Females	1	...	1	...	1	1	2	4	10	
Epsom	Males	1	2	1	...	3	1	1	4	2	1	...	1	9	...	
	Females	1	...	3	1	1	2	5	14	
Franklin	Males	6	2	1	4	1	3	1	2	3	2	5	5	1	7	1	4	1	1	1	3	3	2	1	...	30	...	
	Females	4	1	...	1	5	2	3	4	6	2	2	4	5	2	5	2	5	3	3	...	1	2	35	65	
Henniker	Males	2	3	1	...	2	1	1	2	1	2	1	1	...	1	...	2	1	1	...	1	8	...	18	...	
	Females	1	1	...	1	4	3	2	3	1	1	1	3	4	2	...	2	...	2	1	20	33	
Hill	Males	1	1	...	1	1	1	...	1	1	1	1	...	1	5	...	
	Females	1	1	6	
Hooksett	Males	2	1	1	...	2	3	3	1	3	...	3	1	2	...	1	3	...	1	14	...	
	Females	3	1	1	...	2	1	1	1	...	4	...	1	...	1	2	1	10	24	
Hopkinton	Males	2	...	1	5	3	1	2	4	1	...	1	1	...	1	3	1	1	...	1	...	14	...	
	Females	1	3	1	2	1	2	9	3	4	2	1	2	...	1	2	2	1	1	4	2	...	22	36	
Loudon	Males	1	3	2	3	1	1	...	1	3	1	...	1	1	10	...	
	Females	1	1	1	1	2	1	4	3	1	3	2	1	...	2	...	3	1	...	1	2	15	25	

TABLE No. XVII. — *Continued.*

TOWNS IN MERRIMACK COUNTY. — <i>Continued.</i>		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Newbury	Males	1	1	1	1	1	2	2
	Females
New London	Males	2	1	4	2	1	2	1	2	1	2	1	1	1	1	9	...
	Females	1	1	...	1	1	2	1	...	1	3	1	2	1	...	1	3	1	1	2	1	1	...	11	20
Northfield	Males	1	...	1	1	1	1	2	3	8	1	1	2	1	1	9	...
	Females	1	2	2	2	8	1	1	1	1	1	9	...	
	Not stated	1	1	19	
Pembroke	Males	5	2	1	4	2	1	...	3	1	3	3	...	1	3	4	3	1	...	4	3	1	...	2	1	4	...	26	...	
	Females	6	2	2	2	2	1	2	...	2	2	1	2	4	3	1	2	1	2	3	1	2	3	...	24	...
	Not stated	...	1	1	1	51	
Pittsfield	Males	2	1	1	1	...	3	1	2	1	2	1	5	...	1	2	1	...	1	3	...	1	1	...	15	...
	Females	4	1	1	2	3	2	3	5	2	1	6	4	1	6	3	2	3	1	1	...	2	3	...	32	...
	Not stated	3	1	2	3	50	
Salisbury	Males	1	1	3	1	1	1	...	1	2	2	1	7	...
	Females	1	1	1	1	2	9	

149

Digitized by Google

TABLE No. XVII.—Continued.

TOWNS IN HILLSBOROUGH COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Amherst	Males	2	2					1	2	2	1						1	1	1	1	1		3	1	1	2		2	10	10
	Females	2					1	3	1	2	4	1			1	3		1	1	1	1		2	1	2	1	2	1	14	24
Antrim	Males	3	1	1				1		2	3	2			2	1	1	1	2	1	2	1	2	3	1			13	13	
	Females		2	1	1	1	1	1	1	2	4	1		3	3	1	2	1	2	1	1	1	2	2	1			14	27	
Bedford	Males	3								1	3	1			1	1				2	2		2		2	1		8	8	
	Females			1	1	1	1	1	1	1	1			1	1			1	1	2	2					1	1	5	13	
Bennington	Males	1	2	1						1		1									1	3			1	1		6	6	
	Females	1			1	1	1	1	1	1				1	1				1	1		1	1	1	1	1	1	5	11	
Brookline	Males							2	1	1				1	1	1	1	1	1									4	4	
	Females						1	3	2	1	2				1	2	2	2	2		2					1	1	9	9	
	Not stated	1																					1					1	14	
Deering	Males				1			2	1	1	3	2				1	1	2	1	1	1	1	2				10	10		
	Females	1			2	1	1	1	1	2	3				2	1	1	1	4	1	1	1	1				10	20		
Francestown	Males	1			1			1	1	1		2			1	1	1	1	1	1	1	1	1				7	7		
	Females		1	1				3	1	2		1	2			1	1	1	2	2	2			2			8	15		

Goffstown	Males	1	1	2	2	1	1	4	2	2	1	2	1	3	1	3	1	15
	Females	1	1	1	2	3	5	3	2	2	2	4	1	1	2	2	3	17
Greenfield	Males		1			1	1	1						2			3	
	Females			1		3	1	1				1	1			1	1	
Greenville	Males	7	2	1	3				2			2	1			1	15	
	Females	2	1	1	1	1	1	1	1			1	1	2		1	9	
Hancock	Males		1	1	1	4	1	1				1	1	1	1	1	9	
	Females		1		1	3						1	1	1	1		5	
Hillsborough	Males	1	2	1	4	3	3	3	1		1	2	2	1	3	2	19	
	Females	2	3	1	1	5	3	2	2	1		1	3	2	2	2	21	
Hollis	Males	1	1	1	1	1	4	3	1			2	4	3			13	
	Females	1	1	2	1	1	1	5	1			1	2	2	1	2	14	
Hudson	Males	2			1	1	3	4	2		3	1	3		1	1	13	
	Females	2	1	1	1	1	2	1	1		2		1	1	1	2	10	
Litchfield	Males				1	1								1			2	
	Females				2	1	1				1	1			2		4	
Lyndeborough	Males			1	1	3	1		1				1	2	1		7	
	Females			1	1	1			1			1	1	1	1		6	
Manchester	Males	166	57	13	18	36	37	26	32	38	34	12	3	3	75	33	82	474
	Females	151	58	8	24	42	38	28	83	84	38	19	2	1	3	66	26	484
Not stated															3	2	1	361

TABLE No. XVII. — Continued.

TOWNS IN HILLSBOROUGH COUNTY. — Continued.		Under 1.														Grand total												
		1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.
Mason	Males					1 1				2 2	1				1			2	2					1	1		1	7
	Females					1												2										2
Merrimack	Males														1		1		1									4
	Females														1	1		1					1	1				5
Milford	Males	2	1	1				1	2	7	2				2	1	2	2	1			2	2	2	3		17	17
	Females	4	1			2	2	3	7	3	1				3	1	3	2	2			4	1	1	4		23	40
Mont Vernon	Males									1					1												2	2
	Females										2				2	1							1				3	5
Nashua	Males	6610	3 715	1013	11 4	8 7	3								516	816	5 6	825	1418	1713	15 1102						1102	1102
	Females	5613	4 9	917	6 710	1013	5								312	12 8	12 9	2225	910	1910 2102	324						2102	324
New Boston	Males	1	1					1	1	2					2			1	1	2	1						7	7
	Females										4				1	1		2	1				2				8	15
New Ipswich	Males	2	1	1				4	2	3					2				2	1	2		2	3	1		15	15
	Females	4	1					1	1	2	1				1	3	1	1	2	1	3		3				12	27

TABLE No. XVII. — *Continued.*

TOWNS IN CHESHIRE COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Alstead	Males	1	2	2	1						3	1			1	1	1	1	1	1	1	1	1	3	2	2			13	...
	Females		2	1	1	2			1	1	2	2			1	1	1	1	1					6	1	1			12	...
	Not stated														1														1	26
Chesterfield	Males	1	1		1				3	3	2				1	1	1	1	3	2	1	1	1	1	2				11	...
	Females								2	4					1	1		2			1	1	1	1	1	1			6	17
Dublin	Males											2										1		1					2	...
	Females	1									1	3				1	1	1					1	2					5	7
Fitzwilliam	Males					1	2	1	2		2			1		3	2			1	4	1			1	2			9	...
	Females	5				1	1	2		2								2		1	2	1	1		1				10	19
Gilsom	Males	2	1			1						1				1	1	1	1	2	1								5	...
	Females		1			1						1				1				1	1								3	8
Harrisville	Males	1	1	1		1	2			1					4	1					1		1						7	...
	Females	3	1	1							1				1					1					1	2			6	13
Hinsdale	Males	5	1	1	1	1	1	3	1	2					2	1	2	1	1	2	1	2	1	2	1	2			16	...
	Females	3			2	2					1	2			1	1	1	4			2				2	1			11	27

Jaffrey	Males	3	1	1	2	4	2	2	1	1	3	8	2	1	1	2	1	2	15
	Females	4	1	2	4	1	2	1	6	1	2	2	2	2	3	6	3	8	24
Keene	Males	8	12	2	5	3	5	6	12	13	8	3	11	8	5	1	7	9	82
	Females	4	5	4	3	9	2	6	8	10	14	6	2	7	4	2	8	7	73
	Not stated	1																	1166
Marlborough	Males		1	1	1				5	1			1	1	1	1	1	1	9
	Females	2	1	1	1		1	1	3					1	2	1	2	1	11
Marlow	Males						2	1	1					1			1	1	4
	Females			1			1		1				1				2		4
Nelson	Males		1	1	1		1	3	1				1	2	1			2	9
	Females							1	1								1		2
Richmond	Males						1	1	1					1				1	4
	Females							2	1	2			1			1	1	1	5
Rindge	Males	3	1	1	2	1		2	4				4	1		1	1	3	14
	Females	1			1	1	3	2	1				1		1	3	1	2	10
Roxbury	Males	1																	24
	Females												1						1
Stoddard	Males	1																	2
	Females			1				2					1	1	1				3
Sullivan	Males																		4
	Females								1	2			2						8

TABLE NO. XVII. — *Continued.*

TOWNS IN CHESHIRE COUNTY. — <i>Continued.</i>		Under 1.																Grand total.									
		1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.		April.	May.	June.	July.	August.	September.	October.	November.	December.
Surry	Males.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
	Females.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3
Swansey	Males.....	1	2	1	1	1	1	3	4	2	1	1	1	3	2	1	2	1	3	2	1	2	2	1	1	1	13
	Females.....	4	1	1	2	1	1	5	3	1	1	1	1	1	1	2	1	2	3	2	1	2	4	2	1	1	19
Troy	Males.....	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	6	
	Females.....	2	1	1	1	1	1	1	2	1	1	1	1	2	1	1	1	3	1	1	1	1	1	1	1	8	
Walpole	Males.....	1	1	1	2	3	1	3	7	4	3	1	1	2	2	4	3	1	2	4	3	1	3	1	3	27	
	Females.....	4	1	1	2	3	1	2	4	4	3	1	1	7	2	4	1	2	3	2	3	1	6	2	1	26	
Westmoreland	Males.....	1	1	1	1	1	2	3	7	2	1	1	1	2	3	2	3	2	3	2	1	1	1	1	2	15	
	Females.....	1	1	1	1	1	4	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	3	10		
Winchester	Males.....	2	2	1	1	1	2	4	2	1	1	1	1	1	1	1	1	1	1	1	2	5	1	1	1	15	
	Females.....	2	1	2	4	1	3	3	1	1	1	1	1	1	2	1	1	1	1	3	4	1	1	3	1	16	
																											31

TOWNS IN SULLIVAN COUNTY.	Grand total.											
	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.
Acworth Males	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1
Charlestown Males	1	2	3	1	3	3	3	3	3	3	3	3
	3	1	1	1	1	1	1	1	1	1	1	1
Claremont Males	10	5	1	1	2	2	6	10	5	5	5	5
	8	3	1	2	3	4	7	12	5	1	1	1
Cornish Males	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1
Croydon Males	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1
Goshen Males	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1
Grantham Males	3	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1
Langdon Males	2	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1
Total.												
Unknown.												
December.												
November.												
October.												
September.												
August.												
July.												
June.												
May.												
April.												
March.												
February.												
January.												
Unknown.												
Over 100.												
90 to 100.												
80 to 90.												
70 to 80.												
60 to 70.												
50 to 60.												
40 to 50.												
30 to 40.												
20 to 30.												
10 to 20.												
5 to 10.												
1 to 5.												
Under 1.												
Grand total.												
Total.												
Unknown.												
December.												
November.												
October.												
September.												
August.												
July.												
June.												
May.												
April.												
March.												
February.												
January.												
Unknown.												
Over 100.												
90 to 100.												
80 to 90.												
70 to 80.												
60 to 70.												
50 to 60.												
40 to 50.												
30 to 40.												
20 to 30.												
10 to 20.												
5 to 10.												
1 to 5.												
Under 1.												

TABLE No. XVII. — *Continued.*

TOWNS IN SULLIVAN COUNTY. — <i>Continued.</i>		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Lempster	Males	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	5	5
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	6	11
Newport	Males	2	1	1	1	1	1	2	3	3	6	5	1	1	2	2	2	7	1	1	1	1	3	2	1	1	1	1	22	22
	Females	2	1	1	1	1	1	3	2	1	6	2	1	1	1	1	2	1	1	1	1	2	2	4	3	1	1	1	21	43
Plainfield	Males	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	6	6
	Females	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	6	11
Springfield	Males	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7	7
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	6	13
Sunapee	Males	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	6
	Females	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	12
Unity	Males	2	1	1	1	1	1	1	1	1	2	4	1	1	1	1	2	2	2	2	2	2	2	1	2	1	1	1	14	14
	Females	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	7	21
Washington	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	7

TOWNS IN GRAFTON COUNTY.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Alexandria	Males	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	8
	Females	2	1	1	2	1	1	2	1	1	1	5	1	1	1	1	1	1	1	1	1	2	2	1	2	3	1	1	13	21
Ashland	Males	2	1	2	2	2	2	2	2	2	2	2	2	2	1	1	1	1	2	1	2	1	1	1	1	1	1	1	9	9
	Females	1	1	2	1	2	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	1	1	10	19
Bath	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2
	Females	1	1	1	1	1	1	1	1	3	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	7	9
Benton	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	5
Bethlehem	Males	1	1	1	1	3	1	1	1	3	2	2	2	2	1	3	1	1	1	1	1	1	1	1	2	1	1	1	10	10
	Females	2	1	2	3	1	2	2	2	2	2	2	2	2	1	1	1	6	1	1	1	1	2	1	3	1	1	1	15	25
Bridgewater	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3
	Females	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	5	8
Bristol	Males	1	1	3	3	1	1	1	1	1	1	1	1	1	3	2	1	1	1	1	3	1	1	3	1	2	1	1	13	13
	Females	1	1	1	2	1	1	3	2	1	3	2	1	1	1	2	1	2	3	1	3	1	2	2	2	1	1	1	18	26
Campton	Males	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	8	8
	Females	1	1	1	1	1	1	1	1	3	1	3	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	8	16

TABLE No. XVII. — *Continued.*

TOWNS IN GRAFTON COUNTY. — <i>Continued.</i>	Under 1.																Grand total.											
	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	
Canaan Males	2	1	1	1	1	1	1	1	3	4	1	1	3	1	3	1	1	2	1	1	1	1	1	1	2	15	15	
Females	1	1	1	1	1	1	1	1	3	2	1	1	1	1	1	1	2	1	1	1	1	1	1	3	1	9	24	
Dorchester Males	1	1	2	1	1	1	1	1	2	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	7	7	
Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	10	
Easton Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	4	
Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	9	
Ellsworth Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	
Enfield Males	1	1	1	1	1	1	1	1	3	2	1	1	1	1	1	1	1	1	8	1	1	1	1	1	1	7	7	
Females	1	1	1	1	1	2	1	1	2	2	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	11	18	
Franconia Males	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	6	6	
Females	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	5	11	
Grafton Males	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	5	
Groton Males	1	1	1	1	1	1	1	1	2	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	2	5	5	
Females	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	13	

Hanover	Males	3	1	2	2	2	1	4	2	1	1	8	1	2	3	2	15
	Females	2	1	1	1	1	1	1	1	2	1	1	1	2	2	1	10
Haverhill	Males	4	1	1	2	2	1	2	5	3	7	1	5	1	5	1	29
	Females	1	1	5	4	3	6	7	5	1	1	4	3	2	3	1	33
Hebron	Males						2	1	1			1	1		1	1	4
	Females																4
Holderness	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5
	Females	1	1	2	1	1	1	2	1	1	3	1	1	1	1	1	7
Landaff	Males	1	1				2	1	1	1		2	1	1	1	1	7
	Females	1	1				2	2	1			2	2				5
Lebanon	Males	5	1	3	1	1	1	3	8	3	1	3	2	3	1	5	27
	Females	2	1	2	5	7	3	8	4	3	2	4	1	4	2	5	46
Lincoln	Males																73
	Females																
Lisbon	Males	2	1	1	1	2	3	1	1	1	4	2	2	1	1	1	12
	Females	4	1	2	3	1	1	4	1	1	1	2	1	3	3	4	19
	Not stated	1										1					32
Littleton	Males	7	2	2	2	2	2	4	3	1	4	3	2	2	1	4	27
	Females	2	1	1	1	1	4	1	2	5	3	1	8	2	1	2	18
Livermore	Males																45
	Females																

TABLE No. XVII. — Continued.

TOWNS IN GRAFTON COUNTY. — Continued.		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Lyman	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	3
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	6
Lyme	Males	2	1	1	1	1	1	1	1	2	5	3	1	1	1	1	1	1	1	2	1	3	1	2	1	1	1	1	13	13
	Females	1	1	1	1	1	2	2	3	3	1	1	1	1	1	1	3	2	2	2	2	2	2	1	2	1	2	1	15	28
Monroe	Males	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Females	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	2	2	1	3	1	1	6	7
Orange	Males										1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2
	Females										1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Orford	Males	1	1	1	1	1	1	1	1	1	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	7	7
	Females	1	1	1	1	1	1	1	1	3	2	1	1	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1	11	18
Piermont	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	6
	Females										2					2													5	11
Plymouth	Males	2	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7	7
	Females										2	1	1	1	1	3	1	1	2	1	1	2	2	1	2	2	1	1	15	22
Runney	Males		2	2	1	4	1	3	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11	11
	Females		1	2	1	2	1	2	1	2	1	3	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	10	21

[illegible]

TABLE No. XVII.—Continued.

TOWNS IN COOS COUNTY.	Under 1.																Grand total.											
	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	
Berlin	7	4	2	5	2	2	1	1	1	1	1	1	4	1	8	1	1	1	1	3	6	2	1	2	1	25	...	
Females.....	3	3	1	3	2	1	1	1	1	1	1	1	4	1	2	1	1	1	1	3	3	2	1	1	1	15	40	
Carroll	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	10	...		
Females.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	6	...		
Not stated.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17	...	
Clarksville	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	3	...		
Females.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	5	...	
Colebrook	3	1	1	1	1	1	3	2	1	1	1	1	3	1	1	2	2	2	2	...	4	1	1	1	15	...		
Females.....	3	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	5	...	2	1	1	1	12	27	...	
Columbia	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	7	...		
Females.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	9	...	
Dalton.....	2	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	...		
Females.....	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7	11	...	
Dummer	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Females.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	8	...

[illegible]

TABLE No. XVII. — *Continued.*

TOWNS IN COÖS COUNTY. — <i>Continued.</i>		Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Stark	Males	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	5	
	Females						1	1	1	1	2	3	1			3							2	1	1	1	1	7	12	
Stewartstown	Males					1	1	2	2	2	2	1	1	1		4	1	1	1	1	1	1	1	1	1	1	1	9	9	
	Females					1	1	1	1	1	1	1	1	1								1	1	1	1	1	1	3	12	
Stratford	Males	2	1	1	1	1	1	2	1	2	1	1	1	1	1	1	2	2	1	1	1	1	2	2	1	1	1	12	12	
	Females					1	1	1	2	2	4	1	1	1		1	1	2	1	1	1	1	1	1	1	1	1	8	20	
Whitefield	Males	1	2	2	2	2	3	2	4	3	3	3	1	1	1	3	1	2	1	2	5	2	2	1	2	1	4	25	25	
	Females	2	1	1	3	3	2	3	1	2	2	2	2	2	2	1	3	1	1	3	3	1	2	3	1	1	1	19	44	

TABLE
Deaths by Ages, Sex, and

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.
Rockingham. Males	73	28	7	22	38	39	31	44	62	103	77
Females ..	58	29	11	21	33	38	36	52	61	78	68
Not stated.	1	1	...
Strafford Males	58	38	14	14	26	35	37	39	49	50	28
Females ..	58	28	14	23	30	28	23	45	33	45	33
Not stated.	2	1
Belknap . . . Males ...	35	8	6	8	4	11	12	17	31	23	14
Females ..	19	10	2	11	18	14	15	10	20	32	27
Not stated.	1
Carroll Males	8	3	1	6	10	10	8	15	13	36	22
Females ..	12	6	...	10	13	4	7	17	21	32	22
Not stated.	1
Merrimack .. Males	63	20	7	24	30	35	29	49	50	84	53
Females ..	48	13	8	14	39	43	41	57	64	76	57
Not stated.	2	1
Hillsborough. Males	266	83	21	33	62	62	57	68	80	107	63
Females ..	236	86	16	45	67	72	52	72	77	94	84
Not stated.	1
Cheshire Males	29	26	6	12	11	15	13	21	45	63	30
Females ..	33	14	6	11	19	25	13	24	37	42	37
Not stated.	1
Sullivan..... Males	25	10	4	4	6	9	5	20	24	31	25
Females ..	18	7	3	6	6	9	10	11	22	34	19
Not stated.
Grafton Males	32	16	2	11	18	14	17	24	49	59	39
Females ..	26	12	5	13	24	28	31	33	51	58	43
Not stated.	2
Coös Males	20	18	5	9	24	12	11	11	19	20	17
Females ..	16	11	1	2	14	16	14	11	13	22	16
Not stated.	2
Total ... Males	609	250	73	143	229	242	220	308	422	576	368
Females ..	524	216	66	156	263	277	242	332	399	513	406
Not stated.	13	2	1	...
Grand total	1,146	468	139	299	492	519	462	640	821	1,090	774

DEATHS BY AGES, SEX, AND MONTHS.

169

No. XVIII.

*Months, by Counties.**

	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
4 ...	10	69	43	41	45	46	39	39	50	37	53	37	38	1	538		
10 ...	5	68	50	39	29	36	27	39	49	38	46	41	38	..	500		
...	1	1	1	1	3	1,041		
5 ...	3	49	25	42	27	28	29	24	42	34	38	31	27	..	396		
4 ...	5	41	37	39	33	22	18	27	19	35	32	36	30	..	369		
...	1	2	2	4	769		
2 ...	2	27	16	16	16	11	13	10	20	21	13	5	4	1	173		
7 ...	1	22	11	20	19	18	15	7	24	16	17	11	6	..	186		
...	1	1	...	1	2	361		
1 ...	10	16	16	14	7	12	13	16	10	11	7	15	5	1	143		
3 ...	7	12	9	15	14	15	9	13	13	13	15	9	16	1	154		
...	1	1	298		
5 ...	4	72	30	42	39	35	30	36	41	28	30	37	33	..	453		
17 1	5	62	49	31	36	34	40	44	39	45	22	47	34	..	483		
...	3	1	...	1	2	...	1	1	..	6	942		
18 ...	10	121	67	78	49	49	54	111	106	81	74	64	75	1	930		
16 3	8	112	64	60	67	61	62	108	104	96	68	59	65	2	928		
...	3	2	1	1	4	1,862		
3 ...	6	32	28	22	16	21	26	21	25	27	18	20	24	..	280		
7 ...	3	33	19	14	21	23	18	22	28	21	29	23	20	..	271		
...	1	1	1	..	2	553		
5	17	13	16	13	12	20	14	13	17	7	17	9	..	168		
7 ...	1	16	13	10	9	11	12	9	11	15	22	14	11	..	153		
...	321		
5 ...	8	41	28	24	19	24	24	22	14	24	34	18	22	..	294		
13 ...	6	49	24	27	35	28	17	19	27	34	17	35	31	..	343		
...	1	1	2	639		
4 ...	6	20	12	17	11	16	15	10	16	18	8	12	20	1	176		
2 1	3	17	13	12	12	11	17	8	13	10	12	5	12	..	142		
...	...	1	1	2	320		
52 ...	59	464	278	312	242	254	263	303	337	298	282	256	257	5	3,551		
86 5	44	432	289	267	275	259	235	296	327	323	280	280	263	3	3,529		
...	10	1	...	3	3	2	2	5	2	5	...	1	2	..	26		
138	5 113	897	567	582	520	515	500	604	666	626	562	537	522	8	7,106	7,106		

* Not including premature births and still-births.

TABLE No. XIX.
Causes of Death alphabetically arranged, by Ages, Sex, and Months.

Sex.	Months.												Whole Number.		Ages.												CAUSES OF DEATH.				
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Male.	Female.	Unknown.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.		60 to 70.	70 to 80.	Over 80.	Unknown.
F.												1.		1		1							1.								
M.								1		1				3	2	1							1.								
F.																															
F.			1											1		1						1.									
M.									1					2	1	1															
F.																															
F.					1																										
M.	1							1						4	4								1.								
M.	1													1	1							1.									
M.	2								1					3	3								1.								
M.												1		2	1	1							1.								
F.								1															1.								
M.									1					1	1								1.								
F.																															
M.																															
F.																															
M.																															
F.	5	4	3	6	7	6	3							50	41	9		1	3	1	3	4	5	5	1	5	4	5	3	1	
M.	1	1				2	2	1	2																						
F.	1	1																													
M.	2	1		1	1	2	1	1						12	9	3															

TABLE No. XIX. — Continued.

Months.												Whole Number.		Ages.																	
Sex.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Male.	Female.	Unknown.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	
F.	2	1	1	1	1	1	2	2	1	1	1	1	1	..	5	3	2	..	4	..	1	1	1	1	1	1	1	1	1	1	1
M.	2	1	1	1	1	1	1	1	1	1	1	1
F.	3	4	2	5	2	2	4	3	3	8	4	6	9	..	149	38	111	1	1	5	6	11	7	7	7	7	7
F.	8	9	7	10	11	12	10	11	6	10	8	9	1	1	..	2	1	7	16	31	22	24	6	2	2	2
M.	1	..	1	1	8	3	5
M.	1
F.	1	1	1	2	..	2	..	2	..	2	2	2	1	1	1	1	1
F.	1	1	1	1	1	2	1	1	2	3	1	1	..	18	13	1	3	3	2	3	1	1	1	1	1
F.	1	1	1	1	1	1	1	..	1	6	4	2	2	2
M.	1	1	1	1	1	1	1	1
M.	1	..	1	1
M.	1	1	1	1	1
M.	1	1
M.	1	1	1	1	1
M.	1	1
F.	1	1	1	1	1	1	1	1	1	1	1	1	..	15	4	11	1	2	3	4	2	2	2
M.
F.	1	1	1	2	1	1	1	1	1	1	1	1	..	1	1	1	2	3	4	2	2	2
M.
F.
M.
F.
M.

[illegible]

*Classed with males.

F.	1.	3	9	7	3	1.	Dysentery	3	8	6	4	1.	1.	3	5	4.
M.					1	1.	Dyspepsia									
F.		1				2.	"	3	8			2.		1.		
F.	1.						Eclampsia	4	2	2						
M.		1					Eczema	5	1	4						
F.	1					1	"								1	
M.							Embolism	36	16	20						
F.	1	1				1	"									
M.	1	1	1	1	1	2	Enteritis	5	2	1			1	1	2	
F.	1	1	1	1	1	3	"	6	1	2			2	3	1	3
F.	1	1	1	1	1	2	Epilepsy	18	8	9*	2		1	2	1	2
F.	3	1				1	"					2		1	2	1
M.							Epistaxis	1	1							
M.	1	2	2	3	2	1	Erysipelas	26	18	8			1	3	2	1
F.	2	2	1			1	"				4			2	1	2
M.							Execution	1	1							
F.						1	Exposure	2	1	1				1		
F.	1						"									
F.							Fever	4	1	3						1
F.	1					1	"					1		1		
M.		1					" bilious	3	2	1				1		1
F.							"									
F.							" gastric	7	1	6						
M.	1	1	1			1	"					1		2		1
F.	1						" intermittent	1	1							
M.							" malarial	9	7	2			1		3	2
F.	1					1	"									1
F.	1	3	1	1		2	" puerperal	11		11			1	6	4	
M.	1						" rheumatic	3	1	2						1
D.							"									

***Classed with males.**

[illegible]

M. 1	2	1	8	Hernia	12	6	1	2	1	2
F. 1	2	1	2	"						2
M. 2	1	1	3	Hydrocephalus	13	8	5	7	1	2
F. 1	3	1	1	"				3	1	1
M. 2	1	1	5	Pneus	18	11	7	4	1	1
F. 1	1	1	2	"				1		3
M. 1	1	1	3	Inanition	44	27	17	22	3	1
F. 2	1	1	3	"				13	2	1
M. 1	3	1	2	Indigestion	2	2				
F. 1	2	2	2	"						
M. 5	3	5	1	Infantile debility	91	42	46	3	40	5
F. 7	1	4	5	"				43	8	
M. 1	1	1	1	Inflammation	5	1	4	1		
F. 1	1	1	1	"				2		1
M. 1	3	2	1	of bowels	26	11	14	1	1	2
F. 2	3	1	4	"				4	3	1
M. 12	2	2	1	Influenza	33	16	16	1	4	2
F. 7	6	2	1	"				2		
M. 1	1	2	1	Insanity	28	12	16			1
F. 3	2	1	3	"						2
M. 1	1	1	3	Intussusception	6	6				1
F. 1	2	1	2	"				1	1	
M. 1	1	1	1	Jaundice	10	4	6	1		1
F. 1	1	2	1	"				3		
M. 1	1	1	1	Joint disease	1	1				1
M. 3	1	3	1	Kidney disease	25	12	13		1	
F. 1	1	2	1	"						1
M. 15	4	2	2	La Grippe	62	29	33	2	3	1
F. 9	4	6	1	"				6	2	2
M. 1	1	1	1	Laryngitis	7	2	5		1	

***Classed with males.**

TABLE No. XIX. — Continued.

Months.												CAUSES OF DEATH.	Whole Number.		Ages.																		
Sex.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.		December.	Unknown.	Total.	Male.	Female.	Unknown.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.		
F.	1	1	2				1							Laryngitis	1	1			2	3													
M.	1				1									Lead poison	1	1									1								
M.														Lightning	1	1									1								
M.	4	5	3	2	2	2	2	1	2	1	1	1		Liver disease	41	23	18					1	1	2	2	3	7	5	2				
F.	4	2	1	3	1	1	1	3	1	1				"										1	2	3	4	2	2	1			
M.	2	1	1	1	1	1	1	1	1	2	1			" cirrhosis of	11	9	2						2	1	2	3	1						
F.						1								"																			
M.			1		1		1		1	1	1			Locomotor, ataxia	6	4	2									1	3						
F.				1		1	1				1			"													1						
M.			1				2		1	1				Lung disease	7	5	2								1	1	2						
F.														"																			
M.	2			2	2	1	1							Malformation	10	8	2		8				1										
F.						1	1		1					"				2															
M.					1									Spina Bifida	1	1																	
M.	3		1	1	1	1	1		4					Spine disease	27	10	17		3	1		1	1	1					2	1			
F.	2	2	1	3	1	1	1	4	2	1	1			"				1	1		1	1	2	1	2	3	3	2					
M.														Spleen disease	1	1										1							
M.	14	6	16	11	5	8	9	13	5	11	16	11		Still-born	197	102	72	*23															
F.	7	4	10	6	6	6	3	3	2	10	9	6		"																			

* Classed with males.

[illegible]

TABLE No. XX.

*Deaths by Sex, Age, and Month.**

MONTHS.	SEX.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	Total.	Grand total.
January ...	Males	52	22	5	19	29	37	45	42	59	90	54	6	6	4	464	...
	Females	30	27	7	23	32	31	31	40	61	65	65	17	1	2	432	...
	Not stated	1	1	897
February ...	Males	25	15	5	11	24	23	15	23	32	51	47	5	...	2	278	...
	Females	21	20	8	11	21	27	20	28	36	46	40	8	1	2	289	567
March ...	Males	47	15	10	20	13	27	22	22	38	55	36	5	...	2	312	...
	Females	32	15	11	9	27	24	29	26	27	35	26	4	...	2	267	...
	Not stated	3	3	582
April ...	Males	30	19	3	8	16	17	17	27	44	31	26	3	...	1	242	...
	Females	27	13	4	10	28	26	20	26	33	42	31	11	...	4	275	...
	Not stated	1	2	3	520
May ...	Males	27	14	9	17	28	23	16	26	25	36	27	4	...	2	254	...
	Females	18	15	6	12	22	26	17	24	33	52	27	3	...	4	259	...
	Not stated	2	2	515

* Not including still births and premature births.

TABLE No. XX.—Continued.

MONTHS.	SEX.	Under 1.											Over 100.	Unknown.	Total.	Grand total.
		1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.				
June	Males	31	19	8	6	12	12	14	29	43	54	23	4	8	263
	Females	23	17	3	12	17	24	20	27	23	34	27	6	2	235
	Not stated	1												1	2	500
July	Males	81	18	5	12	18	12	12	24	32	41	26	4	12	303
	Females	75	20	4	13	24	16	16	27	28	37	29	3	3	296
	Not stated	3												2	5	604
August	Males	115	36	4	11	18	16	15	22	27	39	27	3	4	337
	Females	112	25	4	13	20	24	15	21	27	27	28	8	3	327
	Not stated	1									1				2	666
September	Males	93	32	6	9	14	16	12	18	21	48	21	4	4	298
	Females	85	14	4	15	21	24	21	25	31	40	27	11	4	323
	Not stated	3	1											1	5	626
October	Males	45	20	8	10	15	19	25	24	42	37	29	4	4	262
	Females	39	16	6	13	14	25	18	30	24	43	43	5	4	280	562
November	Males	33	24	3	11	17	20	16	20	29	48	23	5	7	256
	Females	31	23	5	13	20	15	16	32	37	46	31	5	5	280
	Not stated	1													1	537

December	Males	30	16	6	8	25	13	11	31	30	46	29	5	7	257	...
	Females	31	11	4	12	17	15	19	26	39	45	32	5	7	263	...
	Not stated	1	1	2	522
No date	Males	1	1	...	1	2	5	...
	Females	1	2	3	8
Total	Males	609	250	73	143	229	242	220	308	422	576	368	52	59	3,551	...
	Females	524	216	66	156	263	277	242	332	399	513	406	86	44	3,529	...
	Not stated	13	2	1	10	26	7,106

SUMMARY

OF

REGISTRATION REPORT.

The following summary of observations is intended to present, in a brief and concise form, some of the more important facts deduced from the registration of births, marriages, divorces, and deaths in the State of New Hampshire for the year 1890.

In order to make calculations that shall be of practical value, two requirements are necessary: First, approximate correctness in the registration; and, second, approximate accuracy in the population figures for the periods embraced in the computations.

In order to make the deductions as accurate as possible, the population of the State for the years intervening between the census years, 1880-90, has been averaged, thus giving a more nearly correct basis upon which to make calculations.

The census of 1890 by age, sex, nationality, etc., is not yet available, making it necessary to fall back to the census of 1880 for these facts.

The population of the State in 1880 and 1890, by counties, is shown in the following table :

TABLE No. 1.
Population of Counties in 1880 and 1890.

COUNTIES.	1880.	1890.
Rockingham	49,064	49,650
Strafford	35,558	38,442
Belknap	17,948	20,321
Carroll	18,224	18,124
Merrimack	46,300	49,435
Hillsborough	75,634	93,247
Cheshire	28,734	29,579
Sullivan	18,161	17,304
Grafton	38,788	37,217
Coös	18,580	23,211
Total	346,991	376,530

The increase in the population of the State has been of very nearly even growth, hence by averaging the increase we are able to present a table showing the yearly population of the State from 1880 to 1890, that is as nearly correct as it is possible to obtain :

TABLE No. 2.

*Population of New Hampshire for each Year from 1880 to 1890, inclusive.**

YEARS.	Population.	YEARS.	Population.
1880	346,991	1886	364,767
1881	349,952	1887	367,728
1882	352,913	1888	370,689
1883	355,874	1889	373,650
1884	358,845	1890	376,530
1885	361,806		

* Population estimated for all but census years.

In 1890 there were reported 6,946 births, 3,621 marriages, and 7,368 deaths, being an increase of 34 births and 672 deaths over the previous year, while the number of marriages was the same.

The rates for the year were as follows :

Birth-rate .	18.44	to	1,000	of the	population of	1890.
Marriage-rate .	9.61	"	"	"	"	"
Persons married	19.22	"	"	"	"	"
Death-rate .	19.56	"	"	"	"	"

Table No. 3 shows the population of the State (estimated for all except census year, 1890), the number of births, marriages, and deaths, together with the birth, marriage, and death-rates to each 1,000 of the population, for the years 1884 to 1890, inclusive. The birth-rate for 1889 was larger than for any other recorded year. While the actual number of marriages was the same in 1889 and 1890, the rate for the former year was slightly higher, based upon the estimated population of

that year. The death-rate for the year 1890 was considerably higher than ever before returned.

TABLE No. 3.

*Births, Marriages, and Deaths, with the Population and Rates, for 1884 to 1890, inclusive.**

YEARS.	Population.	Births.	Marriages.	Deaths.	Birth-rate per 1,000.	Persons married to 1,000.	Death-rate per 1,000.
1884	358,845	6,247	3,292	6,194	17.40	18.34	17.26
1885	361,806	6,319	3,180	6,201	17.46	17.56	17.13
1886	364,767	6,657	3,324	6,426	18.24	18.22	17.61
1887	367,728	6,910	3,495	6,479	18.78	19.00	17.61
1888	370,689	6,443	3,379	6,854	17.38	18.22	18.48
1889	373,650	6,912	3,621	6,696	18.49	19.36	17.91
1890	376,530	6,946	3,621	7,368	18.44	19.22	19.56
Average.....	367,716	6,633	3,416	6,602	18.03	18.56	18.95

* Population estimated for all but census years.

BIRTHS.

There were 6,946 births registered for the year 1890, a slightly larger number than hitherto reported in a single year. It should be distinctly understood that the birth records of New Hampshire are incomplete. The birth-rate is undoubtedly lower than in States where manufacturing interests are more largely represented; but there is no question that our birth-rate as registered is much lower than actually exists, which is occasioned

by a neglect on the part of some whose duty it is to report births, and the indifference of a few local registrars. It is estimated that a rate of not far from 23 per 1,000 of the population represents very nearly the birth-rate of the State. A system that depends upon returns made by physicians and midwives to local registrars will never secure a correct registration of births. It is suggested that a system of compulsory birth registration be incorporated in the annual inventory blanks; by this method a very correct registration would be secured.

The birth-rate of the State per 1,000 of the estimated population for seven years was returned as follows:

For 1884, 17.40; 1885, 17.46; 1886, 18.24; 1887, 18.78; 1888, 17.38; 1889, 18.49; 1890, 18.44.

The most defective registration undoubtedly exists in the cities. The following table shows the birth-rates for the several cities of the State for the year 1890:

TABLE No. 4.

Births in Cities for 1890, with Rate per 1,000.

CITIES.	Population of 1890.	Births.	Birth-rate per 1,000.
Portsmouth.....	9,827	155	15.87
Dover.....	12,790	278	21.73
Concord.....	17,004	360	21.17
Manchester.....	44,126	849	19.23
Nashua.....	19,311	580	30.03
Keene.....	7,446	158	21.08

Of the 6,946 births reported for the year, 3,566 were males, 3,296 females, and 84 sex not stated. A statement of the births by counties, 1880-1890, may be found in Table I. A record of births by towns, giving sex, rate per 1,000 of the population, and nativity of parents, may be found in Table III. The relative proportion of male to female births will be found in Table IV.

The percentage of American and foreign-born parents will be found in the following table.

TABLE No. 5.

Percentage of American and Foreign Births, by Counties, 1890.

COUNTIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Rockingham	68.95	15.00	10.86	40
Strafford	41.70	44.64	11.09	20
Belknap	55.27	28.88	11.80	14
Carroll	76.62	11.87	6.89	12
Merrimack	50.10	33.90	13.53	23
Hillsborough	32.24	47.78	14.97	98
Cheshire	60.95	22.28	11.97	26
Sullivan	67.97	15.03	15.03	6
Grafton	69.96	13.67	11.63	30
Coös	36.42	41.90	18.09	15
Total	50.07	32.75	12.94	284

This table gives the percentage of births of American-born parents as 50.07 ; foreign-born parents, 32.75 ; one parent foreign-born, 12.94 ; and 284 births with parent-age not given.

There were 78 pairs of twins born during the year, 11 more than for the year 1889, and two sets of triplets, one in Merrimack and one in Strafford county. A record of these births will be found in Tables No. V, VI, and VII.

One Indian and nine colored births are also recorded for the year.

MARRIAGES.

The total number of marriages registered in New Hampshire for the year 1890 was 3,621, exactly the same number as in 1889, which is 242 more than in 1888, and 126 more than in any previous year. This indicates a marriage-rate of 9.61, or 19.22 persons to each 1,000 of the population of 1890. The marriage-rates for the past seven years, 1884 to 1890, inclusive, computed on the estimated population of the respective years, is as follows: For 1884, 9.17 ; 1885, 8.78 ; 1886, 9.11 ; 1887, 9.50 ; 1888, 9.11 ; 1889, 9.68 ; 1890, 9.61 ; average, 9.38.

TABLE No. 6.

Marriage-rates for 1882 to 1890, inclusive.

YEARS.	Marriages.	Persons married to 1,000 living.*	Number living to one mar- riage.
1882	3,433	19.44	103
1883	3,495	19.68	102
1884	3,292	18.34	109
1885	3,180	17.56	114
1886	3,324	18.22	109
1887	3,495	19.00	105
1888	3,379	18.22	109
1889	3,621	19.36	103
1890	3,621	19.22	103
Average	3,426	18.76	106

* Population estimated for all but census years.

Table No. 6 exhibits the number of persons married in New Hampshire for each year since 1882, together with the number of persons married to each 1,000 of the estimated population, and the estimated number of living persons to each marriage.

TABLE No. 7.

Marriages by Counties from 1882 to 1890, inclusive.

COUNTIES.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.
Rockingham ...	419	399	419	447	440	457	420	484	458
Strafford	428	425	415	388	418	420	416	377	457
Belknap	166	198	147	150	183	213	183	186	178
Carroll	159	175	171	182	177	149	163	176	155
Merrimack	364	432	344	361	345	421	405	423	473
Hillsborough...	1,025	949	886	815	876	915	879	1,013	939
Cheshire	232	262	238	233	240	255	221	250	237
Sullivan	149	167	138	109	140	123	146	154	172
Grafton	319	339	332	327	318	328	322	343	314
Coös	172	149	202	168	187	214	224	215	238
Total	3,433	3,495	3,292	3,180	3,324	3,495	3,379	3,621	3,621

Of the 3,621 marriages in the State in 1890, 939 were in Hillsborough county, 473 in Merrimack, 458 in Rockingham, 457 in Strafford, 314 in Grafton, 238 in Coös, 237 in Cheshire, 178 in Belknap, 172 in Sullivan, and 155 in Carroll.

TABLE No. 8.

*Marriage-rates for 1882 to 1890, inclusive, by Counties.**

COUNTIES.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.
Rockingham ...	8.51	8.09	8.49	9.04	8.89	9.22	8.45	9.72	9.22
Strafford	11.84	11.66	11.30	10.48	11.21	11.17	10.98	9.88	11.88
Belknap	9.01	10.61	7.78	7.84	9.45	10.87	9.23	9.27	8.75
Carroll	8.73	9.62	9.40	10.01	9.74	8.21	8.98	9.71	8.55
Merrimack	7.75	9.14	7.23	7.54	7.16	8.68	8.30	8.61	9.56
Hillsborough...	12.95	11.73	10.72	9.65	10.17	10.41	9.80	11.08	10.07
Cheshire	8.01	9.02	8.01	7.97	8.18	8.66	7.48	8.43	8.01
Sullivan	8.28	9.27	7.74	6.14	7.93	7.00	8.35	8.86	9.93
Grafton	8.28	8.83	8.68	8.59	8.38	8.68	8.55	9.15	8.43
Coös	8.82	7.46	9.89	8.04	8.76	9.82	10.07	9.47	10.25
Average	9.72	9.84	9.17	8.78	9.11	9.50	9.11	9.68	9.61

* Population estimated for all but census year.

The highest marriage-rate for the year 1890 was in Strafford county, being 11.88 per cent of the population of that county. Hillsborough county had a rate of 10.07 for the year; Coös, 10.25; Sullivan, 9.93; Merrimack, 9.56; Rockingham, 9.22; Belknap, 8.75; Carroll, 8.55; Grafton, 8.43; and Cheshire, 8.01.

TABLE No. 9.
*Marriages and Marriage-rates by Months and Quarters, from 1883 to 1890 inclusive.**

MONTHS.	MARRIAGES REGISTERED.								PERCENTAGE OF MARRIAGES.										
	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	Quarters.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	Quarters.	
January ...	359	270	254	252	303	284	283	309	5,703	10.38	8.25	8.02	7.61	8.74	8.45	7.87	8.53	20.92	
February..	236	264	201	191	237	242	212	215		6.83	8.06	6.35	5.77	6.84	7.20	5.89	5.92		24.28
March.....	215	184	162	224	178	185	240	203		6.22	5.62	5.12	6.77	5.13	5.50	6.67	5.60		
April	230	231	274	212	250	259	255	295	6.65	7.05	8.65	6.40	7.21	7.71	7.09	8.14	24.28		
May	282	253	244	307	276	247	306	260	8.16	7.73	7.71	9.28	7.96	7.35	8.51	7.18		23.40	
June	239	268	269	325	316	341	342	338	6.91	8.19	8.50	9.82	9.11	10.14	9.51	9.88			31.34
July	233	242	200	223	259	205	270	230	6.74	7.39	6.32	6.74	7.47	6.10	7.51	6.85	23.40		
August....	271	221	222	239	247	239	282	262	7.84	6.75	7.01	7.22	7.12	7.11	7.84	7.23		23.40	
September.	270	324	311	315	298	315	321	380	7.81	9.90	9.82	9.52	8.59	9.37	8.92	10.49			31.34
October ...	350	332	320	343	376	377	351	360	10.12	10.14	10.11	10.36	10.84	11.22	9.76	9.94	31.34		
November.	423	386	374	388	427	381	409	443	12.24	11.79	11.81	11.72	12.31	11.34	11.37	12.26		31.34	
December..	349	299	335	291	301	286	326	316	10.10	9.13	10.58	8.79	8.68	8.51	9.06	8.72			31.34
Total ...	3,457	3,274	3,166	3,310	3,468	3,361	3,597	3,611	27,254										

* Not including those with date not given.

Table No. 9 shows the number of marriages and the marriage-rates, by months and quarters, for the years 1883 to 1890, inclusive.

The largest number of marriages, by seasons, for the years included in the table, occurred in the fourth quarter, and the smallest number in the first quarter; 31.34 per cent of the marriages were solemnized in the fourth quarter of the year; 24.28 per cent in second quarter; 23.40 per cent in third quarter; and 20.92 per cent in first quarter. A larger number of marriages was returned for November than for any other month, while the smallest number occurred in March.

TABLE No. 10.

Marriages for eight years, 1883 to 1890, inclusive, by Ages.

SEX.	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.
Males	1,356	10,050	7,233	3,182	1,665	944	788	513	387	551	188	16	632
Females ..	7,455	10,187	4,372	1,825	1,076	659	446	280	175	181	30		1719

Table No. 10 shows the number of marriages for eight years, by ages and sex. Under twenty years of age 1,356 males and 7,455 females were married; between twenty and twenty-five, 10,050 males and 10,187 females; between twenty-five and thirty, 7,233 males and 4,372 females; between thirty and thirty-five, 3,182 males and 1,825 females; between thirty-five and forty, 1,665 males and 1,076 females; between forty and forty-five, 944 males and 659 females; between forty-five and fifty, 788 males and 446 females; between fifty and fifty-five, 513 males and 280 females; between fifty-

five and sixty, 387 males and 175 females; between sixty and seventy, 551 males and 181 females; between seventy and eighty, 188 males and 30 females; over eighty, 16 males and 1 female; 632 males and 719 females, age not given.

TABLE No. 11.

Marriages according to Nativity.— Percentages 1882 to 1890, inclusive.

YEARS.	Both American.	Both foreign.	Groom American.	Bride American.	Not stated.
1882	65.74	12.09	5.13	4.14	12.90
1883	66.15	12.62	5.38	4.18	11.67
1884	69.44	12.91	5.32	3.92	8.41
1885	69.75	11.57	4.97	4.84	8.87
1886	67.87	13.39	6.50	5.08	7.16
1887	65.72	15.79	6.07	5.49	6.93
1888	64.22	17.16	7.10	6.31	5.21
1889	64.82	17.04	7.40	6.55	4.69
1890	62.19	18.58	7.53	7.15	4.53

Table No. 11 exhibits the percentage of marriages in the State from 1882 to 1890, inclusive, by nativity. In the year 1890, 62.19 per cent of the marriages were of American-born persons, 18.58 per cent foreign-born, 7.53 per cent the groom was American-born, 7.15 per cent the bride was American-born, and 4.53 per cent not stated.

TABLE No. 12.

*Proportion of American to Foreign Born Persons Married, for 1882 to 1890, inclusive.**

YEARS.	American-born.	Foreign-born.
1882.....	80.80	19.20
1883.....	80.30	19.70
1884.....	80.86	19.14
1885.....	81.92	18.08
1886.....	79.34	20.66
1887.....	76.82	23.18
1888.....	74.82	25.18
1889.....	74.80	25.20
1890.....	65.14	34.86

*Excluding those with nativity not stated.

Table No. 12 shows the relative proportion of American and foreign-born persons married in this State from 1882 to 1890, inclusive. The census of 1890 is not yet available by nativity, so that the percentages given may possibly vary somewhat from what they actually are.

TABLE No. 13.

Percentages of American and Foreign Born Persons Married, by Counties, from 1882 to 1890, inclusive.

YEARS.	State.	Rockingham.	Strafford.	Belknap.	Carroll.	Merrimack.	Hillsborough.	Cheshire.	Sullivan.	Grafton.	Cook.
1882 { American	80.80	90.89	80.98	75.90	97.43	84.25	66.08	88.64	90.08	93.38	81.17
1882 { Foreign	19.20	9.11	19.02	24.10	2.57	15.75	33.92	11.36	9.92	6.62	18.83
1883 { American	80.30	89.63	82.05	82.78	94.22	84.17	62.84	89.57	96.92	89.63	75.76
1883 { Foreign	19.70	10.37	17.95	17.22	5.78	15.83	37.16	10.43	3.08	10.37	24.24
1884 { American	80.86	86.68	76.32	88.11	97.71	85.83	65.30	90.32	93.65	92.18	76.44
1884 { Foreign	19.14	13.32	23.68	11.89	2.29	14.17	34.70	9.68	6.35	7.82	23.56
1885 { American	81.92	86.95	81.25	83.58	97.26	87.09	67.52	90.05	91.33	89.63	76.60
1885 { Foreign	18.08	13.05	18.75	16.42	2.74	12.91	32.48	9.95	8.67	10.37	23.40
1886 { American	79.34	87.01	79.82	75.14	96.18	83.74	62.90	91.27	89.00	90.53	71.50
1886 { Foreign	20.66	12.99	20.18	24.86	3.82	16.26	37.10	8.73	11.00	9.47	28.50
1887 { American	78.82	87.15	75.70	78.71	93.88	80.29	60.59	82.98	93.97	88.50	66.42
1887 { Foreign	21.18	12.85	24.30	21.29	6.12	19.71	39.41	17.02	6.03	11.50	33.58
1888 { American	74.82	84.03	77.10	78.53	93.91	76.93	54.94	84.47	88.73	88.96	74.07
1888 { Foreign	25.18	15.97	22.90	21.46	6.09	23.07	45.06	15.53	11.27	11.04	25.93

1889 {	American	74.80	84.85	72.41	82.56	93.39	79.90	56.96	85.99	90.00	88.84	65.17
	Foreign	25.20	15.15	27.59	17.44	6.61	20.10	43.04	14.01	10.00	11.16	34.83
1890 {	American	65.14	76.39	63.57	74.25	87.75	68.01	47.48	77.44	83.63	80.95	45.30
	Foreign	34.86	23.61	36.43	25.75	12.25	31.99	52.52	22.56	16.37	19.05	54.70

Table No. 13 shows the percentages of American and foreign-born persons married, by counties, for the years 1882 to 1890, inclusive.

Additional facts in relation to the marriage returns for the year 1890 may be found in Tables I, II, III, IX, X, XI, and XII.

DIVORCES.

Three hundred and eighty-two divorces were granted during the year 1890, being 14 more than in 1889, four less than in 1888, and the same as in 1886. Of this number, 138 were for abandonment, 102 for extreme cruelty, 92 for adultery, 22 for habitual drunkenness, 10 for willing absence three years, 5 each for impotency and willing absence and refusing to cohabit, 4 for treatment injurious to health, 2 each for abandonment and adultery, desertion, extreme cruelty and habitual drunkenness, and treatment injurious to health, and 1 each for absence three years, extreme cruelty and willing absence, habitual drunkenness and abandonment, and nullity.

The four leading causes for divorces are represented below in percentages to the total number of divorces decreed in the respective counties.

ABANDONMENT.

COUNTIES.	Percentage.	COUNTIES.	Percentage.
Strafford	55.26	Carroll	35.00
Grafton	45.45	Hillsborough	33.68
Rockingham	38.09	Coös	31.88
Sullivan	36.36	Cheshire	26.83
Belknap	36.00	Merrimack	22.64

EXTREME CRUELTY.

COUNTIES.	Percentage.	COUNTIES.	Percentage.
Belknap	36.00	Carroll	25.00
Merrimack	35.85	Strafford	23.68
Hillsborough	30.52	Cheshire	17.07
Sullivan	27.27	Rockingham	16.66
Coös	27.27	Grafton	15.15

ADULTERY.

COUNTIES.	Percentage.	COUNTIES.	Percentage.
Rockingham	40.48	Merrimack	18.87
Grafton	36.36	Strafford	18.42
Carroll	30.00	Hillsborough	17.89
Sullivan	27.27	Belknap	16.00
Cheshire	24.39	Coös	13.62

HABITUAL DRUNKENNESS.

COUNTIES.	Percentage.	COUNTIES.	Percentage.
Cheshire	12.19	Sullivan	4.54
Belknap	12.00	Rockingham	4.76
Coös	9.09	Grafton	3.03
Merrimack	7.55	Strafford	
Hillsborough	7.36	Carroll	

A detailed statement of all the causes for which divorces have been decreed, tabulated by counties, may be found in Tables XIII and XIV.

TABLE No. 14.
Divorces decreed from 1870 to 1890, inclusive, by Counties.

COUNTIES.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.
Rockingham...	19	20	29	34	41	23	37	18	30	30	44	30	23	21	28	25	40	41	53	43	42
Strafford	12	6	24	27	25	17	20	29	29	34	56	42	36	53	32	28	46	24	41	36	38
Belknap	7	7	7	13	12	10	18	16	16	16	22	17	14	15	19	20	24	26	26	27	25
Carroll	4	1	1	9	9	4	10	13	19	13	11	19	9	7	14	20	12	12	22	20	20
Merrimack	15	27	32	13	51	37	40	23	22	36	41	25	49	49	48	35	46	48	49	42	53
Hillsborough ..	64	37	58	51	77	75	65	73	61	69	83	87	90	74	93	86	110	78	82	87	95
Cheshire	12	19	19	16	15	22	21	17	18	22	31	21	34	25	30	25	32	26	29	31	32
Sullivan	6	6	10	16	17	13	26	9	10	8	9	22	17	12	11	20	26	20	26	18	22
Grafton	13	21	15	29	22	20	20	29	17	27	25	37	27	14	28	22	30	35	40	39	33
Coös	4	5	2	4	12	11	9	10	11	10	15	7	15	8	12	10	17	16	18	25	22
Total	149	149	197	212	281	232	266	237	233	265	339	307	314	273	315	291	382	325	386	368	382

Table 14 shows the number of divorces decreed from 1870 to 1890, inclusive, by counties.

TABLE No. 15.

Ratio of Divorces to Marriages from 1882 to 1890, inclusive.

YEARS.	Number of marriages.	Marriage-rate per 1,000.	Number of divorces.	Ratio of divorces to marriages.
1882	3,433	19.44	314	1 to 10.93
1883	3,495	19.68	273	1 to 12.80
1884	3,292	18.34	315	1 to 10.45
1885	3,180	17.56	291	1 to 10.92
1886	3,324	18.22	332	1 to 8.70
1887	3,495	19.00	325	1 to 10.75
1888	3,379	18.22	336	1 to 8.75
1889	3,621	19.22	368	1 to 9.83
1890	3,621	19.22	382	1 to 9.48
Total	30,840	18.77	3,086	1 to 10.15

Table No. 15 shows the ratio of divorces to marriages from 1882 to 1890, inclusive. The average ratio for these years is 1 to 10.15.

TABLE No. 16.

Ratio of Divorces to Marriages, by Counties, for 1890.

COUNTIES.	Number of mar- riages.	Number of divorces.	Ratio of di- vorces to marriages.
Rockingham.....	458	42	1 to 10.90
Strafford	457	38	1 to 12.02
Belknap.....	178	25	1 to 7.12
Carroll	155	20	1 to 7.75
Merrimack	473	53	1 to 8.92
Hillsborough	939	95	1 to 9.88
Cheshire	237	32	1 to 7.40
Sullivan.....	172	22	1 to 7.81
Grafton	314	33	1 to 9.51
Coös	238	22	1 to 10.81
Total	3,621	382	1 to 9.48

Table No. 16 shows the ratio of divorces to marriages, by counties, for the year 1890. Strafford county makes the best showing for the year, with one divorce to 12.02 marriages; Rockingham has 1 to 10.90 marriages; Coös, 1 to 10.81; Hillsborough, 1 to 9.88; Grafton, 1 to 9.51; Merrimack, 1 to 8.92; Sullivan, 1 to 7.81; Carroll, 1 to 7.75; Cheshire, 1 to 7.40, while Belknap has the highest rate, 1 to 7.12 marriages.

TABLE No. 17.

Ratio of total number of Divorces to total number of Marriages, by Counties, from 1882 to 1890, inclusive.

COUNTIES.	Number of marriages.	Number of divorces.	Ratio of divorces to marriages.
Rockingham	3,943	316	1 to 12.47
Strafford	3,744	334	1 to 11.19
Belknap	1,604	195	1 to 8.22
Carroll	1,507	136	1 to 11.02
Merrimack	3,568	419	1 to 8.51
Hillsborough	8,297	795	1 to 10.43
Cheshire	2,168	264	1 to 8.21
Sullivan	1,298	171	1 to 7.59
Grafton	2,942	268	1 to 10.97
Coös	1,769	138	1 to 12.81
Total	30,840	3,036	1 to 10.15

Table No. 17 shows the ratio of the total number of divorces to the total number of marriages, by counties, from 1882 to 1890, inclusive. It will be seen by this table that the ratio of divorces to marriages for the entire State, for the period named, is 1 to 10.15, the lowest rate being in Coös county, 1 to 12.81, and the highest in Sullivan, 1 to 7.59.

The record of divorces as presented in this report is correct, inasmuch as the facts are taken from the court records; the law directs that the clerks of the several courts make a return of the number of divorces decreed at each term of court, with cause, and number and sex

of libellants, but beyond this, no facts are reported to the registrar. It is suggested that an additional source of information concerning this subject might be secured if the law required the clerks to make similar returns of the unsuccessful cases, that is, the cause, sex of libellants, etc., with the reason why the libels were dismissed, and also give in all the returns, the length of time that the libellants have been married, with nationality, etc.

DEATHS.

An accurate record of the causes of death constitutes the only guide or measure by which the results of sanitary work can be definitely determined; it also as effectually points out those localities to which the attention of the health officer should be turned for active work to lessen an abnormally large death-rate. Were it possible to secure the return of every case of illness that appears in the State we would have an absolutely correct criterion upon which to base all calculations respecting sanitary work. Such a record, however, under the present conditions of social, moral, and legal government is not attainable, therefore, the next best information, which, thanks to the progressive spirit of the people of the State, we are in the possession of, is a reliable and approximately correct record of deaths. We should be more fortunate if this record covered a longer period. It is only within the past seven years that the death returns have been sufficiently accurate for making deductions respecting the prevalence of certain diseases, yet the facts that have been established from the mortality records of this brief period are invaluable from a public health standpoint, not to mention the importance of the individual records in matters pertaining to person and property.

The total number of deaths returned to the registrar of vital statistics for the year ending Dec. 31, 1890, was 7,368. This is the largest number of deaths ever returned in a single year, being 672 more than was returned in 1889, and 766 more than the average for the past seven years. The largest number heretofore reported was 6,854 in 1888.

Before going further it may be well to anticipate briefly some of the facts that will be revealed further on concerning the large increase in the mortality returns of the year 1890. The increase of 672 over the returns of the previous year can be accounted for only to a very slight extent by greater accuracy in the registration of deaths; but must be due to other causes—in fact, chiefly to one cause, the epidemic of influenza. An examination of the returns shows that the increased mortality is confined almost entirely to three classes, constitutional, local, and developmental diseases, there being a decrease in the deaths from zymotic diseases. As an index to the prevalence of influenza it may be noted that 94 deaths were attributed to this cause alone, as against four for the previous year. In addition to this, influenza, or "*la grippe*," is mentioned as a complication in very many other cases, more noticeably in the diseases of the respiratory system. The mortality from pneumonia was 121 greater than in 1889, acute bronchitis was nearly double that of the previous year, and in a like manner its influence is apparent in many other diseases. Of course it is impossible to state, even approximately, the number of deaths indirectly caused by this epidemic, but that it should have been so important a factor in increasing the death-rate of the State was not, perhaps, expected and would not have been revealed except through the registration of deaths.

In the following table is given the number of deaths in each year from 1884 to 1890, inclusive, with percentage to each 1,000 of the population.

TABLE No. 18.

Deaths and Death-rates from 1884 to 1890, inclusive.

YEARS.	Deaths registered.	Deaths to 1,000 of population.*
1884	6,194	17.26
1885	6,201	17.13
1886	6,426	17.61
1887	6,479	17.61
1888	6,854	18.48
1889	6,696	17.91
1890	7,368	19.56
Average	6,602	17.94

* Population estimated for all but census years.

The returns for the six years prior to 1890 are very uniform, and but for the epidemic of influenza we have reason to believe that the figures for the latter year would very closely approximate those of the preceding years. We believe that these returns are very nearly correct—indeed as near absolute correctness as it is possible to obtain under any system of registration, and that the average of these years presents accurately the death-rate of the State. A death-rate of 18—possibly a fraction over—we believe to be the average per 1,000

of the population for New Hampshire, a rate probably as low as can be found in any State in the Union, and considerably below that of some of the States. By this we do not mean to assert that New Hampshire is naturally more healthful than some other States with a higher death-rate, for in the consideration of this subject, nationality, social conditions, occupations, environments, and many other conditions must be taken into account. The average death-rate for Europe from 1865 to 1883 was 28.1 per 1,000 of the population; for Europe, excluding Russia, it was 25.8; and for Russia alone, 35.7. For Eastern Europe, 35.7; Central Europe, 28.3; Southern Europe, 25.6; Northwestern Europe, 20.5. Massachusetts for a period of thirty years ending 1888, had a mortality rate of 19.48; Austria for thirteen years ending in 1883, 31.0; and for about the same period the death-rate of Greece was 20.8; Denmark, 19.7; Sweden, 18.9; Ireland, 17.8; and Norway, 17.2. In our own country those States which have a reliable system of registration have a death-rate ranging from about 18 to 20 per 1,000 of the population. We can, therefore, upon the basis of our mortality records safely assert that New Hampshire is as healthful a State as any in the Union.

Table No. 19 shows the number of deaths and the death-rate per 1,000 of the population, by counties, for the years 1884 to 1890, inclusive. The highest death-rate has usually been in Hillsborough county, while the lowest, as a rule, has been in Coös. In 1890 the death-rate of Rockingham county was 21.45; Strafford, 20.83; Belknap, 18.40; Carroll, 16.71; Merrimack, 19.88; Hillsborough, 21.11; Cheshire, 18.48; Sullivan, 19.81; Grafton, 17.49; and Coös, 14.17; and the average for the entire State, 19.56. Rockingham, Hillsborough, and Strafford counties present very high rates for the year 1890, while the rate for Coös county is quite low.

TABLE No. 19.
*Death and Death-rates, by Counties, from 1884 to 1890, inclusive.**

COUNTIES.	1884.		1885.		1886.		1887.		1888.		1889.		1890.	
	Deaths.	Death-rates.	Deaths.	Death-rates.	Deaths.	Death-rates.	Deaths.	Death-rates.	Deaths.	Death-rates.	Deaths.	Death-rates.	Deaths.	Death-rates.
Rockingham	873	17.69	911	18.43	963	19.46	876	17.67	896	18.05	875	17.61	1,065	21.45
Stratford	627	17.07	619	16.73	609	16.33	673	17.91	688	18.17	691	18.11	801	20.83
Balknap	285	15.09	280	15.12	362	18.71	369	18.84	392	19.78	389	19.40	374	18.40
Carroll	333	18.31	260	14.80	303	16.68	294	16.20	328	18.06	298	16.44	303	16.71
Merrimack	736	15.48	796	16.63	833	17.29	835	17.22	920	18.86	891	18.15	983	19.88
Hillsborough	1,655	20.02	1,701	20.15	1,681	19.51	1,697	19.38	1,846	20.59	1,740	19.04	1,973	21.14
Cheshire	497	17.06	494	16.90	475	16.19	482	16.39	488	16.52	525	17.72	557	18.49
Sullivan	273	15.32	284	16.02	328	18.59	283	16.12	327	18.72	314	18.06	332	19.81
Grafton	652	17.06	611	16.05	616	16.24	602	15.93	655	17.35	625	16.67	651	17.49
Cooks	263	12.88	227	10.87	256	12.00	368	16.89	314	14.11	348	15.32	329	14.17
Total	6,191	17.26	6,201	17.13	6,426	17.61	6,479	17.61	6,854	18.48	6,896	17.91	7,368	19.56

* Population estimated for all but census years.

TABLE No. 20.
*Percentages of Deaths, by Quarters, from 1884 to 1890, inclusive.**

YEARS.	Percentage of deaths for quarters ending with			
	March.	June.	September.	December.
1884	23.23	23.40	26.63	26.74
1885	27.27	26.66	24.32	21.75
1886	23.75	23.27	28.90	24.08
1887	24.56	24.02	27.77	23.65
1888	25.94	23.72	26.82	23.52
1889	23.70	24.16	27.38	24.76
1890	28.82	21.63	26.71	22.84

* Not including deaths with month not stated, premature and still births.

Table No. 20 shows the percentages of deaths, by quarters, from 1884 to 1890, inclusive. It will be noticed that the greatest mortality usually occurs during the quarter ending with September, while for the other three quarters it is more nearly uniform. The increased rate recorded for the third quarter of the year is doubtless due to cholera infantum, which is most prevalent during July, August, and September. For the year 1890 this order is changed and the quarter ending with March has the greatest mortality, due to the increased number of deaths from pneumonia and other diseases of the respiratory organs which prevailed during those months, and to the widespread epidemic of influenza that either as a primary cause or as a complication of those diseases produced so marked an effect upon the death-rate of the State. For the first quarter of the year the percentage of deaths to the total mortality for the year was 28.82; for the second, 21.63; for the third, 26.71; and for the last, 22.84.

TABLE No. 21.

Mortality of Males and Females compared, 1884 to 1890, inclusive.

YEARS.	Male decedents.	Female decedents.	Male decedents to 100 female decedents.	Death-rate of males to 1,000 male population.*	Death-rate of females to 1,000 of female population.
1884.....	3,034	3,122	97.18	17.79	17.69
1885.....	2,948	3,194	92.29	17.28	18.09
1886.....	3,155	3,212	98.20	18.50	18.20
1887.....	3,174	3,267	97.15	18.61	18.51
1888.....	3,419	3,382	101.09	20.04	19.16
1889.....	3,253	3,389	95.98	19.07	19.20
1890.....	3,692	3,624	101.87	21.65	20.53
Average	3,239	3,312	97.79	18.99	18.77

* Population of 1880.

Table No. 21 exhibits the mortality of males and females compared for the years 1884 to 1890, inclusive. With the exception of the years 1888 and 1890 the female decedents have exceeded the males. By a comparison of the death-rates of the respective sexes to each 1,000 of the living population of that sex it will be seen that the average mortality rate of the male population is slightly higher than that of the female. These figures are based upon the census of 1880, and it may here be remarked, parenthetically, that it is to be regretted that the classification of the sexes, census of 1890, is not yet available for use; therefore the deductions from this table, as well as from a few others, are not so accurate as they otherwise might have been.

TABLE No. 22.

*Deaths at Age Periods by Percentages, from 1883 to 1890, inclusive.**

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	Over 60.
1883	14.13	7.58	2.56	5.55	8.58	6.73	6.22	7.64	37.93
1884	16.22	7.36	2.61	5.30	7.93	6.26	6.33	7.75	38.38
1885	15.98	7.14	2.11	4.42	7.50	6.71	6.71	7.76	40.09
1886	16.89	7.70	2.86	4.82	7.73	6.55	6.12	7.47	38.86
1887	17.64	7.26	2.05	4.89	6.96	6.25	6.56	7.72	39.70
1888	19.23	7.63	2.04	4.93	7.07	6.00	5.53	7.57	38.72
1889	19.44	7.71	2.66	4.64	6.56	6.15	5.93	7.63	38.40
1890	16.23	6.67	1.99	4.28	7.04	2.12	6.62	9.17	40.49

* Not including those with age not stated, premature, and still births.

TABLE No. 23.

*Deaths at Different Periods, compared with the number Living at the Same Period, 1890.**

	Deaths 1890.	Persons living at same ages, census of 1880.	Death-rate per 1,000.
Under 1 year	1,146	6,141	186.61
Under 5 years	1,614	30,573	52.79
20 to 30 years	492	63,252	7.77
All others	5,000	253,166	19.74
All ages	7,106	376,530†	18.87

* Excluding still births and premature births. † Census of 1890.

Table 23 exhibits the number of deaths at different age periods compared with the number living at the same period, based upon the census of 1880, with the exception noted in the table. This table shows a death-rate per 1,000 of the population under one year of age, of 186.61 as against 165.14 for the preceding year; under five years of age, 52.79 as against 50.04 for 1889; between twenty and thirty, 7.77 in 1890, and 6.94 in 1889; all others, 19.74 in 1890, and 17.53 in 1889; for all ages the rate was 18.87 in 1890, and 18.46 in 1889.

TABLE No. 24.
Deaths by Ages and Sex, from 1884 to 1890, inclusive.*

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.
1884..Males	460	243	72	136	224	108	180	245	322	502	292	31	1	60
Females	353	212	90	192	266	220	211	235	336	444	379	70	...	51
Not stated.....	3	1	1	...	1	...	1	4
Total	816	456	162	328	491	388	392	480	659	946	671	100	1	115
1885..Males	416	225	62	109	190	151	190	252	394	478	284	32	1	43
Females	371	217	68	164	275	235	226	225	355	463	398	74	2	50
Not stated.....	18	1	1	1	4	2	3	5
Total	805	443	131	274	465	416	416	481	751	944	682	106	3	98
1886..Males	487	273	94	132	205	188	198	228	368	499	317	42	2	33
Females	385	221	90	178	292	233	195	252	339	447	397	83	3	28
Not stated.....	19	1	3
Total	891	495	184	310	497	421	393	480	707	946	714	125	5	64
1887..Males	490	281	71	142	196	184	186	254	377	512	336	45	1	34
Females	416	239	61	175	255	221	239	246	358	494	350	93	6	28
Not stated.....	8	1	1
Total	914	470	133	317	451	405	425	500	735	1,006	686	138	7	63

* Excluding still births and premature births.

TABLE No. 24. — Continued.

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.
1888. Males	588	280	75	144	213	177	180	257	392	507	377	47	1	53
Females	459	243	65	194	271	241	199	262	375	511	360	79	5	21
Not stated	13	1
Total	1,060	523	140	338	484	418	379	519	767	1,018	737	126	6	87
1889. Males	536	269	90	131	187	186	175	241	381	492	342	43	...	29
Females	470	245	88	179	251	226	222	270	398	471	366	75	3	29
Not stated	8	2	1	1	1
Total	1,014	516	178	311	439	412	397	511	779	963	708	118	3	59
1890. Males	609	250	73	143	229	242	220	308	422	576	368	52	...	59
Females	524	216	66	156	263	277	242	332	399	513	406	86	5	44
Not stated	13	2	1	10
Total	1,146	468	139	299	492	519	462	640	821	1,090	774	138	5	113

Table 24 shows the number of deaths at different age periods by sex, from 1884 to 1890, inclusive. In the year 1890 there were returned 1,146 deaths of children under one year of age, not including still and premature births; 468, between one and five; 138, between five and ten; 299, between ten and twenty; 492, between twenty and thirty; 519, between thirty and forty; 462, between forty and fifty; 640, between fifty and sixty; 821, between sixty and seventy; 1,090, between seventy and eighty; 774, between eighty and ninety; 138, between ninety and one hundred; and five, over one hundred years of age; also, 113, with age not stated. Compared with the returns for the previous year, there was an increased mortality in decedents under one year of age, while the increase in the mortality at each age period from twenty years upward is very noticeable.

Table 25 shows the percentages of deaths, by age periods and sex, to the total mortality from 1884 to 1890, inclusive. Tables 24 and 25 are interesting and instructive, inasmuch as they give the number of deaths and the percentage to the total mortality by age periods, for the seven years embraced in the tables. There are no other tables that so emphatically exhibit the large mortality that annually occurs among children under one year of age. It will be seen that nearly one fourth of all the deaths in the State for the year 1890 were of children under five years of age, and the same is true every year. This excessive mortality among the young offers a subject for reflection and study for those who are interested or engaged in efforts to reduce the mortality rate of the State. It is admitted by those who have given the subject any attention that so large a death-rate among children is entirely preventable, and that the means are at the command of the individual and the public to reduce these figures very materially. This view is emphatically corroborated by a detailed exhibit of the causes of death among children.

TABLE No. 25.
*Percentages of Deaths by Ages and Sex to Total Mortality, from 1884 to 1890, inclusive.**

YEARS.	Under 1.	1 to 4.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.
1884. Males	16.00	8.45	2.51	4.73	7.79	5.84	6.26	8.52	11.20	17.46	10.16	1.04	.04
Females	11.74	7.05	2.99	6.38	8.84	7.31	7.02	7.81	11.17	14.76	12.60	2.33	...
Total	13.82	7.73	2.75	5.57	8.33	6.60	6.65	8.16	11.18	16.08	11.41	1.70	.02
1885. Males	14.78	8.00	2.20	3.87	6.75	6.43	6.75	8.96	14.00	16.99	10.09	1.14	.04
Females	12.07	7.06	2.21	5.34	8.95	7.65	7.35	7.32	11.55	15.07	12.95	2.41	.07
Total	13.37	7.51	2.21	4.64	7.95	7.07	7.07	8.10	12.72	15.98	11.58	1.80	.05
1886. Males	16.06	9.00	3.10	4.35	6.75	6.20	6.53	7.52	12.13	16.45	10.45	1.39	.07
Females	12.86	7.10	2.89	5.71	9.37	7.48	6.26	8.09	10.88	14.35	12.74	2.67	.10
Total	14.18	8.04	2.99	5.04	8.08	6.85	6.39	7.81	11.50	15.39	11.62	2.03	.08
1887. Males	16.20	7.64	2.35	4.69	6.48	6.08	6.15	8.40	12.46	16.92	11.11	1.49	.03
Females	13.19	7.58	1.94	5.55	8.09	7.01	7.58	7.80	11.35	15.67	11.10	2.95	.19
Total	14.67	7.61	2.14	5.13	7.30	6.56	6.88	8.09	11.90	16.28	11.10	2.23	.11
1888. Males	18.16	8.65	2.31	4.45	6.58	5.47	5.56	7.94	12.10	15.66	11.64	1.45	.03
Females	14.06	7.45	1.99	5.94	8.30	7.38	6.10	8.08	11.49	15.66	11.03	2.42	.15
Total	16.10	8.04	2.15	5.20	7.44	6.43	5.83	7.98	11.80	15.66	11.34	1.94	.09

* Excluding those with age and sex not stated, and premature and still births.

1889.. Males	17.44	8.75	2.93	4.26	6.09	6.05	5.70	7.84	12.40	16.01	11.13	1.40
Females	14.40	7.51	2.70	5.48	7.69	6.92	6.80	8.27	12.20	14.43	11.21	2.30	.09
Total	15.88	8.11	2.81	4.89	6.91	6.50	6.27	8.06	12.29	15.20	11.17	1.86	.05
1890.. Males	17.44	7.15	2.09	4.09	6.55	6.93	6.30	8.82	12.08	16.49	10.54	1.49
Females	15.03	6.19	1.89	4.47	7.54	7.94	6.94	9.52	11.45	14.72	11.5	2.46	.14
Total	16.23	6.67	1.99	4.28	7.04	7.43	6.62	9.17	11.76	15.60	11.09	1.97	.07

TABLE No. 26.

Deaths of Children under Five Years of Age, by Seasons, 1890.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Months	132	81	109	90	76	91	197	289	228	120	112	89
Quarters.....		322			257			714			321	
Percentages		19.95			15.92			44.23			19.88	
Half-years			579						1,035			
Percentages			35.87						64.12			
Total deaths ..						1,614						

This table represents the mortality of children under five years of age, by seasons, for the year 1890. The greatest mortality of the year occurred in the quarter embracing the months of July, August, and September, and was 44.23 per cent of the total mortality among children, as against 19.95 per cent for the first quarter, 15.92 per cent for the second, and 19.88 per cent for the last quarter of the year. There were 1,614 deaths among children under five years of age during the year.

TABLE No. 27.
Deaths by Seasons, 1890.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Months	897	567	582	520	515	500	604	666	626	562	537	522
Quarters	2,046			1,535			1,896			1,621		
Percentages	28.82			21.63			26.71			22.83		
Half-years	3,581						3,517					
Percentages	50.45						49.54					
Total deaths..				7,098								

* Not including deaths with month not stated, premature and still births.

This table gives the total number of deaths at all ages, by seasons, for the year 1890. There was a total of 7,098 deaths, not including those with month not stated, premature and still births. The greatest mortality was in the month of January, 897, and the least, 500, in June. The percentages, by quarters, were as follows: First quarter, 28.82 per cent of the total; second, 21.63; third, 26.71; and fourth, 22.83.

TABLE No. 28.

Nativity of Persons Deceased for 1890, by Counties.

COUNTIES.	Total deaths.*	NATIVE-BORN.		FOREIGN-BORN.	
		Deaths.	Percentages.	Deaths.	Percentages.
Rockingham	1,065	809	89.29	97	10.71
Strafford	801	613	82.06	134	17.94
Belknap	374	294	91.02	29	8.98
Carroll	303	251	95.80	11	4.20
Merrimack	983	779	88.12	105	11.88
Hillsborough	1,973	1,457	80.36	356	19.64
Cheshire	557	452	91.13	44	8.87
Sullivan	332	279	91.18	27	8.82
Grafton.....	651	519	93.68	35	6.32
Coös.....	329	219	81.11	51	18.89
Total	7,368	5,672	86.45	889	13.55

* Including those whose nativity was not recorded. In the calculations of percentages, the rates are not given to the *total* reported deaths, but only to the total of those cases where the nativity was stated.

This table gives the nativity of the decedents for the year 1890, together with the percentages of each, by counties. The greatest number of foreign-born decedents, as well as the highest rate, was in Hillsborough county, where there is a larger foreign-born population, being 356 or 19.64 per cent; Strafford follows with 134, although the rate, 17.94, is not so high as in Coös where there were 51 deaths and a rate of 18.89; Merrimack

county had 105 deaths among the foreign-born population and a rate of 11.88; Rockingham, 97, and a rate of 10.71; Cheshire, 44, and a rate of 8.87; Belknap, 29, and a rate of 8.98; Grafton, 35, and a rate of 6.32; Sullivan, 27, and a rate of 8.82; and Carroll, 11, with a rate of 4.20. The total foreign-born decedents for the State was 889, a rate of 13.55.

TABLE No. 29.

Nativity of Persons Deceased from 1884 to 1890, inclusive.

YEARS.	Total deaths.*	NATIVE-BORN.		FOREIGN-BORN.	
		Deaths.	Percentages.	Deaths.	Percentages.
1884.....	6,194	4,868	89.01	601	10.99
1885.....	6,201	4,847	89.35	578	10.65
1886.....	6,426	4,989	88.52	647	11.48
1887.....	6,479	5,131	88.03	698	11.97
1888.....	6,854	5,449	87.53	776	12.47
1889.....	6,696	5,383	88.00	734	12.00
1890.....	7,368	5,672	86.45	889	13.55

* Including those whose nativity was not recorded. In the calculations of percentages, the ratios are not given to the total reported deaths, but only to the total of those cases where the nativity was stated.

Table No. 29 shows the number of native and foreign-born decedents in the State for each year from 1884 to 1890, inclusive, with percentages of each. Of a total of 7,368 deaths in the State, 5,672, or 86.45 per cent, were native-born, and 889, or 13.55 per cent, foreign-born. In 807 cases the nativity was not given, but doubtless belonged largely to the foreign-born.

TABLE No. 30.
Deaths in 1890, Aged One Hundred Years, or more.

Date of death.	NAME.	AGE.			Place of death.	Birthplace.	Single, married, or widowed.
		Years.	Months.	Days.			
Jan. 24	Mary Harrington.....	102			Manchester.....	Ireland	Widow.
Feb. 20	Mrs. Buckman	100	6	7	Lancaster		
July 30	Sally Brown	105	1	15	Chichester	Epping	Widow.
Sept. 19	Clarissa Wilson	101	4	5	Hillsboro' Bridge..	Hillsborough	Widow.
Nov. 2	Clarissa H. Towne	100	8	21	Milford	Concord	Widow.

Table 30 presents a list of the centenarians who died during the year 1890, all females. In 1889 there were three, one male and two females, who had reached the age of 100 years or over.

CAUSES OF DEATH.

There were returned for the year 1890, 7,368 deaths—3,692 males, 3,624 females, and 52 with sex not stated. In 337 cases the cause of death was unclassified or not stated: this was due in many cases either to the neglect of the physician to return the cause in his certificate of death, failure of the local registrar to comprehend or decipher the term given in the physician's certificate, or the use of some meaningless term, such as "hemorrhage" or "inflammation," which it was impossible to classify without knowing the organ or organs affected. The term "heart failure" is used by some in such an indiscriminate manner as to give no information whatever, except the bare fact of death.

TABLE No. 31.

Causes of death, by Classes, 1884 to 1890, inclusive.

	1884.	1885.	1886.	1887.	1888.	1889.	1890.
I.—Zymotic diseases	907	890	1,095	1,073	1,097	1,172	1,155
II.—Constitutional diseases..	1,276	1,271	1,284	1,222	1,200	1,114	1,309
III.—Local diseases.....	2,594	2,637	2,610	2,731	2,994	2,852	3,146
IV.—Developmental diseases..	857	848	948	952	1,016	1,041	1,150
V.—Violent deaths	201	225	206	218	234	233	271

This table gives the causes of death by classes for the years 1884 to 1890, inclusive. It will be noticed that in 1890 there was quite a marked increase in the number of deaths from constitutional, local, and developmental diseases. Comparing the record of 1890 with that of

the preceding year it will be seen that there was a slight falling off in the zymotic diseases, a class generally believed to be more readily avoided or prevented than any other. The increased mortality from diseases of the second, third, and fourth classes is doubtless due largely if not entirely to the prevalence of epidemic influenza. In class five, violent deaths, there is a remarkable uniformity from year to year.

TABLE No. 32.

*Percentage of Causes of Death, by Classes, 1884 to 1890, inclusive.**

YEARS.	CLASSES.				
	Zymotic.	Constitutional.	Local.	Developmental.	Violent deaths.
1884	15.9	22.4	45.7	12.3	3.5
1885	13.9	22.2	46.0	12.2	3.6
1886	18.2	21.4	43.4	13.4	3.4
1887	17.9	20.4	45.7	12.1	3.6
1888	17.4	19.1	47.6	12.0	3.7
1889	19.1	18.2	46.5	12.3	3.8
1890	17.0	19.3	46.5	13.1	4.0

* Excluding deaths from unspecified causes, premature and still births.

Table 32 gives the percentages of causes of death, by classes, excluding deaths from unspecified causes, premature and still births from the year 1884 to 1890 inclusive. This table presents substantially the same information as table 14, but in the form of percentages. The relative fatality of each class of diseases is vividly shown. The falling off in the zymotic diseases in 1890, reduced the percentage from 19.1 to 17.0 in 1890, while the other classes show a greater or less increase.

TABLE No. 88.
Causes of Death, by Classes and Counties, 1890.

COUNTIES.	Zymotic.		Constitutional.		Local.		Develop- mental.		Violent.		Unspecified.		Total.
	Number.	Percentages.	Number.	Percentages.	Number.	Percentages.	Number.	Percentages.	Number.	Percentages.	Number.	Percentages.	
Rockingham.....	127	11.92	212	19.90	467	43.85	144	13.52	40	3.76	75	7.04	1,065
Strafford.....	149	18.60	156	19.47	307	38.38	130	16.23	17	2.12	42	5.24	801
Belknap.....	64	17.11	65	17.37	150	40.10	63	16.84	21	5.61	11	2.94	374
Carroll.....	21	6.93	50	16.50	166	54.78	36	11.88	25	2.97	21	6.93	303
Merrimack.....	107	10.88	192	19.53	491	49.95	130	13.22	9	2.54	38	3.87	983
Hillsborough.....	435	22.05	312	15.82	737	38.87	338	17.13	57	2.88	94	4.76	1,973
Cheshire.....	98	17.59	78	14.00	236	42.36	87	15.62	38	6.82	20	3.59	557
Sullivan.....	36	10.84	68	20.48	153	46.08	53	15.96	16	4.81	6	1.80	332
Grafton.....	72	11.06	113	17.36	301	46.23	119	18.22	26	3.99	20	3.07	651
Cooks.....	46	13.98	63	19.14	138	41.94	50	15.19	22	6.68	10	3.03	329
Total.....	1,155	15.67	1,309	17.76	3,146	42.70	1,150	15.61	271	3.68	337	4.56	7,368

Table 33 gives the causes of death, by classes and counties, for 1890, with the percentages of each to the total number of deaths, and including deaths from unspecified causes, premature and still births, which accounts for the differences in the percentages in tables 32 and 33; the former gives the percentage of each class to the total number of specified causes, excluding premature and still births, while the latter gives the percentage of each class to the total number of all classes. The highest percentage in the zymotic class is in Hillsborough county, 22.05; Strafford, 18.60; Cheshire, 17.59; Belknap, 17.11; Coös, 13.98; Rockingham, 11.92; Grafton, 11.06; Merrimack, 10.88; Sullivan, 10.84; and the lowest in Carroll county, 6.93. The percentage of deaths in this class for the entire State was 15.67 to the total mortality, as against 17.50 for 1889.

The percentages in the class of constitutional diseases do not vary so much in the different counties, the highest rate being 20.48 in Sullivan county, followed by 19.90 in Rockingham, 19.53 in Merrimack, 19.47 in Strafford, 19.14 in Coös, 17.37 in Belknap, 17.36 in Grafton, 16.50 in Carroll, 15.82 in Hillsborough, and the lowest, 14.00 in Cheshire. The percentage of this class for the whole State was 17.76 in 1890, and 16.63 the previous year.

In the class of local diseases the highest rate was in Carroll county, 54.78; Merrimack, 49.95; Grafton, 46.23; Sullivan, 46.08; Rockingham, 43.85; Cheshire, 42.36; Belknap, 40.10; Hillsborough, 38.87; and Strafford, 38.33. Rate for the State, 42.70 in 1890 and 42.59 the preceding year.

In developmental diseases the rate is very uniform throughout the State. Grafton county has the highest rate of the year, 18.22, then follow Hillsborough county with a rate of 17.13; Belknap, 16.84; Strafford, 16.23;

Sullivan, 15.96; Cheshire, 15.62; Coös, 15.19; Rockingham, 13.52; Merrimack, 13.22; and Carroll, 11.88. Rate for the State, 15.61. In 1889 the rate was 15.54.

There were 271 violent deaths, being 3.68 per cent of the total mortality of the State. Of these 217 were reported under accident or negligence, 6 homicide, 38 suicide, and 10 from other violent causes.

TABLE No. 34.

Mortality from Prominent Zymotic Diseases from 1884 to 1890, inclusive.

YEARS.	DISEASES.											
	Cholera infantum.	Croup.	Diarrhea.	Diphtheria.	Dysentery.	Erysipelas.	Fever, cerebro-spinal.	Fever, typhoid.*	Measles.	Pertussis.	Scarlatina.	Septicæmia.
1884	266	49	53	110	80	19	25	137	3	14	52	27
1885	219	74	59	78	40	25	20	136	45	25	53	38
1886	362	64	38	156	79	18	26	194	18	26	21	27
1887	336	84	38	177	53	20	34	134	39	21	26	30
1888	370	94	50	103	63	36	34	150	55	23	34	29
1889	353	88	68	210	67	27	25	161	16	47	18	29
1890	399	64	50	164	48	29	...	143	9	26	16	57
Average	329	73	50	142	61	25	23	151	26	26	31	34

* Including fever, bilious, and typho-malarial fever.

Table 34 exhibits the mortality from prominent zymotic diseases. Cholera infantum was the cause of more than one third of all the deaths in this class, 399 in a total of 1,005, and more than reported in any pre-

ceding year; typhoid fever caused 143 deaths, a smaller number than has been reported from this cause since 1885, with one exception, 134 in 1887, and the average for the past six years has been 151. Diphtheria ranks second in this class for the year 1890, having caused 164 deaths; the largest number reported in the past seven years was in 1889, when there were 210 deaths from this cause, the average being 142. There were 64 deaths from croup, the same as reported in 1886 and less than has been recorded in any one year since that date; the average for the past seven years has been 73. The other diseases in this table are considered under special heads.

TABLE No. 35.

Mortality from Principal Constitutional Diseases from 1884 to 1890, inclusive.

YEARS.	DISEASES.										
	Dropsy.	Anæmia.	Cancer.	Mortification.	Rheumatism.	Scrofula.	Tabes mesenterica.	Phthisis (pulmonary).	Hydrocephalus.	Tubercular meningitis.	Total.
1884.....	80	43	213	18	26	26	4	865	27	*	1,302
1885.....	90	32	212	24	28	22	2	857	25	*	1,292
1886.....	83	28	206	27	47	16	11	809	33	19	1,279
1887.....	79	17	218	29	47	16	7	766	23	16	1,218
1888.....	75	34	203	22	43	21	14	742	30	13	1,197
1889.....	62	40	213	21	43	22	13	651	21	24	1,110
1890.....	53	28	276	33	30	15	6	825	13	30	1,309
'Average	74	31	223	24	37	19	8	787	24	14	1,243

* Not classed separately.

The mortality from the principal constitutional diseases from 1884 to 1890, inclusive, are shown in Table No. 35. Phthisis stands at the head of all the diseases as a cause of death, the record for the year 1890 being 825 deaths from this cause alone. This is the largest number reported since 1885 when there were 857 deaths recorded; in 1886, there were 809 deaths; in 1887, 766; in 1888, 742; and in 1889, there was the smallest number reported in the past seven years, 651, the average being 787. There was also an unusual increase in the mortality from cancer, there being 276 cases during the year 1890. The records of this disease for the six years prior to 1890 are very uniform and the largest number previously reported was 218 in 1887. The average for seven years has been 223 cases.

TABLE No. 36.

Mortality from Principal Local Diseases, 1884 to 1890, inclusive.

YEARS.	DISEASES.													Total.
	Apoplexy.	Paralysis.	Convulsions.	Cephalitis.*	Brain disease.	Heart disease.	Bronchitis.	Pneumonia.	Enteritis.	Gastritis.	Peritonitis.	Liver disease.	Bright's disease, nephritis, and other kidney diseases.	
1884.....	192	248	99	120	134	507	78	436	69	44	61	63	140	2,191
1885.....	206	278	93	133	122	489	112	504	57	49	44	63	157	2,307
1886.....	220	249	71	141	127	510	81	466	53	66	48	71	143	2,246
1887.....	210	253	64	117	121	552	114	556	57	54	48	69	163	2,384
1888.....	243	273	88	143	112	575	142	628	39	51	63	72	154	2,634
1889.....	259	196	76	151	126	564	127	582	56	42	57	56	200	2,492
1890.....	263	251	65	186	140	568	194	703	63	60	51	56	201	2,801
Average . . .	227	249	79	141	126	537	121	553	56	52	53	64	165	2,435

* Meningitis and cerebritis included.

Table 36 records the mortality from the principal local diseases from 1884 to 1890, inclusive, and an average for seven years of 2,435 cases in this class. Pneumonia was the most fatal disease in this class for the year 1890, 703 deaths, more than ever before returned from this cause; in 1888, there were 628 deaths; in 1889, 582; in 1887, 556; in 1885, 504; in 1886, 466; and in 1884, 436; the average for seven years, ending with 1890, has been 553 deaths from this cause. Heart disease ranks next with 568 deaths in 1890 and an average of 537 for seven years; then follow apoplexy with 263 deaths in 1890 and an average of 227; paralysis, 251 in 1890 and an average of 249; Bright's disease and other kidney diseases, 201 in 1890 and an average of 165; cephalitis, 186 in 1890 and an average of 141; brain disease, 140 in 1890 and an average of 126; bronchitis, 194 in 1890 and an average of 121; convulsions, 65 in 1890 and an average of 79; enteritis, 63 and an average of 56; gastritis, 60 and an average of 52; and peritonitis with 51 in 1890 and an average of 53.

TABLE No. 37.

Mortality from Principal Developmental Diseases from 1884 to 1890, inclusive.

YEARS.	DISEASES.								
	Still-born.	Debility, infantile.	Debility, premature-birth.	Malformation.	Teething.	Innutrition.	Childbirth.	Old age.	Atrophy and debility.
1884	156	*	35	13	19	*	27	457	144
1885	145	*	39	13	13	*	31	420	167
1886	140	68	54	12	16	50	30	468	98
1887	166	56	63	10	20	76	27	449	78
1888	189	91	69	19	20	81	20	407	112
1889	220	79	68	24	18	63	27	426	104
1890	197	113	65	11	15	95	28	410	204
Average	173	58	56	14	16	52	25	433	129

* Classed with atrophy and debility.

The above table shows the mortality from the principal developmental diseases from 1884 to 1890, inclusive. Four hundred and ten deaths were classed under old age in 1890 and an average of 433 for seven years; 204, under atrophy and debility and an average of 129; 197, still-born and an average of 173; under innutrition, 95 with an average of 52; infantile debility, 113 and an average of 58.

TABLE No. 38.

Mortality from Twenty Prominent Causes, from 1884 to 1890, inclusive.

CAUSES OF DEATH.	Deaths in 1890.	ORDER OF FATALITY.						
		1890.	1889.	1888.	1887.	1886.	1885.	1884.
Consumption	825	1	1	1	1	1	1	1
Pneumonia	708	2	2	2	3	5	2	5
Heart disease	568	3	3	3	2	2	4	2
Apoplexy and paralysis.....	514	4	4	4	4	3	3	4
Old age.....	410	5	5	5	5	4	5	3
Cholera infantum.....	399	6	6	6	6	6	6	6
Cancer.....	276	7	7	7	7	7	7	7
Diphtheria	164	12	8	15	9	10	18	13
Accident and negligence	217	8	9	8	8	9	8	11
Typhoid fever *	143	13	10	9	10	8	9	10
Cephalitis †	186	11	11	10	12	11	10	12
Diarrhea and dysentery	98	17	12	12	14	13	15	9
Bright's disease	111	16	13	20	15	15	14	14
Bronchitis	194	10	14	11	13	17	12	17
Brain disease.....	140	14	15	13	11	12	11	8
Atrophy and debility.....	204	9	16	14	18	14	13	18
Croup	64	21	17	16	16	21	19	22
Debility, infantile	113	15	18	17	23	22	‡
Convulsions	65	20	19	18	21	19	16	15
Innutation	95	18	20	19	19	23	‡
Influenza	94	19

* Fever, bilious fever, and typho-malarial fever included.

† Meningitis and cerebritis included.

‡ Classed with atrophy and debility.

DIAGRAM NO 1.—SHOWING THE COMPARATIVE MORTALITY, BY ABSOLUTE NUMBER OF DECEDENTS, FROM TWENTY PROMINENT CAUSES OF DEATH DURING YEAR ENDING DECEMBER 31, 1880.




Table 38 gives a comparative view of the mortality from twenty prominent causes of death from 1884 to 1890, inclusive. This table together with the diagram that follows, is interesting in studying the relative positions of the more prominent causes of death from year to year. Consumption in this State, as well as in this and every other country within the pale of civilization, causes more deaths annually than any other disease. Next in order comes pneumonia, although it has not always held second position; in 1887 it was third, and in 1886 and 1884 it was fifth in order of fatality. Heart disease ranks third in 1890, has three times during the seven years given, held second place and once dropped to fourth. Apoplexy and paralysis have been fourth in order with the exception of two years, 1886 and 1885, when they were third. Old age has varied from the third to the fifth position, usually holding the latter place. Cholera infantum has steadily held sixth position, and cancer seventh. Accident and negligence is eighth in the list for 1890 and has varied from that place to the eleventh in 1884. Atrophy and debility, ninth in 1890, shows a large increase over the records of former years; in 1884 and 1887 it was eighteenth in order; in 1889, sixteenth; in 1886 and 1888, fourteenth; and in 1885, thirteenth. This advance is another evidence of the subtle influence of la grippe. Bronchitis was tenth in order in 1890, the highest place it has held during the seven years recorded. Cephalitis was eleventh in order and has not been subject to very great changes. Diphtheria was twelfth in 1890 as against eighth in 1889, ninth in 1887, tenth in 1886, thirteenth in 1884, fifteenth in 1888, and eighteenth in 1885. Typhoid fever has dropped from eighth place in 1886 to thirteenth in 1890, the lowest it has ever been. Brain disease is fourteenth in the list as against fifteenth in 1889,

thirteenth in 1888, twelfth in 1886, eleventh in 1887 and 1885, and eighth in 1884. Infantile debility was fifteenth in the list of 1890, a material increase over any previous record, it being seventeenth in 1888, and from the eighteenth to twenty-third in other years. Bright's disease, sixteenth in 1890, was thirteenth in 1889, fourteenth in 1884 and 1885, fifteenth in 1886 and 1887, and twentieth in 1888. Diarrhea and dysentery were seventeenth in order in 1890, and ranked as high as ninth in 1884. Influenza appears for the first time among the prominent causes of death, holding nineteenth place in the list, with a mortality of 94 as against 4 in 1889.

The long black line at the head of the diagram on page 235 stands as an appalling sign of the fearful mortality from consumption. Year in and year out, it is accountable for more deaths than any other disease known to mankind. Even the terrible epidemics of cholera and yellow fever that rage in some parts of the world are not so destructive to human life as consumption is in the aggregate. In 1884, 865 deaths were reported from this disease; in 1885, 857; in 1886, 809; in 1887, 766; in 1888, 742; in 1889, 651; and in 1890, 825 cases, making an average of 787 deaths for the past seven years.

TABLE No. 39.

Mortality from Consumption from 1884 to 1890, inclusive.

YEARS.	Deaths.	Percentages of deaths to deaths from all causes.	Death-rate per 10,000 living population.
1884	865	14.01	24.18
1885	857	13.82	23.68
1886	809	12.58	22.17
1887	766	11.82	20.82
1888	742	10.82	20.01
1889	651	9.72	17.42
1890	825	11.19	21.91
Total	5,515
Average	787	11.99	21.45

The mortality from consumption, the percentage of the same to the total mortality, and the rate per 10,000 of the population, is shown in the above table, for the years 1884 to 1890, inclusive. It will be seen that there was a considerable diminution in the mortality from this disease between the years 1884 and 1889, but was largely increased in 1890. We have entertained the belief that an increased knowledge of the nature of consumption and the measures necessary to restrict and prevent it may have had some influence in causing this

reduction. The increased mortality in 1890 does not weaken our opinion, and is to be accounted for, to a large extent if not wholly, by the climatic or other causes to which has been due epidemic influenza or la grippe. That this condition has been a very marked and important factor in causing the increased mortality from certain diseases, has already been shown; therefore we are disposed to attribute the large increase in the deaths from consumption in 1890, to the climatic conditions of this particular period.

Table 40 shows the mortality from consumption, by counties, with percentages to total mortality, from 1884 to 1890, inclusive. Strafford county has the highest rate for the year 1890, 14.60 per cent; Rockingham, 12.58; Merrimack, 11.59; Coös, 11.51; Grafton, 10.75; Belknap, 10.69; Hillsborough, 10.33; Sullivan, 9.63; Cheshire, 9.15; and Carroll the lowest, 8.25.

TABLE No. 40.
Mortality from Consumption, by Counties, with Percentages of Deaths to Total Mortality, from 1884 to 1890, inclusive.

COUNTIES.	1884.		1885.		1886.		1887.		1888.		1889.		1890.	
	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.
Rockingham	130	14.89	184	14.70	142	14.74	130	14.84	96	10.71	88	10.05	134	12.58
Strafford	105	16.74	96	15.50	96	15.76	80	11.88	93	13.51	75	10.85	117	14.60
Belknap	54	18.94	50	17.30	37	10.22	48	13.00	46	11.73	42	10.79	40	10.69
Carroll	46	13.81	33	12.26	41	13.53	33	11.22	26	7.92	29	9.73	25	8.25
Merrimack	91	12.36	102	12.81	79	9.48	96	11.49	101	10.97	88	9.87	114	11.59
Hillsborough	229	13.83	233	13.69	218	12.96	179	10.55	209	11.32	168	9.64	204	10.33
Cheshire	62	12.47	76	15.18	60	12.63	50	10.37	47	9.63	53	10.09	51	9.15
Sullivan	86	13.18	36	12.67	45	13.72	32	11.30	36	11.00	28	8.91	32	9.63
Grafton	83	12.73	70	11.45	72	11.72	80	13.28	63	9.61	58	9.27	70	10.75
Cooks	32	12.16	25	12.33	19	7.42	38	10.32	25	7.96	22	6.32	38	11.51
Total	868	14.01	857	13.82	809	12.58	766	11.82	742	10.82	651	9.72	825	11.19

The mortality from consumption in the cities of the State is shown in the following tables :

TABLE No. 41.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Manchester.

Months ...	January. 21	February. 4	March. 7	April. 5	May. 8	June. 11	July. 9	August. 9	September. 9	October. 9	November. 4	December. 10	Total.	American.	Foreign.	Not stated.	Married.	Single.	Widowed.	Not stated.
Quarters ..	32			24			27			23			106							
Ages	Under 10. 6	10 to 15. 2	15 to 20. 8	20 to 30. 37	30 to 40. 28	40 to 50. 14	50 to 60. 6	60 to 70. 2	70 to 80. 2	Over 80. 3	Not stated. 3		106							
Nativity ..														54	46	6				
Males ..													49				14	10		124
Females ..													57				23	15		613

Percentage to total mortality of city, 10.29.

This table gives the deaths from consumption, by months, ages, sex, and nativity, in the city of Manchester for the year 1890. The total number of deaths from this cause was 106, as against 78 in 1889. Of these 49 were males and 57 females; 54 were American-born, 46 foreign, and 6 nativity not stated; 14 males and 23 females were married, 10 males and 15 females single, 1 male and 6 females widowed, and the others not stated. The greatest fatality was in January, 21; June, 11; December, 10; July, August, September, and October, 9 each; May, 8; March, 7; and November, 4. Six of the decedents were under 10 years of age; 2 between

10 and 15; 8 between 15 and 20; 37 between 20 and 30; 26 between 30 and 40; 14 between 40 and 50; 6 between 50 and 60; 2 between 60 and 70; 2 between 70 and 80; and 3 over 80 years of age. The rate to the total mortality of the city was 10.29 per cent.

TABLE No. 42.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Concord.

Months ...	January. 4	February. 3	March. 3	April. 2	May. 2	June. 4	July. 2	August. 1	September. 3	October. 1	November. 3	December. 3	Total.	American.	Foreign.	Not stated.	Married.	Single.	Widowed.	Not stated.
Quarters ..	10			8			6			10			34							
Ages	Under 10. 10 to 15. 15 to 20. 20 to 30. 30 to 40. 40 to 50. 50 to 60. 60 to 70. 70 to 80. Over 80. Not stated.												34							
Nativity ..														26	3	5				
Males													16				8	7		1
Females ..													18				7	6	5	

Percentage to total mortality of city, 9.13.

Table 42 is the record of consumption in the city of Concord for the year 1890. There were 34 deaths from this disease — 16 males and 18 females; 26 American-born, 3 foreign, and 5 not stated; 8 males and 7 females married, 7 males and 6 females single, 5 females widowed, and 1 male civil condition not stated. Six died in November; 4 each in January and June; 3 each in February, March, September, and December; 2 each in April, May, and July; and 1 each in August and

October. None of the decedents were under 15 years of age; 2 were between 15 and 20; 13 between 20 and 30; 4 between 30 and 40; 3 between 40 and 50; 8 between 50 and 60; and 4 between 60 and 70. The rate to the total mortality of the city was 9.13 per cent.

TABLE No. 48.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Nashua.

Months ...	3 January.	3 February.	3 March.	3 April.	3 May.	4 June.	4 July.	2 August.	3 September.	2 October.	3 November.	4 December.	Total.	American.	Foreign.	Not stated.	Married.	Single.	Widowed.	Not stated.
Quarters ...	9			10			9			9			37							
Ages	Under 10. 7	10 to 15. 7	15 to 20. 6	20 to 30. 9	30 to 40. 4	40 to 50. 4	50 to 60. 4	60 to 70. 7	70 to 80. 0	Over 80. 0	Not stated. 0		37							
Nativity ..														20	15	2				
Males.....													13				5	7	1	
Females...													24				10	10		4

Percentage to total mortality of city, 10.69.

Above is the record of the same disease in the city of Nashua for the year 1890, the total number being 37 — 13 males and 24 females; 20 American-born, 15 foreign, and 2 not stated; 5 males and 10 females married, 7 males and 10 females single, 1 male widowed, and 4 females not stated. June, July, and December had 4 deaths each; January, February, March, April, May, September, and November, 3 each; August and October, 2 each. Seven of the decedents were under 10

years of age; 7 between 15 and 20; 6 between 20 and 30; 9 between 30 and 40; 4 between 40 and 50; and 4 between 50 and 60. The percentage to the total mortality of the city was 10.69.

TABLE No. 44.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Portsmouth.

Months ...	4 January.	4 February.	2 March.	4 April.	4 May.	2 June.	2 July.	2 August.	2 September.	4 October.	2 November.	4 December.	Total.	American.	Foreign.	Not stated.	Married.	Single.	Widowed.	Not stated.
Quarters...	11			11			4			11			37							
Ages.....	Under 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.									
		4	11	7	5	3	3	3	3	1		37								
Nativity ..														21	11	5				
Males														22			8	10	2	2
Females ..														15			5	7	1	2

Percentage to total mortality of city, 14.34.

The total mortality from consumption in the city of Portsmouth for the year 1890 was 37 — 22 males and 15 females; 21 American-born, 11 foreign, and 5 not stated; 8 males and 5 females married, 10 males and 7 females single, 2 males and 1 female widowed, and 2 males and 2 females civil condition not stated. In January, February, April, May, October, and December there were 4 deaths each; in March, June, and November, 3 each; and in July and August, 2 each. Four of the decedents

were between 15 and 20 years of age; 11 between 20 and 30; 7 between 30 and 40; 5 between 40 and 50; 3 between 50 and 60; 3 between 60 and 70; and 3 between 70 and 80. The percentage to the total mortality of the city was 14.34.

TABLE No. 45.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Dover.

Months . . .	January. 7	February. 8	March. 4	April. 4	May. 5	June. 4	July. 4	August. 6	September. 2	October. 2	November. 5	December. 6	Total.	American.	Foreign.	Not stated.	Married.	Single.	Widowed.	Not stated.
Quarters . .	14			13			12			13			52							
Ages	Under 10. 1	10 to 15. 2	15 to 20. 7	20 to 30. 16	30 to 40. 10	40 to 50. 4	50 to 60. 7	60 to 70. 2	70 to 80. 2	Over 80. 1	Not stated. 5		52							
Nativity . .														36	13	3				
Males													25				8	12	1	4
Females . .													27				10	8	6	3

Percentage to total mortality of city, 16.40.

The total mortality from consumption in the city of Dover, for the year 1890, was 52 — 25 males and 27 females; 36 of the decedents were American-born, 13 foreign, and 3 not stated; 8 males and 10 females were married, 12 males and 8 females single, 1 male and 6 females widowed, and 4 males and 3 females with civil condition not stated. There were 7 deaths in January; August and December had 6 deaths each; May and November, 5 each; March, April, June, July, 4 each; February, 3; and September and October, 2 each. One

decedent was under 10 years of age ; 2 between 10 and 15 ; 7 between 15 and 20 ; 16 between 20 and 30 ; 10 between 30 and 40 ; 4 between 40 and 50 ; 7 between 50 and 60 ; 2 between 60 and 70 ; 2 between 70 and 80 ; and 1 over 80 years of age. The rate to the total mortality of the city was 16.40 per cent.

TABLE No. 46.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Keene.

Months...	January. 1	February. 2	March. 1	April. 2	May. 3	June. 2	July. 2	August. 2	September. 1	October. 1	November. 1	December. 1	Total.	American.	Foreign.	Not stated.	Married.	Single.	Widowed.	Not stated.
Quarters...	4			7			3			2			16							
Ages.....	Under 10. 1	10 to 15. 1	15 to 20. 7	20 to 30. 1	30 to 40. 1	40 to 50. 3	50 to 60. 2	60 to 70. 1	70 to 80. 1	Over 80. 1	Not stated. 1		16							
Nativity...														12	4					
Males.....														6			3	3		
Females...														10			2	7	1	

Percentage to total mortality of city, 10.25.

The total number of deaths from consumption in the city of Keene, for the year 1890, was 16—6 males and 10 females ; 12 American-born, and 4 foreign ; 3 males and 2 females were married, 3 males and 7 females single, and 1 female widowed. Three of the deaths occurred in May ; 2 each in February, April, June, and August ; and 1 each in January, March, September, October, and November. One of the decedents was under 10 years of age ; 1 between 15 and 20 ; 7

between 20 and 30; 1 between 40 and 50; 3 between 50 and 60; 2 between 60 and 70; and 1 over 80 years of age. The rate to the total mortality of the city was 10.25 per cent.

TABLE No. 47.

Percentage of Deaths from Consumption to the Total Mortality of the Cities of the State for the years 1883 to 1890, inclusive.

	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.
Manchester..	14.89	14.28	13.03	15.01	11.15	12.37	9.30	10.29
Concord.....	11.41	8.66	10.68	8.60	10.13	10.23	9.81	9.13
Nashua.....	16.96	13.72	14.86	10.49	9.73	8.20	8.64	10.69
Dover	20.97	16.60	16.17	21.17	14.57	12.01	10.31	16.40
Portsmouth..	16.02	14.74	12.18	17.84	16.26	13.26	7.73	14.34
Keene	16.91	16.00	22.80	16.00	11.90	9.47	9.62	10.25

This table presents a comparative view of the percentage of deaths from consumption to the total mortality of the respective cities of the State, from 1883 to 1890, inclusive. Dover has the highest rate, 16.40 for the year 1890; Portsmouth follows with a rate of 14.34; Nashua, 10.69; Manchester, 10.29; Keene, 10.25; and Concord, 9.13.

Table 48 gives the mortality from consumption, by ages and sex, for the year 1890, by counties. The greatest number of deaths occurred, as usual, between the ages of 20 and 30, 200; between 30 and 40, 156; between 40 and 50, 113; between 60 and 70, 72; between 50 and 60, 65; between 70 and 80, 63; between 15 and 20, 61; under 1, 25; over 80, 23; between 1 and 5, 17; between 10 and 15, 16; and age not stated, 7. Among the decedents were two negroes.

TABLE No. 48.
Deaths from Consumption, by Ages and Sex, by Counties, for 1890.

COUNTIES.	SEX.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	Over 80.	Not stated.	Total.	Grand total.
Rockingham	Males	3	2	1	1	3	16	11	10	7	8	8	2	2	70	8	2	2	70	134
	Females	1	1	2	2	6	18	11	9	1	5	6	1	1	64	6	1	2	64	134
Stratford	Males	4	1	1	1	3	15	16	8	4	7	3	1	1	58	3	1	1	58	117
	Females	4	1	4	4	7	11	11	3	6	3	7	1	1	59	7	1	1	59	117
Belknap	Males	1	1	1	1	2	3	3	3	3	1	1	1	1	15	1	1	1	15	40
	Females	1	1	1	1	3	7	5	3	3	2	4	1	1	25	4	1	1	25	40
Carroll	Males	1	1	1	1	3	4	1	3	1	1	2	1	1	12	2	1	1	12	25
	Females	1	1	1	1	3	2	1	3	1	1	1	1	1	13	1	1	1	13	25
Merrimack	Males	1	1	2	1	2	12	6	8	7	7	4	3	3	53	4	3	3	53	114
	Females	1	1	1	2	3	18	9	8	5	10	4	3	3	61	4	3	3	61	114
Hillsborough	Males	5	2	1	1	4	23	21	15	11	4	5	1	1	94	5	1	1	94	204
	Females	3	6	1	1	15	31	21	13	5	8	3	3	3	110	3	3	3	110	204
Cheshire	Males	2	2	1	1	5	2	3	4	4	2	3	1	1	21	3	1	1	21	51
	Females	1	1	1	1	5	9	7	1	1	2	1	2	2	30*	1	2	2	30*	51

SUMMARY OF OBSERVATIONS.

249

Sullivan	Males	1	3	4	1	1	1	1	1	1	1	13	...
	Females	1	1	1	4	2	3	1	1	4	19	32
Grafton	Males	2	...	2	2	3	3	6	4	1	6	1	1	28*	...
	Females	11	10	10	3	2	2	1	2	1	1	42	70
Coös	Males	1	3	1	1	2	2	3	1	18	...
	Females	1	6	6	3	3	1	...	1	1	20	38
Total for State.....	Males	13	6	3	5	17	83	74	57	41	38	31	12	2	382
	Females	12	11	4	11	44	117	82	56	24	34	32	11	5	443	825	...

* One negro.

TABLE No. 49.
Deaths from Consumption, by Months and Sex, by Counties, for 1890.

COUNTIES.	SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Rockingham	Males	10	8	8	10	6	3	3	6	4	7	4	6	...	70	...
	Females	6	10	8	4	4	4	7	5	1	4	8	8	...	64	134
Strafford	Males	1	3	9	4	4	5	3	8	3	5	7	6	...	58	...
	Females	11	2	6	8	4	2	3	1	3	5	6	8	...	59	117
Belknap	Males	1	2	1	1	1	2	1	2	...	1	2	...	1	15	...
	Females	5	1	5	2	1	3	2	1	2	1	1	1	...	25	40
Carroll	Males	2	...	1	...	3	1	1	...	2	2	...	12	...
	Females	...	1	1	3	2	2	1	1	1	1	...	13	25
Merrimack	Males	5	4	7	4	4	7	4	4	4	2	3	5	...	53	...
	Females	10	8	5	4	5	3	8	2	7	2	5	2	...	61	114
Hillsborough	Males	12	5	14	5	8	8	9	7	9	4	3	10	...	94	...
	Females	14	6	2	11	11	12	13	7	7	10	6	11	...	110	204
Cheshire	Males	4	1	1	1	2	3	1	3	3	2	...	21	...
	Females	3	2	3	3	6	2	1	4	2	2	2	30	51

SUMMARY OF OBSERVATIONS.

251

Sullivan.....	Males.....	1	3	1	1	1	2	2	1	1	1	2	2	2	13
	Females.....	1	2	1	3	2	4	2	1	1	1	1	2	2	19	32
Grafton.....	Males.....	1	5	2	4	2	1	2	3	2	3	3	3	28
	Females.....	4	2	3	7	4	4	2	6	4	1	2	2	3	42	70
Cobis.....	Males.....	31	2	3	2	1	3	1	1	1	1	1	2	18
	Females.....	51	2	2	1	3	2	2	3	1	3	3	20	88
Total for State...	Males.....	5	26	50	28	32	34	28	31	26	25	30	36	1	382
	Females.....	5	36	81	46	42	38	39	27	30	27	38	39	443	825

Table 49 gives the deaths from consumption, by months and sex, by counties, for 1890. The greatest mortality occurred in the month of January, 90; 81 in May; 75 in December; 74 each in April and May; 72 in June; 63 in November; 67 in July; 62 in February; 58 in August; 56 in September; 52 in October; and 1 not stated. Of the decedents, 382 were males and 443 females.

TABLE No. 50.

Deaths from Consumption, by Nationality, Civil Condition, and Sex, by Counties, for 1890.

COUNTIES.	SEX.	American.	Foreign.	Not stated.	Married.	Single.	Widowed.	Not stated.	Total.	Grand total.
Rockingham	Males	48	14	8	29	30	9	2	70
	Females ..	50	8	6	33	24	4	3	64	134
Strafford	Males	41	14	3	27	21	3	7	58
	Females ..	45	11	3	21	23	10	5	59	117
Belknap	Males	13	1	1	8	6	1	...	15
	Females ..	16	6	3	8	11	6	...	25	40
Carroll	Males	11	1	...	8	2	2	...	12
	Females ..	13	2	6	5	...	13	25
Merrimack	Males	44	6	3	24	20	6	3	53
	Females ..	43	9	9	36	15	9	1	61	114
Hillsborough	Males	57	28	9	35	30	4	25	94
	Females ..	62	41	7	40	37	15	18	110	204
Cheshire	Males	16	4	1	11	7	3	...	21
	Females ..	23	6	1	9	18	2	1	30	51
Sullivan	Males	9	3	1	4	8	1	...	13
	Females ..	17	1	1	8	7	4	...	19	32
Grafton	Males	21	...	7	11	14	3	...	28
	Females ..	35	2	5	28	9	5	...	42	70
Coös	Males	13	3	2	7	6	*4	1	18
	Females ..	7	8	5	11	5	3	1	20	38
Total for State.	Males	273	74	35	164	144	36	38	382
	Females ..	311	92	40	196	155	63	29	443	825

* One divorced.

Table 50 gives the nationality, civil condition, and sex of the decedents from consumption, by counties, for 1890. Of the 825 cases, 584 were American-born, 166 foreign, and 75 not stated; 360 were married, 299 single, 98 widowed, 1 divorced, and 67 not stated.

TABLE No. 51.

Mortality from Pneumonia, by Counties, from 1884 to 1890, inclusive.

COUNTIES.	YEARS.							Average.
	1884.	1885.	1886.	1887.	1888.	1889.	1890.	
Rockingham	45	63	77	70	83	68	90	71
Strafford	39	48	37	46	52	38	80	48
Belknap	18	24	25	44	50	37	42	34
Carroll	30	27	15	33	46	49	37	34
Merrimack	50	72	60	85	73	86	94	74
Hillsborough	110	128	112	128	129	131	158	128
Cheshire	36	52	39	55	55	52	44	47
Sullivan	21	22	23	22	30	31	32	25
Grafton	66	48	54	52	77	64	74	62
Coös	21	20	24	21	33	26	52	28
Total	436	504	466	556	628	582	703	553

This table gives the mortality from pneumonia, by counties, from 1884 to 1890, inclusive. There were 703 deaths from this disease in 1890, a large increase over the number reported in any previous year and largely exceeding the average of the past seven years. Cheshire was the only county that did not exceed its average for the seven years noted in the table.

TABLE No. 52.

Mortality from Pneumonia, by Ages, from 1884 to 1890, inclusive.

YEARS.	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	51	48	3	8	6	27	23	30	36	50	97	54	8	436
1885	69	49	8	4	11	15	27	32	37	72	105	74	1	504
1886	57	38	13	6	13	17	24	29	49	68	92	53	7	466
1887	68	33	7	5	13	28	32	40	48	89	121	68	4	556
1888	67	45	6	10	19	40	49	51	62	67	123	81	8	628
1889	61	50	8	12	17	29	36	40	48	98	100	79	4	582
1890	73	48	9	10	11	35	46	45	79	106	127	107	7	703

The mortality from pneumonia by ages, from 1884 to 1890, inclusive, is given in the above table. The greatest mortality was in the age period between 70 and 80 for the year 1890, there being 127 deaths between those ages, and this holds good in the other years noted. There were 107 deaths of persons over 80 years of age; 106 between 60 and 70; 79 between 50 and 60; 73 under 1 year of age; 46 between 30 and 40; 45 between 40 and 50; 11 between 15 and 20; 10 between 10 and 15; 9 between 5 and 10; and 7 age not stated.

TABLE No. 53.

Mortality from Pneumonia, by Months and Quarters, from 1884 to 1890, inclusive.

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
1884	55	55	51	52	32	13	14	11	5	28	51	67	2
1885	53	59	101	95	35	25	13	10	10	33	38	32	...
1886	32	44	73	51	51	33	22	18	18	24	46	54	...
1887	71	73	85	85	49	17	13	13	14	34	47	54	1
1888	72	95	75	73	76	24	16	23	21	43	36	72	2
1889	69	66	79	102	51	22	15	19	16	53	41	49	...
1890	213	74	69	43	47	35	18	9	23	23	69	79	1
Total	565	466	533	501	341	169	111	103	107	238	328	407	6
Quarters	1,564			1,011			321			973			
Percentages	40.42			26.13			8.29			25.15			

Table 53 shows the mortality from pneumonia, by months and quarters, from 1884 to 1890, together with percentages. In 1890 the greatest number of deaths from this disease occurred in January, 213; and the aggregate of that month, for the seven years given, 565, is also larger than that of any other month. The smallest number for the year was in August, 9; and the aggregate of that month for seven years, 103, was less than that of any other; 40.42 per cent of all the deaths from pneumonia in the last seven years have occurred in the first quarter of the year; 26.13 per cent, in the second quarter; 25.15 per cent, in the fourth quarter; and 8.29, in the third quarter.

TABLE No. 54.

Mortality from Brain Diseases, 1884 to 1890, inclusive.

YEARS.	DISEASES.						
	Cephalitis.*	Apoplexy.	Paralysis.	Insanity.	Convulsions.	Brain disease.	Total.
1884... ..	120	192	248	22	99	134	815
1885... ..	133	206	278	27	93	122	859
1886... ..	141	220	249	24	71	127	832
1887... ..	117	210	253	25	64	121	790
1888... ..	143	243	273	37	88	112	896
1889... ..	151	259	196	35	76	126	843
1890... ..	186	263	251	28	65	140	933
Average... ..	141	227	248	28	79	126	852

* Meningitis and cerebritis included.

There were 933 deaths from brain diseases in the year 1890, including apoplexy with 263; paralysis, 251; cephalitis, 186; convulsions, 65; insanity, 28; and other brain diseases, 140.

TABLE No. 55.

Mortality from Diarrheal Diseases, 1884 to 1890, inclusive.

YEARS.	DISEASES.					Total of diarrheal diseases.
	Cholera infantum.	Cholera morbus.	Diarrhea.	Dysentery.	Enteritis.	
1884.....	266	21	52	80	69	488
1885.....	219	20	40	40	57	376
1886.....	362	14	38	79	53	546
1887.....	336	16	38	55	57	500
1888.....	370	8	50	63	39	530
1889.....	353	12	68	67	56	556
1890.....	399	12	50	63	524
Average.....	329	14	40	61	56	502

The total number of deaths from diarrheal diseases in 1890 was 524, a slight increase over the average for seven years. Cholera infantum stands at the head of these diseases with 399 deaths in 1890, and an average of 329; enteritis has an average of 56; dysentery, 61; diarrhea, 40; cholera morbus, 14.

TABLE No. 56.

Mortality from Cholera Infantum from 1884 to 1890, inclusive.

YEARS.	Deaths.	Percentage of deaths to deaths from all causes.	Death-rates per 10,000 living (estimated population).
1884.....	266	4.29	7.41
1885	219	3.53	6.05
1886	362	5.63	9.92
1887	386	5.18	9.13
1888	370	5.39	9.98
1889	353	5.27	9.44
1890	399	5.41	10.59
Average	329

This table shows the mortality from cholera infantum from 1884 to 1890, inclusive; also the percentage to the total mortality and the rate per 10,000 of the population. There has been an average of 329 deaths from this disease for the past seven years.

TABLE No. 57.

Mortality from Cholera Infantum, by Ages, from 1884 to 1890, inclusive.

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	214	48	1	...	1	2	266
1885	186	33	219
1886	283	77	2	362
1887	284	51	1	336
1888	298	70	2	370
1889	297	54	1	1	353
1890	343	52	4	399

This table shows the mortality from cholera infantum, by ages, from 1884 to 1890, inclusive. The largest number reported in any one year was 399 in 1890, followed by 370 in 1888; 362 in 1886; 353 in 1889; 336 in 1887; 266 in 1884; and 219 in 1885. In 1890, of the 399 decedents, 343 were under 1 year of age, 52 between 1 and 5, and 4 between 5 and 10 years.

TABLE No. 58.
Cholera Infantum by Cities.

	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.
Manchester	131	112	88	122	148	117	86	146
Dover	7	10	15	15	13	19	5	12
Nashua	15	14	13	30	20	39	43	56
Portsmouth	4	3	9	6	4	9	9	8
Concord	9	12	5	7	8	11	13	8
Keene	9	6	2	7	5	2	8	5
Total for cities...	175	157	132	187	198	197	164	235
Total for State ..	278	268	219	362	336	370	353	399

Table 58 shows the mortality from cholera infantum in the cities of the State. Of the 399 deaths from this disease in the year 1890, 235 occurred in the cities, 146 being recorded in Manchester; 56 in Nashua; 12 in Dover; 8 in each of the cities of Portsmouth and Concord, and 5 in Keene.

TABLE No. 59.
Cholera Infantum, by Ages, Sex, and Months, particularly showing the number of Decedents in the Cities and Towns returning the greatest Mortality from the Disease.

TOWNS.	SEX.	AGES.			MONTHS.												Grand total.			
		Under 1.	1 to 5.	5 to 10.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Unknown.	Total.	
Concord	Males	3	1									2	1	1					4	8
	Females	4										1	2	1					4	
Dover	Males	6											3	3					6	
	Females	4	2								1	3	1	1					6	12
Keene	Males	3											1	2					3	5
	Females	2											1	1					2	
Manchester	Males	60	15	1	1	1				2	27	26	15	3	1				76	
	Females	63	7							1	24	23	15	6	1				70	146
Nashua	Males	27	2	1							16	3	7	4					30	
	Females	23	2	1						2	9	13	1	1					26	56
Portsmouth	Males	4									1	2	1						4	
	Females	3	1									2	2						4	8

TABLE No. 59. — *Continued.*

TOWNS.	SEX.		AGES.		MONTHS.												Total.	Grand total.		
			Under 1.	1 to 5.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Unknown.	
Allenstown.	Males	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	7
	Females	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	4
Berlin.	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	4
	Females	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	4
Claremont.	Males	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	9
	Females	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	9
Epping.	Males	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	3
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3
Exeter.	Females	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	4
Franklin.	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3
	Females	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	3
Gilford.	Males	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	3
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3

Greenville	Males	3	3	3	3
Jaffrey	Males	1	1	1	...
	Females	3	2	3	4
Laconia	Males	7	1	4	8	...
	Females	6	2	3	...	1	6	14
Littleton	Males	2	2	2	...
	Females	1	1	1	3
New Ipswich	Males	2	2	2	...
	Females	1	1	1	3
Newmarket	Males	3	2	1	3	...
	Females	2	1	1	2	5
Pembroke	Males	1	1	1	1	2	...
	Females	...	1	1	1	3
Peterborough	Males	2	2	2	...
	Females	2	2	2	4
Rochester	Males	3	1	2	3	3
Seabrook	Males	1	1	1	...
	Females	2	1	2	...	1	3	4
Somersworth	Males	8	1	1	2	2	9	...
	Females	4	1	1	1	5	14

TABLE No. 59. — Continued.

TOWNS.	SEX.	AGES.		MONTHS.												Total.	Grand total.			
		Under 1.	1 to 5.	5 to 10.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.			December.	Unknown.	
Wilton	Males	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Females	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Remaining towns	Males	34	6	6	1	1	1	1	2	1	13	18	3	2	2	2	2	40	40	40
	Females	26	1	1	1	1	1	1	1	4	11	9	1	1	1	1	1	28	28	68
Total	Males	184	31	2	2	3	2	2	4	51	82	60	10	3	3	3	3	217	217	217
	Females	159	21	2	1	1	1	1	5	42	76	44	9	2	2	2	2	182	182	399
Grand total		343	52	4	2	3	1	3	9	93	158	104	19	5	2	2	2	399	399	399

Table No. 59 shows the deaths from cholera infantum by ages, sex, and months, particularly in the cities and larger towns of the State. There was a total of 399 deaths from this cause in 1890, as against 353 in 1889, 343 being under one year of age. Two of the deaths occurred in February, 3 in March, 1 in April, 3 in May, 9 in June, 93 in July, 158 in August, 104 in September, 19 in October, 5 in November, and 2 in December. July, August, and September show substantially the entire mortality from cholera infantum.

TABLE No. 60.

Mortality from Cancer, with ratios to estimated Population and to total Mortality from 1884 to 1890, inclusive.

YEARS.	Deaths.	Death-rates per 10,000 of population.	Ratio to total mortality per 1,000.
1884	213	5.93	34.39
1885	212	5.85	34.19
1886	206	5.64	32.06
1887	218	5.92	33.65
1888	203	5.47	29.62
1889	213	5.70	31.31
1890	276	7.33	37.45
Average	220	5.97	33.31

There were 276 deaths from cancer in 1890, being a large increase over the number reported in previous years, and raising the average for the past seven years to 220. Further information in regard to the mortality from this disease in 1890 will be found in table No. XIX, under the head of cancer.

TABLE No. 61.

Mortality from Diphtheria from 1884 to 1890, inclusive, by Ages.

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	8	39	34	17	4	2	..	1	3	1	1	110
1885	10	32	22	5	3	4	..	1	1	78
1886	9	53	58	22	7	3	1	1	2	156
1887	7	74	51	20	6	9	4	2	1	1	1	..	1	177
1888	6	43	36	7	4	2	1	1	2	1	103
1889	7	86	68	18	13	10	3	3	..	1	1	210
1890	6	64	45	26	10	3	4	3	1	2	164

Table No. 61 shows the mortality from diphtheria by ages, for the years 1884 to 1890, inclusive. One hundred and sixty-four deaths were reported from this cause in 1890, as against 210 the preceding year. Six of the decedents were under one year of age, 64 between one and five, 45 between five and ten, 26 between ten and fifteen, 10 between fifteen and twenty, 3 between twenty and thirty, 4 between thirty and forty, 3 between forty and fifty, 1 over eighty, and 2 with age not stated. In the following table will be found the mortality from diphtheria as occurring in the cities and larger towns of the State, by ages, sex, and months. Of the total number of decedents, 78 were males and 84 females. Sixteen of the deaths occurred in January, 9 in February, 16 in March, 14 in April, 12 in May, 9 in June, 16 in July, 8 in August, 19 in September, 17 in October, 9 in November, 13 in December, and 6 not stated.

TABLE No. 62.
Diphtheria, by Ages, Sex, and Months, particularly showing number of Decedents in the Cities and Towns returning the greatest Mortality from this Disease.

Sex.	Months.												TOWNS.												Whole Number.		Ages.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Male.	Female.	Unknown.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.								
M.	1	2	1	1	1	1	1	1	1	1	1	1	1	7	4	3	..	2	1	1	1	1	1	1	1	1	1	1	1	1	..							
F.	1	1	1	1	1	1	1	1	1	1	1	1	1	20	12	8	..	1	4	2	2	2	1	1	1	1	1	1	1	1	..							
M.	1	2	2	2	2	2	2	1	1	1	1	1	1	12	4	8	..	3	4	1	1	1	1	1	1	1	1	1	1	1	..							
F.	1	1	1	1	1	1	1	1	1	1	1	1	1	9	5	4	..	7	1	1	1	1	1	1	1	1	1	1	1	1	..							
M.	2	1	1	1	1	1	1	1	1	1	1	1	1	7	4	3	..	1	4	1	1	1	1	1	1	1	1	1	1	1	..							
F.	1	1	1	1	1	1	1	1	1	1	1	1	1	6	2	4	..	1	1	1	1	1	1	1	1	1	1	1	1	1	..							
M.	1	2	1	1	1	1	1	1	1	1	1	1	1	3	2	1	..	2	1	1	1	1	1	1	1	1	1	1	1	1	..							
F.	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	1	..	2	1	1	1	1	1	1	1	1	1	1	1	1	..							
M.	2	1	1	1	1	1	1	1	1	1	1	1	1	3	2	1	..	1	1	1	1	1	1	1	1	1	1	1	1	1	..							
F.	1	1	1	1	1	1	1	1	1	1	1	1	1	4	3	1	..	1	1	1	1	1	1	1	1	1	1	1	1	1	..							
M.	1	1	1	1	1	1	1	1	1	1	1	1	1	4	3	1	..	1	1	1	1	1	1	1	1	1	1	1	1	1	..							
F.	1	1	1	1	1	1	1	1	1	1	1	1	1	4	3	1	..	1	1	1	1	1	1	1	1	1	1	1	1	1	..							

TABLE No. 62. — Continued.

Months.												Whole Number.		Ages.																
Sex.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.															December.	Unknown.			
TOWNS.														Total.	Male.	Female.	Unknown.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
F.									1																					
M.								1																						
F.	1																													
M.	2																													
F.	1																													
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																												
F.	1	1																												
M.	1	1																								</				

* Classed with males.

TABLE No. 63.

Mortality from Croup from 1884 to 1890, inclusive, by Ages.

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	8	35	6											49
1885	20	41	9			1	2		1					74
1886	13	40	10	1										64
1887	26	48	7	2							1			84
1888	16	67	9			1				1				94
1889	11	65	11	1										88
1890	16	41	6	1										64

Table No. 63 gives the mortality from croup for the years 1884 to 1890, inclusive, by ages. In 1890 there were 64 deaths from this cause, 16 of the decedents being under one year of age, 41 between one and five, 6 between five and ten, and 1 between ten and fifteen years of age.

TABLE No. 64.

Mortality from Croup and Diphtheria from 1884 to 1890, inclusive.

YEARS.	Deaths.			Percentages of deaths to deaths from all causes.			Death-rates per 10,000 living.		
	Croup.	Diphtheria.	Total.	Croup.	Diphtheria.	Total.	Croup.	Diphtheria.	Total.
1884	49	110	159	.79	1.77	2.56	1.36	3.06	4.42
1885	74	78	152	1.19	1.25	2.44	2.04	2.15	4.19
1886	64	156	220	.99	2.41	3.40	1.75	4.27	6.02
1887	84	177	261	1.29	2.73	4.02	2.28	4.81	7.09
1888	94	108	197	1.37	1.50	2.87	2.53	2.77	5.30
1889	88	210	298	1.31	3.13	4.44	2.35	5.61	7.96
1890	64	164	228	.86	2.21	3.08	1.69	4.32	6.02
Total	517	998	1,515
Average	74	142	216

Table No. 64 shows the deaths from diphtheria and croup, with the percentage of deaths respectively to the total mortality from all causes and the death-rates to each 10,000 of the living population. There have been 1,515 deaths from these two causes in this State during the past seven years, nearly all of them being children under five years of age.

TABLE No. 65.

Mortality from Typhoid Fever from 1884 to 1890, inclusive.

YEARS.	Deaths.	Percentages of deaths to deaths from all causes.	Death-rates per 10,000 living (estimated population).
1884.....	137	2.21	3.81
1885.....	136	2.19	3.75
1886.....	194	8.01	5.31
1887.....	134	2.06	3.64
1888.....	150	2.18	4.04
1889.....	161	2.40	4.30
1890.....	143	1.94	3.79
Total.....	1,055
Average.....	150

The preceding table shows the deaths from typhoid fever from 1884 to 1890, inclusive, with the percentage to deaths from all causes and the death-rate to each 10,000 of the living population. One hundred and forty-three deaths were reported from typhoid fever in 1890.

TABLE No. 66.
Mortality from Typhoid Fever, by Counties, with Percentages of Deaths to Total Mortality, from 1884 to 1890, inclusive.

COUNTIES.	1884.		1885.		1886.		1887.		1888.		1889.		1890.		Deaths, average.
	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	Deaths.	Percentages.	
Rockingham	17	1.94	18	1.97	23	2.38	10	1.14	9	1.00	15	1.71	12	1.12	14
Strafford	12	1.91	12	1.93	21	3.44	17	2.52	13	1.88	19	2.74	19	2.37	16
Belknap	13	4.56	9	3.11	31	8.56	13	3.52	8	2.04	8	2.05	13	3.47	13
Carroll	4	1.20	8	2.97	3	.99	5	1.70	6	1.82	6	2.01	2	.66	4
Merrimack	15	2.03	15	1.88	23	2.76	14	1.67	33	3.58	20	2.24	27	2.74	21
Hillsborough	32	1.93	37	2.17	46	2.73	41	2.41	42	2.27	39	2.24	38	1.92	39
Cheshire	14	2.81	14	2.83	12	2.52	6	1.24	5	1.02	10	1.90	10	1.79	10
Sullivan	4	1.46	4	1.40	6	1.82	5	1.76	3	.91	4	1.26	1	.30	4
Grafton	13	1.99	11	1.80	21	3.40	9	1.49	19	2.90	15	2.40	14	2.15	14
Coles	13	4.94	8	3.52	8	3.12	14	3.80	12	3.82	25	7.18	7	2.12	12
Total	137	2.21	136	2.19	194	3.01	134	2.06	150	2.18	161	2.40	143	1.94	150

Table No. 66 exhibits the number of deaths from typhoid fever, with the percentage to the total mortality, annually, from 1884 to 1890, inclusive, by counties. The average mortality from this cause for seven years has been 150.

TABLE No. 67.

Mortality from Typhoid Fever, from 1884 to 1890, inclusive, by Ages.

YEARS.	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	5	10	7	11	21	34	12	8	7	8	8	3	3	137
1885	2	7	7	11	20	34	14	8	7	10	11	3	2	136
1886	2	6	15	12	33	51	16	12	15	14	16	2	...	194
1887	2	6	1	16	22	41	17	8	7	6	5	2	1	134
1888	3	13	4	11	26	39	12	8	8	9	8	3	6	150
1889	4	5	9	14	26	50	13	14	10	5	6	4	1	161
1890	1	8	10	11	24	33	18	14	10	7	7	3	2	143

Table No. 67 shows the mortality from typhoid fever from 1884 to 1890, inclusive, by ages. Of the 143 decedents from this disease in 1890, 1 was under one year of age, 3 between one and five, 10 between five and ten, 11 between ten and fifteen, 24 between fifteen and twenty, 33 between twenty and thirty, 18 between thirty and forty, 14 between forty and fifty, 10 between fifty and sixty, 7 between sixty and seventy, 7 between seventy and eighty, 3 over eighty, and 2 with age not stated.

TABLE No. 68.

Mortality from Bright's Disease, Nephritis, and other Kidney Diseases, and from Dropsy, with Ratios to Total Mortality, from 1884 to 1890, inclusive.

YEARS.	Total mortality from all causes.	Deaths from Bright's disease, nephritis, and other kidney diseases.	Ratio to total mortality per 1,000.	Deaths from dropsy.	Ratio to total mortality per 1,000.	Totals.	Ratio to total mortality per 1,000.
1884	6,194	140	22.60	80	12.91	220	35.51
1885	6,201	157	25.32	90	14.51	247	39.83
1886	6,426	143	22.25	83	12.92	226	35.17
1887	6,479	163	25.16	79	12.19	242	37.35
1888	6,854	154	22.47	75	10.94	229	33.41
1889	6,696	200	29.87	62	9.26	262	39.13
1890	7,368	201	27.28	53	7.19	254	34.47
Average	6,602	165	24.99	74	11.41	240	36.41

The preceding table shows the mortality from the various kidney diseases, also the total mortality of the State from all causes, for each year since 1884, inclusive. In 1890 there were 201 deaths from Bright's disease, nephritis, and other kidney diseases, and 53 deaths from dropsy; these figures do not vary greatly from those of the preceding year. The average number of deaths from these causes for the seven years since 1884 has been 240.

TABLE No. 69.

Mortality from Scarlatina from 1884 to 1890, inclusive.

YEARS.	Deaths.	Percentages of deaths to deaths from all causes.	Death-rates per 10,000 living population.*
1884	52	.83	1.44
1885	53	.85	1.46
1886	21	.32	.57
1887	26	.40	.70
1888	34	.49	.91
1889	18	.26	.48
1890	16	.21	.42
Total	220
Average	31

* Population estimated for all but census years.

Table No. 69 shows the mortality from scarlet fever from 1884 to 1890, inclusive. In 1890 there were 16 deaths from this cause, a smaller number than ever reported in previous years, the average for seven years being 31.

TABLE No. 70.

Mortality from Scarlatina from 1884 to 1890, inclusive, by Ages.

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	7	20	12	8	1	4	52
1885	5	30	11	4	1	1	1	53
1886	1	8	9	1	..	1	121
1887	5	10	3	6	..	2	26
1888	5	16	5	3	2	..	1	1	..	1	34
1889	4	7	3	2	1	118
1890	2	10	1	1	..	2	16

This table gives the ages of the decedents from scarlet fever for each year since 1884. Of the 16 decedents in 1890, 2 were under one year of age, 10 between one and five, 1 between five and ten, 1 between ten and fifteen, and 2 between twenty and thirty.

TABLE No. 71.

Deaths from Scarlatina by Counties, 1890.

COUNTIES.	Deaths.	COUNTIES.	Deaths.
Rockingham	2	Hillsborough.....	3
Strafford	2	Cheshire.....	2
Belknap	1	Sullivan.....	
Carroll		Grafton	5
Merrimack		Coös	1

This table shows the mortality from scarlet fever by counties, for the year 1890. Rockingham county had two deaths from this cause, Strafford 2, Belknap 1, Hillsborough 3, Cheshire 2, Grafton 5, Coös 1, while Carroll, Merrimack, and Sullivan had none.

TABLE No. 72.

Mortality from Measles from 1884 to 1890, inclusive.

YEARS.	Deaths.	Percentages of deaths to deaths from all causes.	Death-rates per 10,000 living population.*
1884	3	.04	.08
1885	45	.72	1.24
1886	18	.28	.49
1887	39	.60	1.06
1888	55	.80	1.48
1889	16	.23	.42
1890	9	.12	.23
Total	185
Average	26

* Population estimated for all but census years.

Table No. 72 gives the mortality from measles from 1884 to 1890, inclusive. There were nine deaths from this cause in 1890, the average being 26 for seven years, and the total deaths from this cause since 1884, 185.

TABLE No. 73.

Mortality from Measles from 1884 to 1890, inclusive, by Ages.

YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.	Total.
1884	1	1	...	1	3
1885	12	26	5	1	1	45
1886	5	13	18
1887	19	10	2	1	3	2	1	1	1	39
1888	14	20	6	3	2	2	5	1	1	1	...	55
1889	2	6	1	2	2	1	1	1	116
1890 ...	5	4	9

This table gives the ages of the decedents from measles for each year since 1884. The nine decedents in 1890 were all children under five years of age.

NAMES OF CAUSES OF DEATH.*

It should be stated that the nomenclature of diseases in the nosological arrangement on the following pages is not intended to include the names of the whole list of morbid phenomena affecting the human organism, but the names of such only as are directly the cause of death, or such as ordinarily predispose to or set in motion the morbid processes that end in death.

In the construction of the classification now adopted, use has been made of the results and conclusions of a committee of the Royal College of Physicians, of England (who have been engaged for several years in a revision of the British nomenclature of diseases), as far as such conclusions have been ascertained from brief reports in different medical journals, and from such other sources as were accessible (the complete report not having yet been issued), and from examination of the classifications in use in different countries in Europe and America.

It should be said that all these classifications have been and are essentially alike, that all have been based designedly on observed facts and most advanced conclusions in relation to pathological processes and morbid conditions, inductive, causative, progressive, and ultimate.

The statistical nosology will consist of two lists of causes of death.

A TABULAR LIST AND SUPPLEMENTAL LIST.

The tabular list comprises the chief or primary causes of death which will be used in Table 13, in the preparation of the Registrar's annual reports, and will, therefore, include all those named in the supplemental list, when the final arrangement is completed.

The supplemental list is subordinate to the tabular list, and contains synonyms, or names of related diseases, which may be actually, or are supposed to be, causes of death, and which are in addition to those in the tabular list, and which are often found in physicians' certificates of death. These will all have a place, in alphabetical order, in Table 13, and will be variously grouped under different heads in Table 13, as the figure which precedes each cause in the supplemental list will correspond with the figure of the head in the tabular list under which that cause is placed.

* Taken largely from the list prepared by the State Registrar of Rhode Island.

NOMENCLATURE OF CAUSES OF DEATH.

CLASSES.

- I. General Diseases. — A. Specific and febrile. (Zymotic.)
- II. General Diseases. — B. Cachectic. (Constitutional.)
- III. Special Diseases. — A. Functional or organic. (Local.)
- IV. Special Diseases. — B. Developmental. (Developmental.)
- V. Violent Deaths. — From injuries. (Violence.)

SUB-GROUPS OR ORDERS.

CLASS I. — ZYMOTIC DISEASES.

Order one, Miasmatic. Order two, Enthetic. Order three, Dietic.
Order four, Parasitic.

CLASS II. — CONSTITUTIONAL DISEASES.

Order one, Diathetic. Order two, Tubercular.

CLASS III. — LOCAL DISEASES.

Order one, Diseases of the Nervous System. Order two, Organs of Circulation. Order three, Organs of Respiration. Order four, Organs of Digestion. Order five, Urinary Organs. Order six, Reproductive Organs. Order seven, Osseous and Locomotory Organs. Order eight, Integumentary System.

CLASS IV. — DEVELOPMENTAL DISEASES.

Order one, Of Children. Order two, Of Women. Order three, Of Old Age. Order four, Of Nutrition.

CLASS V. — VIOLENT DEATHS.

Order one, Accidents and Negligence. Order two, Homicide. Order three, Suicide.

CLASS I. — ZYMOTIC DISEASES.

TABULAR LIST.

For Table 13 of the Registration Report.

ORDER ONE. — MIASMATIC.

- I. One. — 1. Carbuncle.
 2. Cholera, Asiatic.
 3. Cholera, sporadic.
 4. Cholera infantum.
 5. Cholera morbus.
 6. Croup (pseudo membranous).
 7. Diphtheria.
 8. Diarrhea.
 9. Dysentery.
 10. Erysipelas.
 11. Fever, bilious.
 12. Fever, cerebro-spinal.
 13. Fever, intermittent.
 14. Fever, malarial.
 15. Fever, typhoid.
 16. Fever, typho-malarial.
 17. Fever, unspecified.
 18. Fever, yellow.
 19. Influenza (epidemic).
 20. Measles.
 21. Mumps.
 22. Metria (puerperal fever).
 23. Pertussis.
 24. Tonsillitis.
 25. Scarlatina.
 26. Small-pox.
 27. Varicella.

ORDER TWO. — ENTHETIC.

- I. Two. — 1. Glanders.
 2. Gonorrhea.
 3. Hydrophobia.
 4. Malignant pustule.
 5. Septicæmia.
 6. Syphilis.

SUPPLEMENTAL LIST.

Synonyms or Related Diseases.

ORDER ONE. — MIASMATIC.

- I. One. — 1. Anthrax.
 Gangrenous boil.
 4. Entero-colitis. } Infantile.
 Gastro-enteritis. } tile.
 8. Intestinal catarrh.
 10. Hospital gangrene.
 Pyæmia.
 Phagadæna.
 Phlegmon.
 Rodent ulcer.
 11. Fever remittent.
 13. Congestive chill.
 15. Infantile fever.
 Typhus fever.
 Enteric fever.
 Rubeola.
 17. Catarrhal fever.
 20. Rotheln.
 21. Parotitis.
 22. Child-bed fever.
 23. Whooping-cough.
 24. Quinsy.
 25. Scarlet fever.
 Angina maligna.
 26. Varioloid.
 27. Chicken-pox.
 Miliaria.

ORDER TWO. — ENTHETIC.

- I. Two. — 2. Stricture of the urethra.
 Gonorrhæal ophthalmia.
 5. Necusia.
 Blood poisoning.

CLASS I. — ZYMOTIC DISEASES — *Continued.*

TABULAR LIST.	SUPPLEMENTAL LIST.
<p>Order THREE. — DIETIC.</p>	<p>ORDER THREE. — DIETIC.</p>
<p>I. Three. — 1. Alcoholism. 2. Delirium tremens. 3. Inanition. 4. Purpura and scurvy.</p>	<p>I. Three. — 1. Intemperance. 3. Privation. Starvation. Neglect. 4. Rickets.</p>
<p>ORDER FOUR. — PARASITIC.</p>	<p>ORDER FOUR. — PARASITIC.</p>
<p>I. Four. — 1. Aphæ. 2. Worms. 3. Other parasites.</p>	<p>I. Four. — 1. Thrush. 2. Tapeworm. Trichianasis. 3. Scabies. Hydatids. Porrigo, favus, etc.</p>

CLASS II. — CONSTITUTIONAL DISEASES.

<p>ORDER ONE. — DIATHETIC.</p>	<p>II. One. — 2. Anasarca 3. Leucocythæmia. Chlorosis. 4. Soft cancer. Epithelioma. Melanosis. Lupus. Other kinds of cancer. 9. Bed-sore. Dry gangrene. 10. Rheumatic carditis. Rheumatic synovitis. Rheumatic meningitis. Arthritis. Lumbago.</p>
<p>II. One. — 1. Gout. 2. Dropsy. 3. Anæmia. 4. Cancer, various. 5. Cancer of breast. 6. Cancer of stomach. 7. Cancer of uterus. 8. Noma (canker). 9. Mortification. 10. Rheumatism.</p>	<p>II. Two. — 1. Psoas (lumbar) abscess. White swelling. Cretinism (goitre). Adenitis. Morbus coxarius. Pott's disease. Cellulitis. 2. Tubercular peritonitis. Consumption of bowels. 3. Hæmoptysis. 4. Dropsy of brain.</p>
<p>ORDER TWO. — TUBERCULAR.</p>	
<p>II. Two. — 1. Scrofula. 2. Tabes mesenterica. 3. Phthisis (pulmonary). 4. Hydrocephalus. 5. Tubercular meningitis.</p>	

CLASS III.—LOCAL DISEASES.

TABULAR LIST.	SUPPLEMENTAL LIST.
ORDER ONE.—NERVOUS SYSTEM.	-----
III. One.—1. Cephalitis. 2. Cerebritis. 3. Apoplexy. 4. Paralysis. 5. Insanity. 6. Chorea. 7. Epilepsy. 8. Tetanus. 9. Convulsions. 10. <i>Brain diseases.*</i>	III. One.—1. Phrenitis. Meningitis. Cerebro-spinal meningitis (sporadic). Myelitis—inflammation of spinal cord. Inflammation of brain. 4. Paraplegia. Hemiplegia. Paresis. Locomotor ataxia. Paralysis of brain or spinal cord. 5. Monomania. Fright. Grief. Melancholia. Dementia. Rage. 6. Hysteria. 8. Laryngismus. Lockjaw. Trismus nascentium. 10. Neuralgia, cerebral. Neurasthenia. Disease of spinal cord. Necrencephalus (ramollis- sement). Thrombosis, cerebral. Embolism, cerebral. Brain lesion. Pott's disease.
ORDER TWO.—CIRCULATORY SYSTEM.	
III. Two.—1. Pericarditis. 2. Aneurism. 3. <i>Heart diseases.*</i>	III. Two.—1. Carditis. Endocarditis. 3. Hypertrophia. Arteries, disease of. Atrophia. Angina pectoris. Heart disease and dropsy. Syncope. Arteritis. Elephantiasis. Ossification of arteries. Phlebitis. Hydropericardium. Embolus. Embolism. Thrombosis. Neuralgia of heart. Paralysis of heart.
ORDER THREE.—RESPIRATORY SYSTEM.	
III. Three.—1. Epistaxis. 2. Laryngitis. 3. Bronchitis, acute. 4. Bronchitis, chronic. 5. Pleurisy.	III. Three.—2. Oedema glottidis. 5. Empyema. Dropsy of chest. Diaphragmitis. Pneumothorax. Hydrothorax.

* Not otherwise placed.

CLASS III. — LOCAL DISEASES — *Continued.*

TABULAR LIST.	SUPPLEMENTAL LIST.
ORDER THREE. — RESPIRATORY SYSTEM — <i>Continued.</i>	
III. Three. — 6. Pneumonia. 7. Asthma. 8. <i>Lung diseases.*</i>	III. Three. — 6. Pulmonary apoplexy. Hæmoptysis.† Congestion of lungs. 7. Grinders' asthma. Miners' asthma. Emphysema. Spasmus glottidis. Kopp's disease. 8. Pulmonary embolism. Disease of throat. Disease of larynx.
ORDER FOUR. — DIGESTIVE SYSTEM.	
III. Four. — 1. Gastritis. 2. Enteritis. 3. Peritonitis. 4. Ascites. 5. Ulceration of intestines. 6. Hernia. 7. Ileus. 8. Intussusception. 9. Stricture of intestines. 10. Fistula. 11. <i>Stomach diseases.*</i> 12. <i>Pancreas diseases.*</i> 13. Hepatitis. 14. Jaundice. 15. <i>Liver diseases.*</i> 16. <i>Spleen diseases.*</i> 17. <i>Bowel diseases.*</i>	III. Four. — 1. Glossitis. Gastric fever. Stomatitis. Inflammation of stomach. Pharyngitis. Oesophagitis. 2. Gastro-enteritis, } <i>Not in-</i> Enterocolitis, } <i>fantile.</i> Inflammation of bowels. 4. Dropsy of bowels. 5. Perforation of. 6. Congenital. Rupture. Femoral. Inguinal. Scrotal. Umbilical. Ventral. 7. Constipation. Obstipation. Obstruction of bowels. Perityphlitis. Typhlitis. 9. Strict oesophagus. 11. Dyspepsia. Indigestion. Pyrosis. Gastralgia. Hæmatemesis. Disease of pharynx. Mælena. 13. Inflammation or congestion of liver. 14. Gall-stones. 15. Cirrhosis. 17. Pelvic abscess. Pyelitis. Colic.
ORDER FIVE. — URINARY SYSTEM.	
III. Five. — 1. Nephritis. 2. Ischuria. 3. Nephria (Bright's disease). 4. Diabetes.	III. Five. — 1. Inflammation of kidneys. 2. Retention of urine. 3. Albuminuria. 6. Cystirrhœa. Inflammation of bladder. 8. Diuresis. Enuresis.

* Not otherwise placed. † See Class II, Order Two — 3, Sup. List.

CLASS III.—LOCAL DISEASES—*Continued.*

TABULAR LIST.	SUPPLEMENTAL LIST.
ORDER FIVE.—URINARY SYSTEM— <i>Continued.</i>	
III. Five.—5. Calculus (gravel, etc.). 6. Cystitis. 7. Prostate, disease of. 8. <i>Kidney diseases.*</i> 9. Bladder, diseases of.* 10. Testicles, disease of.	III. Five.—8. Hæmaturia. Uræmia. Addison's disease. Renal hæmorrhage. Renal dropsy. 9. Urethritis. 10. Orchitis.
ORDER SIX.—GENERATIVE SYSTEM.	
FEMALE.	
III. Six.—1. Ovarian dropsy. 2. <i>Diseases of Uterus.*</i>	III. Six.—1. Ovarian tumor. 2. Hysteritis metritis. Uterine uteri. Polypus tumor. Ovaritis. Pelvic cellulitis. Metritis.
ORDER SEVEN.—OSSEOUS AND LO- COMOTORY SYSTEM.	
III. Seven.—1. Bones, diseases of. 2. <i>Joint diseases.*</i> 3. Vertebrae, diseases of.	III. Seven.—1. Ostitis. Periostitis. Fragilitas ossium. Mollities ossium. Rickets. Caries, necrosis. Exostosis. 2. Synovitis. Hip disease.† 3. Spine disease. Spine, caries and necrosis.
ORDER EIGHT.—INTEGUMENTARY SYSTEM.	
III. Eight.—1. Phlegmon.† 2. Ulcer. 3. <i>Skin diseases.*</i>	III. Eight.—1. Abscess, part not stated. Boil. Whitlow. 3. Roseola. Urticaria. Eczema. Herpes. Pemphigus. Ecthyma. Impetigo. Psoriasis, etc. Dermatitis (from burns, etc.).

* Not otherwise placed. † See Class I, Order One—10, Sup.

‡ See Class II, Order Two—1, Sup.

CLASS III.—LOCAL DISEASES—*Continued.*

TABULAR LIST.	SUPPLEMENTAL LIST.
ORDER NINE.—ORGANS OF SPECIAL SENSE.	
EYE AND EAR.	
III. Nine.—1. Malignus oculi. 2. Ophthalmitis. 3. Ossis petrosis. 4. Otitis.	III. Nine.—1. Glaucoma.

CLASS IV.—DEVELOPMENTAL DISEASES.

ORDER ONE.—DEVELOPMENTAL DISEASES OF CHILDREN.	
IV. One.—1. Still-born. 2. Debility, infantile. 3. Debility, premature birth. 4. Cyanosis. 5. Spina bifida. 6. Other malformations. 7. Teething. 8. Innutrition.	IV. One.—2. Asthenia. Asphyxia. 4. Atelectasis pulmonum. 6. Anus imperforatus Cleft palate. Idiocy. 8. Malnutrition. Inanition. Marasmus.
ORDER TWO.—DEVELOPMENTAL DISEASES OF WOMEN.	
IV. Two.—1. Paramenia. 2. Childbirth.*	IV. Two.—1. Amenorrhœa. Suppression of menses. Chlorosis.† Climacteria. Menorrhagia. 2. Miscarriage. Abortion. Puerperal mania. Puerperal convulsions. Phlegmasia dolens. Cæsarian operation. Extra-uterine foetation. Flooding. Retention of placenta. Presentation of placenta. Deformed pelvis. Mammary abscess. Vomiting in pregnancy.

* See Class I, Order One—22, Tab. List.

† See Class II, Order One—3, Sup.

CLASS IV. — DEVELOPMENTAL DISEASES — *Continued.*

TABULAR LIST.	SUPPLEMENTAL LIST.
ORDER THREE. — DEVELOPMENTAL DISEASES OF OLD PEOPLE.	
IV. Three. — 1. Old age.	IV. Three. — 1. Senile debility.
ORDER FOUR. — DISEASES OF NUTRITION. ADOLESCENT AND ADULT.	
IV. Four. — 1. Atrophy. 2. Debility.	IV. Four. — 1. Inanition. Marasmus. Malnutrition. 2. Asthenia. Exhaustion.

CLASS V. — VIOLENT DEATHS.

ORDER ONE. — ACCIDENT OR NEGLIGENCE.	
V. One. — 1. Fractures and contusions. 2. Wounds, unspecified. 3. Burns and scalds. 4. Poison. 5. Drowning. 6. Suffocation. 7. Various.	V. One. — 1. Railroad and other accidents. 2. Traumatic. 3. Lost at sea. 4. Asphyxia. Strangulation. 5. Exposure. Cold water. Frozen. Heat. Lightning. Surgical operation. Concussions. 4. Narcotism.
ORDER TWO. — HOMICIDE.	
ORDER THREE. — SUICIDE.	
V. Three. — 1. Wounds, unspecified. Wounds, pistol or gunshot. Wounds, knife. 2. Poison. 3. Drowning. 4. Hanging. 5. Otherwise.*	V. Two. — 1. Infanticide. Patricide. Matricide. Fratricide. Filicide, etc.
ORDER FOUR. — VARIOUS.	
V. Four. — 1. Unclassified. 2. Cause not specified.	V. Four. — 1. Tumor. Fits. Cramps. Catarrh. Hæmorrhage. Inflammation. Headache. Neuralgia. Cold. Complication.

* Manner stated.

All tumors, abscesses, hæmorrhages, and ulcers of particular organs, are classed under diseases of those organs.

SUGGESTIONS CONCERNING PHYSICIANS' CERTIFICATES OF DEATH.

It should be the endeavor to specify the causes of death as definitely and correctly as possible. It is not unusual to find a return of death with the physician's certificate naming the cause of death "Paralysis," "Paraplegia," "Fits," "Convulsions," "Dropsy," etc., which are merely secondary or consecutive causes, simply symptoms only, or results of some organic lesion or pathological derangement. Sometimes the alleged cause is really the final cause, as in a case of termination of life by paralysis, but the cause given as paralysis is not the determining cause. Apoplexy, or some lesion of the nervous centres, must be the original and determining cause of paralysis, paraplegia, hemiplegia, etc., and the determining cause should be stated as the primary in the return or certificate.

Convulsions are the symptoms or results of some antecedent or concurrent disease. They follow meningitis and other structural lesions of the nervous centres; they also occur from reflex derangement or disturbance of the nervous centres, as, in children, from intestinal irritation, or from inflammation, as in gastritis, enteritis, nephritis, etc. In such cases they may be contributory to death, and perhaps, in rare instances, a final cause, by inducing or taking the form of tonic or tetanic spasm. But as contributory, or as a final cause, they are simply concomitant, and are not unfrequently manifestations of the desperate efforts of expiring vitality to regain original and normal control. They should find place as secondary causes only in certificates of death.

"Fits" is too unmeaning a term to be used in any case. The word in a medical sense literally means an attack, an occurrence, or succession of attacks of some physical or mental disturbance, as "fits of sickness," "fits of melancholy," etc., and is not properly used as synonymous with convulsions from any cause. It would be just as sensible to attribute a death to an "occurrence" or an "attack" as a cause, as to "fits," without other qualification.

"Dropsy" and "ascites" have been allowed to stand as determining causes of death because of extended use, and because of the obscurity with which their causes in rare instances are involved. We can scarcely conceive of a dropsical accumulation without antecedent organic or functional disorder, derangement of the absorbent or secretory system, or depravation of the blood. They are left in the tabular list with not a little reluctance. Paralysis is also left

in the tabular list for a like reason, and with the same doubt of propriety.

"Inflammation" does not in any way define the cause of death. The organ or organs affected should be mentioned, or else the death must remain unclassified.

"Hemorrhage" is sometimes returned as a cause, but unless accompanied by a further statement no inference can be drawn as to the real cause of death. The suicide who cuts his throat frequently dies of hemorrhage; sometimes the patient with typhoid fever succumbs from the same cause, yet to report "hemorrhage" as the cause of death would leave the actual cause in obscurity.

It may be suggested that it is sometimes difficult, and occasionally impossible, to ascertain positively the chief or leading cause of death. The physician last in attendance may find several functional or structural diseases, the morbid conditions multiple and complex, and not only the initial derangement, but the succession of morbid processes — proximate, consecutive, and ultimate — inextricably entangled and lost to discovery.

The careful diagnostician will, however, even then be able to conceive the probable leading cause, but, whether or not, he will be able at least to ascertain the most prominent and controlling lesion or functional derangement then existing, and which may reasonably be accepted as the primary cause of death.

The preceding remark applies very properly to cases of adventitious diseases which prove fatal, when occurring in individuals already suffering from some chronic disease of slower progress, as when fatal dysentery attacks a consumptive person, or one having chronic nephritis dies from pneumonia. The acute disease occurring independently of the chronic disease is the chief cause of death, although the fatal event may have been made more sure by the existence of the antecedent disease, and although the antecedent disease would have ultimately caused death.

In attributing death to scrofula, tuberculosis, tumor, cancer, abscess, and other generic terms as causes, the organic structure or locality where the disease is developed should always be given, otherwise such terms are very indefinite, and discredit the acquirements of the certifying physician.

The objects desired in presenting the preceding nomenclature of causes of death, and the suggestions following, are to subserve the purpose of greater uniformity in the use of nosological terms, and to promote the accomplishment of entire definiteness, accuracy, and completeness in the physicians' certificates of causes of death.

I N D E X .

	PAGE
Births in 1890, by counties, showing proportion of males to females	30
by sex and months.....	34
by towns.....	8-29
in the cities of the State.....	188
percentage of American and foreign, by counties.....	189
to each 1,000 of the population	7
1890 to 1890	4
with populations and rates.....	187
triplet, by sex and parentage, 1890.....	33
twin, by counties	31
by sex and parentage.....	32
Birth-rate, 1890.....	186
Brain diseases, deaths from, 1884-1890	256
Bright's disease, deaths from, 1884-1890.....	274
 Cancer, mortality from, 1884-1890	256
Centenarians, deaths of, 1890	224
Cholera infantum, deaths from, in 1890, by ages, sex, and months, by cities	261
1884-1890	257
by ages	259
in the cities	260
Constitutional diseases, deaths from, 1884-1890	230
Consumption, deaths from, in 1890, by counties by ages and sex.....	248
by months and sex	250
by nationality, civil condition, and sex	252
in Concord.....	242
Dover	245
Keene.....	246
Manchester.....	241
Nashua	243
Portsmouth.....	244
1883-1890, in cities of the State	247
1884-1890.....	238
with percentage to total mortality..	240
Croup, deaths from, 1884-1890.....	270
by ages.....	269
 Death-rate in 1890	186
Deaths in 1890, by age periods, compared with the living population at	
each period.....	214

Deaths in 1890, by ages, sex, and months	181
by counties	168
and towns.....	134-166
causes of, alphabetically arranged by ages, sex, and months	170
by classes and counties	227
orders	132
by towns and counties	44-131
twenty prominent, diagram showing	235
of centenarians.....	224
of children under five years of age, by seasons	220
from consumption, by ages and sex, by counties	248
by months and sex, by counties	250
in the cities of the State.....	241-246
by towns and counties	8-29
by counties, by nativity	222
by seasons	221
Deaths from 1890-1890	6
1893-1890, at age periods	213
1894-1890, by ages and sex	215
percentage of to total mortality.....	218
causes of, by classes.....	225
twenty prominent	234
by classes, percentage of causes of.....	226
number of male and female decedents compared... ..	212
nativity of decedents.....	223
percentage of by quarters	211
with population and rates	187
with death-rates	206
by counties.....	210
from brain diseases.....	256
consumption	238
by counties, with percentages to	
total mortality	240
in the cities of the State	247
constitutional diseases	230
developmental diseases	233
local diseases.....	231
pneumonia, by ages.....	254
by counties.....	253
by months and quarters...	255
zymotic diseases.....	229
nomenclature of causes of	281
Developmental diseases, deaths from, 1894-1890	233
Diarrheal diseases, deaths from, 1894-1890	257
Diphtheria, deaths from, 1894-1890.....	270
by ages	266
sex and months, by cities	267
Divorces, 1890, by counties.....	41, 200
ratio of to marriages.....	204
1870-1890, by counties.....	202
1892-1890, causes of	42
ratio of to marriages	203
total number of, with ratio to total number of mar-	
riages	205
Dropsy, deaths from, 1894-1890	274

Fever, typhoid, deaths from, 1884-1890	271
by ages	273
with percentage to total mortality..	272
Kidney diseases, deaths from, 1884-1890	274
Local diseases, deaths from, 1884-1890	230
Marriage-rate, 1890.....	186
1882-1890, by counties	193
Marriages, 1890, by counties and ages	38
months	37
nativity	36
towns	8-29
interesting facts concerning	40
1880-1890	5
1882-1890	191
by counties.....	192
by nativity.....	196
by percentage of American and foreign born	198
1883-1890, by ages	195
by months and quarters, with marriage-rates	194
with population and rates	187
Measles, deaths from, 1884-1890	178
by ages	179
Nephritis, deaths from, 1884-1890	174
Population of the State for each year, 1880-1890	186
by counties, 1880-1890	185
Pneumonia, deaths from, 1884-1890, by ages	254
by counties	253
by months and quarters	255
Scarlatina, deaths from, in 1890, by counties	277
1884-1890.....	275
by ages	276
Zymotic diseases, deaths from, 1884-1890.....	229

TABLES.

Table I. Showing births for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890	4
I. Showing marriages for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890	5
I. Showing deaths for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890	6
II. Population of 1890; births, marriages, and deaths, with percentage of each to one thousand of the population, for the year ending December 31, 1890	7
III. Births, marriages, and deaths for the year ending December 31, 1890	8-29
IV. Births by counties, showing proportion of males to females, 1890.	30
V. Twin births by months and counties, 1890	31

Table VI. Twin births by sex and parentage, by counties, 1890.....	32
VII. Triplet births by sex and parentage, 1890.....	33
VIII. Births by sex and month, by counties, 1890.....	34
IX. Marriages by counties and nativity, 1890.....	36
X. Marriages by months and counties, 1890.....	37
XI. Marriages by ages and counties, 1890.....	38
XII. Interesting facts in relation to marriages, 1890.....	40
XIII. Divorces decreed by the supreme court of New Hampshire, in the year 1890, as returned by the clerks of the several counties	41
XIV. Causes upon which divorces were decreed for eight years, 1882- 1890, inclusive, by counties.....	42
XV. Causes of death, arranged by towns and counties.....	44-131
XVI. Recapitulation of the causes of death by classes and orders, by counties.....	132
XVII. Deaths by ages, sex, and months, by counties and towns.....	134-166
XVIII. Deaths by ages, sex, and months, by counties.....	168
XIX. Causes of death alphabetically arranged by ages, sex, and months.....	170-180
XX. Deaths by sex, age, and month.....	181
1. Population of counties in 1880 and 1890.....	185
2. Estimated population of New Hampshire for each year from 1880 to 1890, inclusive.....	186
3. Births, marriages, and deaths, with the estimated population and rates, for 1884 to 1890, inclusive.....	187
4. Births in cities for 1890, with rate per 1,000.....	188
5. Percentage of American and foreign births, by counties, 1890 ..	189
6. Marriage-rates for 1882 to 1890, inclusive.....	191
7. Marriages by counties from 1882 to 1890, inclusive.....	192
8. Marriage-rates for 1882 to 1890, inclusive, according to estimated population of each year, by counties.....	193
9. Marriages and marriage-rates by months and quarters, from 1883 to 1890, inclusive.....	194
10. Marriages for eight years, 1883 to 1890, inclusive, by ages.....	195
11. Marriages according to nativity.—Percentages 1882 to 1890, in- clusive.....	196
12. Proportion of American to foreign born persons married, for 1882 to 1890, inclusive.....	197
13. Percentages of American and foreign born persons married, by counties, for 1882 to 1890, inclusive.....	198
14. Divorces decreed from 1870 to 1890, inclusive, by counties.....	202
15. Ratio of divorces to marriages from 1882 to 1890, inclusive.....	203
16. Ratio of divorces to marriages, by counties, for 1890.....	204
17. Ratio of total number of divorces to total number of marriages, by counties, from 1882 to 1890, inclusive.....	205
18. Deaths and death-rates from 1884 to 1890, inclusive.....	208
19. Deaths and death-rates, by counties, from 1884 to 1890, inclusive, figured on estimated population.....	210
20. Percentages of deaths, by quarters, from 1884 to 1890, inclusive..	211
21. Mortality of males and females compared, 1884 to 1890, inclusive	212
22. Deaths at age periods by percentages, for 1883 to 1890, inclusive	213
23. Deaths at different periods, compared with the number living at the same period, 1890.....	214
24. Deaths by ages and sex, from 1884 to 1890, inclusive.....	215
25. Percentages of deaths by ages and sex to total mortality, from 1884 to 1890, inclusive.....	218

Table 26. Deaths of children under five years of age, by seasons, 1890	220
27. Deaths by seasons, 1890	221
28. Nativity of persons deceased for 1890, by counties	222
29. Nativity of persons deceased from 1884 to 1890, inclusive	223
30. Deaths in 1890, aged one hundred years, or more	224
31. Causes of death, by classes, 1884 to 1890, inclusive	225
32. Percentage of causes of death, by classes, 1884 to 1890, inclusive ..	226
33. Causes of death, by classes and counties, 1890	227
34. Mortality from prominent zymotic diseases from 1884 to 1890, inclusive	229
35. Mortality from principal constitutional diseases, 1884 to 1890, inclusive	230
36. Mortality from principal local diseases, 1884 to 1890, inclusive ..	231
37. Mortality from principal developmental diseases, 1884 to 1890, in- clusive	233
38. Mortality from twenty prominent causes, 1884 to 1890, inclusive ..	234
39. Mortality from consumption from 1884 to 1890, inclusive	238
40. Mortality from consumption, by counties, with percentages of deaths to total mortality, from 1884 to 1890, inclusive	240
41. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Manchester	241
42. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Concord	242
43. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Nashua	243
44. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Portsmouth	244
45. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Dover	245
46. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Keene	246
47. Percentage of deaths from consumption to the total mortality of the cities of the State for the years 1883 to 1890, inclusive	247
48. Deaths from consumption, by ages and sex, by counties, for 1890 ..	248
49. Deaths from consumption, by months and sex, by counties, for 1890	250
50. Deaths from consumption, by nationality, civil condition, and sex, by counties, for 1890	252
51. Mortality from pneumonia, by counties, from 1884 to 1890, in- clusive	253
52. Mortality from pneumonia, from 1884 to 1890, inclusive, by ages ..	254
53. Mortality from pneumonia, by months and quarters, from 1884 to 1890, inclusive	255
54. Mortality from brain diseases, 1884 to 1890, inclusive	256
55. Mortality from diarrheal diseases, 1884 to 1890, inclusive	257
56. Mortality from cholera infantum from 1884 to 1890, inclusive	258
57. Mortality from cholera infantum from 1884 to 1890, inclusive, by ages	259
58. Cholera infantum, by cities	260
59. Cholera infantum, by ages, sex, and months, particularly show- ing the number of decedents in the cities and towns returning the greatest mortality from this disease	261-264
60. Mortality from cancer, with ratios to estimated population and to total mortality from 1884 to 1890, inclusive	265
61. Mortality from diphtheria from 1884 to 1890, inclusive, by ages ..	266

Table 62. Diphtheria, by ages, sex, and months, particularly showing number of decedents in the cities and towns returning the greatest mortality from this disease.....	267
63. Mortality from croup from 1884 to 1890, inclusive, by ages.....	269
64. Mortality from croup and diphtheria from 1884 to 1890, inclusive.....	270
65. Mortality from typhoid fever from 1884 to 1890, inclusive.....	271
66. Mortality from typhoid fever, by counties, with percentages of deaths to total mortality, from 1884 to 1890, inclusive.....	272
67. Mortality from typhoid fever from 1884 to 1890, inclusive, by ages.....	273
68. Mortality from Bright's disease, nephritis, and other kidney diseases, and from dropsy, with ratios to total mortality, from 1884 to 1890, inclusive.....	274
69. Mortality from scarlatina from 1884 to 1890, inclusive.....	275
70. Mortality from scarlatina from 1884 to 1890, inclusive, by ages.....	276
71. Deaths from scarlatina, by counties, 1890.....	277
72. Mortality from measles from 1884 to 1890, inclusive.....	278
73. Mortality from measles from 1884 to 1890, inclusive, by ages.....	279

UNIV. OF MICHIGAN

JUN 19 1968

